

haupa®

TOP DEALS 2026

INCLUSIVE
**PLUMBING
CRAFT**

pp. 150

BRINKO®
powered by **haupa**

**SPECIAL
OFFER**

valid until
31.01.2027

EN



haupa.com

CABLE CONNECTION TECHNOLOGY LIVE WORKING PLUMBING **EXPERTISE TO THE POWER OF THREE!**

Your experienced specialist for
industry and craft

CABLE CONNECTION TECHNOLOGY AND SYSTEM TOOLS

Precision, ergonomics and
reliability in professional
electrical installation.



WORKING UNDER TENSION (VDE)

Uncompromising safety, IEC
60900 individually tested
and approved for 1000 V
AC.



EVERYTHING FOR THE PLUMBING CRAFT

Indispensable companions
for professionals in water,
heating and air conditioning
technology.



Your wholesaler:

HAUPA GmbH

Lange Str. 40 | D-42857 Remscheid | Germany


Phone: +49 (0)2191 8418-0 | Fax: +49 (0)2191 8418-840

E-mail: info@haupa.com

The prices are non-binding recommended promotional prices,
plus statutory VAT. Valid until 31/01/2027.

Sales are conducted exclusively through specialized whole-
salers. Technical changes and printing errors reserved.


CONVENIENT ONE-HAND OPERATION



CONTENTS


pp. 8 – 28

CABLE CONNECTION TECHNOLOGY
AND TOOLS FOR PROFESSIONALS.
Precision crimping!



pp. 29 – 42

HYDRAULIC TOOLS
POWERFUL WORKHORSES!
With power, precision and comfort.



pp. 58 – 89

WORKING UNDER TENSION
SAFETY TOOLS!
Your safety is our priority.

pp. 103 – 126

CASE SYSTEMS & BAGS

SAFETY FIRST!

Safety to go.



pp. 90 – 102

BASIC TOOLS

MUST-HAVES FOR ALL SITUATIONS!

Ready for any project.



pp. 127 – 144

LIGHTING RANGE

RADIANCE CAN BE BOUGHT!

See better. Work better.

CABLE CONNECTION TECHNOLOGY

AND TOOLS FOR
PROFESSIONALS.





PROFESSIONAL TOOLS

Whether cutting, stripping or crimping – our tools stand for maximum precision, ergonomics and reliability in professional electrical installation.

From automatic wire strippers and compact crimping pliers to powerful hydraulic compression systems, HAUPA offers a well-designed range for the highest demands. Robust materials, intelligent gear ratios and durable mechanics guarantee precise results with minimal effort.

Every tool is designed for efficiency and safety in daily use – for clean connections, perfect cuts and permanently reliable contacts.

HAUPA tools – developed for professionals who want to feel the performance.

ALL-ROUNDER FOR CABLES!

CUTTING AND STRIPPING



Electrician's scissors stainless steel 160 mm

- Made entirely of steel, robust construction
- Ergonomic, enveloping handle for a secure grip
- Cuts solid aluminium and copper cables up to 3.5 mm in diameter as well as fine-stranded cables up to 70 mm²
- Fine cutting teeth prevent the conductor from slipping for clean cuts
- Stripping function for conductors 1.5 – 2.5 mm²
- Crimping function for crimp cable lugs and ferrules up to 2.5 mm²
- Milled teeth for cleaning dirty or sticky conductors/wires
- Includes practical blade protection sheath with belt clip



Art. no. 200204

160 mm | ≤ 70 mm²

EUR net (RRP)

18,00



Electrician's scissors stainless steel 170 mm, Multi-Grip

- Made entirely of steel, robust construction
- Ergonomic, enveloping handle for a secure grip with four different grip options to prevent hand fatigue
- Cuts solid aluminium and copper cables up to 3.5 mm in diameter as well as fine-stranded cables up to 95 mm²
- Fine cutting teeth prevent the conductor from slipping for clean cuts
- Stripping function for conductors 1.5 – 4.0 mm²
- Crimping function for crimp cable lugs and ferrules up to 4.0 mm²
- Milled teeth for cleaning dirty or sticky conductors/wires
- Includes practical blade protection sheath with belt clip



Art. no. 200213

170 mm | ≤ 95 mm²

EUR net (RRP)

22,00



ESD Electronic side cutter without cutting-facet

- normal construction
- head width 14 mm without chamfer
- special tool steel
- for smooth and flat cutting

Art. no. 211875

115 mm


EUR net (RRP)

15,00



Cable cutter HUPtriCut

- for cutting copper/aluminium cables, fine wire, multiple-core and solid copper
- Chrome vanadium steel, dip-insulated handles
- insulating function in upper head area
- Cable measuring function thanks to the 180 degree crossover of the legs
- Data, telephone and control cable, maximum \varnothing 8 mm
- Cu single wire, maximum 10 mm²
- Cu fine wire, maximum 16 mm²
- Cu multi-wire, maximum 16 mm²
- Al single wire, maximum 10 mm²
- Al multi-wire, maximum 16 mm²



Art. no. 201085

16 mm² | \varnothing 8 mm | 160 mm

EUR net (RRP)


14,⁵⁰



Cable cutter HUPtriCut

Same as item 201085, except:

- Data, telephone and control cable, maximum \varnothing 12 mm
- Cu single wire, maximum 16 mm²
- Cu fine wire, maximum 50 mm²
- Cu multi-wire, maximum 25 mm²
- Al single wire, maximum 16 mm²
- Al multi-wire, maximum 25 mm²



Art. no. 201087

50 mm² | \varnothing 12 mm | 200 mm

EUR net (RRP)

15,⁵⁰



Cable cutter with a snap

- One-handed cable cutters for fine wire cables only
- Low force required
- CNC-ground cutting
- Inductively hardened blades
- Adjustable screw joint
- Cu fine wire cable, maximum \varnothing 16.9 mm = 70 mm²



Art. no. 201002

70 mm² | \varnothing 16.9 mm

EUR net (RRP)

22,⁰⁰



Hand cable cutters Ø 34 mm

- Designed for cutting copper and aluminium cables according to DIN EN 60228
- Equipped with ratchet gear transmission
- Provides optimal force transmission
- Enables one-handed operation through optimal lever ratio and step-by-step cutting up to Ø 34 mm
- Release mechanism available in every cutting position

Material:


- All parts made from high-strength special steel, with hardened or tempered cutting edges and stressed components
- Burnished surfaces
- Ergonomically shaped soft handles
- Colour: black/green

Cutting range:

- Cables and insulated conductors according to DIN EN 60228
- Multi-stranded cables (Class 2; Class 5) copper up to 300 mm² (sector-shaped, fine-stranded, communication/data)
- Multi-stranded cables (Class 2; Class 5) aluminium up to 380 mm² (sector-shaped, fine-stranded, communication/data)
- Not suitable for steel or ACSR cables
- Clean the ratchet mechanism after use

Dimensions:

Length: approx. 260 mm | Width: approx. 100 mm | Depth: approx. 36 mm | Weight: approx. 600 g



Art. no. 200089-1

up to Ø 34 mm

EUR net (RRP)

192,00



single wire

multi-wire

sector-shaped

fine wire

communication



wire rope

armoured steel cable (SWA)

ACSR

bolt

solid steel

Hand cable cutters Ø 62 mm

- Designed for cutting copper and aluminium cables according to DIN EN 60228
- Equipped with ratchet gear transmission
- Provides optimal force transmission
- Enables one-handed operation through optimal lever ratio and step-by-step cutting up to Ø 62 mm
- Release mechanism available in every cutting position

Material:


- All parts made from high-strength special steel, with hardened or tempered cutting edges and stressed components
- Burnished surfaces
- Ergonomically shaped soft handles
- Colour: black/green

Cutting range:

- Cables and insulated conductors according to DIN EN 60228
- Multi-stranded cables (Class 2; Class 5) copper up to 480 mm² (sector-shaped, fine-stranded, communication/data)
- Multi-stranded cables (Class 2; Class 5) aluminium up to 480 mm² (sector-shaped, fine-stranded, communication/data)
- Not suitable for steel or ACSR cables
- Clean the ratchet mechanism after use

Dimensions:

Length: approx. 297 mm | Width: approx. 163 mm | Depth: approx. 36 mm | Weight: approx. 800 g




Art. no. 200183-1

up to Ø 62 mm

EUR net (RRP)

215,00



VIDEO 200183-1



Cable stripper Kabifix

Art. no. 200022

Ø: 6 – 28 mm

EUR net (RRP)

49,⁵⁰

- For cutting opening and stripping cables from Ø 6 – 25 mm
- Longitudinal and round cut
- Ø 6 – 28 mm
- NYY 4 – 16 mm²
- NYM 5 – 16 mm²
- Coaxial and bell round cable
- Isoflex and PVC piping maximum Ø 25 mm
- Interior adjustment screw for adjusting the cutting depth
- Exchangeable blades



Cable stripping knife

Art. no. 200031

Ø: 8 – 28 mm

EUR net (RRP)

13,⁵⁰

- For removing the sleeve from all current round cables
- Blades, titanium nitride coated, thanks to the higher cutting speed
- Lower wear, increased durability
- Cutting depth can be adjusted using the setting screw on the end of the handle
- Automatic adjustment to round and lengthwise cuts
- Handle security thanks to soft component insert on the bar and handle
- Titanium nitride coated replacement blade in the housing
- Housing made from high-quality, hard wearing polyamide
- With titanium nitride coated hook blade



Video 200031



Stripper All-rounder

- Cable stripper for round cables from Ø 4 – 15 mm and flat cables up to 15 mm width
- Stripping 1.5 – 2.5 mm² single wire
- Lengthwise cut

Video 200050



Art. no. 200050

Ø: 4 – 15 mm

EUR net (RRP)

20,⁵⁰

Universal stripper

- Stripper for removing the sleeve from all current round cables Ø 8 to 13 mm
- Removing the insulation on various cable types, e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm²
- Contoured blades for stripping wires 0.2 – 0.3 – 0.8 – 1.5 – 2.5 – 4.0 mm²
- Ideal for working in distribution and junction boxes
- Longer cable lengths can be stripped using the lengthwise cutting mechanism
- Safe hold thanks to the inclusion of anti-slip handle zones
- No need to set blades required to cutting depth
- Additional titanium nitride coated retractable blade

Video 200043



Art. no. 200043

Ø 8 – 13 mm

EUR net (RRP)

29,⁰⁰

Automatic wire stripper Super 4 Pro

for solid and flexible conductors and strands between 0.2 and 6.0 mm² (AWG 24 – 10)

- For fast and precise stripping even of difficult – to-access places
- No adjustment to wire cross section necessary
- Suitable for cables with insulation made from PVC and other materials
- Special scanning system, therefore no damage to conductors
- Adjustable longitudinal stop from 6.0 to 15.0 mm for even serial stripping
- External side cutters for conductors up to 2.5 mm²
- Body of pliers made from fibre-glass reinforced polyamide



Art. no. 210698

0,2 – 6 mm²

EUR net (RRP)

29,⁰⁰

Automatic cable stripper

- for stripping fine wires and solid cables 0.08 – 6 mm²
- automatic setting to the cross-section
- integrated side cutter of up to 6 mm²
- With stripping lengthwise stop



Art. no. 211930

0,08 – 6 mm²

EUR net (RRP)

79,⁵⁰

Automatic cable stripper

- for stripping fine wires and solid cables 0.03 – 10 mm²
- automatic setting to the cross-section
- integrated side cutter of up to 6 mm²
- With stripping lengthwise stop

Art. no. 211934

0,03 – 10 mm²

EUR net (RRP)

98,⁵⁰



Crimping pliers HUPsquare10




for end sleeves, precise square pressing profile, automatic setting to the conductor cross-section, unlockable forced lock, guarantees connections that meet DIN, high transmission and ergonomically shaped handles for fatigue free working, **square pressing**. TWIN 2 x 4 mm²

Art. no. 212804

0,08 – 10 mm²

EUR net (RRP)

105,⁰⁰



SQUARE, AUTOMATIC

+ GUARANTEED

DIN-compliant
connections

+ SQUARE PRESSING

0,5 - 16 mm²
TWIN 2 x 6 mm²

+ FORCED LOCK

Unlockable

+ EVERYTHING UNDER CONTROL

Ergonomically shaped
handles

EUR net (RRP)

112,⁵⁰

Crimping pliers HUPsquare16

Art. no. 212806

square pressing
0,5 - 16 mm²
TWIN 2 x 6 mm²



HUPcompact HC01



- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for colour-coded insulated cable lugs and connectors
- **oval pressing**

Art. no. 213090

Ø: 0,1 – 6 mm²

EUR net (RRP)

95,⁵⁰



100 %
parallel

**5
kN**

LONG LIFE
**50000
X**

HUPcompact HC02



- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for end sleeves
- **trapezoidal pressing**
- (10 + 16 mm² wave profile/0.5 – 6 mm² trapezoidal profile)
- Also suitable for thinning ladders

Art. no. 213088

Ø: 0,25 – 16 mm²

EUR net (RRP)

95,⁵⁰



100 %
parallel

**5
kN**

LONG LIFE
**50000
X**

HUPcompact HC03



- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for non insulated cable lugs and connectors
- **mandrel shape pressing**

Art. no. 213092

Ø: 0,75 – 10 mm²

EUR net (RRP)

109,⁵⁰



100 %
parallel

**5
kN**

LONG LIFE
50000
x

HUPcompact HC04



- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for open brass tab connectors
- with locator
- **roll pressing**

Art. no. 213094

Ø: 0,5 – 6 mm²

EUR net (RRP)

139,⁰⁰



100 %
parallel

**5
kN**

LONG LIFE
50000
x

FLEXIBLE PRECISION TO THE POWER OF FOUR

PRECISION PRESS INSERTS

for quick
changes

INDIVIDUAL

Crimp force can
be readjusted

ROBUST NYLON BAG

for safe transport

FORCED LOCK

for standard-compliant
crimping

EUR net (RRP)

120,⁰⁰

Content:

Art. 211690

Art. 210763/E



0,5 - 4
mm²

**M
210**

Art. 210765/E



6 - 16
mm²

**M
210**

Art. 210764/E



1 - 10
mm²

**M
210**

Art. 210761/E



0,5 - 6
mm²

**M
210**

Video 211692



**Crimpset
X-Crimp**



Art. no. 211692

5-piece set in a robust
nylon bag

ENERGY WITH SYSTEM

The future is electric – and with our photovoltaic tools, you are optimally prepared.

HAUPA offers a professional range of products for the installation, maintenance and testing of PV systems – precise, safe and durable.

From crimping pliers and strippers to complete case sets: every tool is designed for maximum efficiency and reliability in daily use.

Well-thought-out details, ergonomic designs and tested materials ensure perfect results – from the first cut to the last connection.

With HAUPA, you can rely on tools that deliver visible performance – for clean crimps, secure connections and sustainable energy generation.

HAUPA photovoltaics – precision technology for reliable connections in solar systems.

PHOTOVOLTAICS

STRIPPING, CRIMPING,
ASSEMBLY



CRIMPING WITH PRECISION!

**PRESSING
FORCE**

5 kN

ROLL-CRIMP

For MC4 connectors (Multi Contact)
4 / 6 / 10 mm²

**100%
PARALLEL FEED**

LONG SERVICE LIFE

50,000 pressings

COMPACT DESIGN

One-hand operation

EUR net (RRP)

77,⁰⁰

**HUPcompact
HC06**



Art. no. 213110

For MC4 connectors
(Multi Contact) 4 / 6 / 10 mm²

Crimping pliers photovoltaic

2.5 / 4 / 6 mm²,
with unlockable positive lock,
crimp pressure adjustable
Roll-crimp (for MC4 (Multi Contact))

Art. Nr. 211659

for MC4 (Multi Contact) 2.5 – 6 mm²

EUR net (RRP)

41,⁰⁰



Crimpset X-Crimp for photovoltaic



Crimping pliers for quick change of HAUPA precision crimping dies especially for photovoltaics. Delivery in robust nylon bag (Art. 220260)

- reliable crimping results as with permanently installed press inserts
- positive lock ensures standard-compliant crimps
- flat design for precise work even in confined spaces

Art. no. 211697

Nylon bag included

EUR net (RRP)

88,⁰⁰

Content:

Art. 211690

Art. 211657/E



2,5–6
mm²

**M
210**

Art. 211659/E



2,5–6
mm²

**M
210**

Art. 210842/E



1–10
mm²

**M
210**

Art. 210761/E



0,5–6
mm²

**M
210**



Cable stripper HUPstripPV+

Solar 1.5 – 16.0 mm² | 16 – 6 AWG

- easy handling thanks to the four-chamber system (1.5 mm² / 2.5 mm² / 4 mm² + 6 mm²/ 10 mm² + 16 mm²)
- For stripping solar and photovoltaic cables
- Precise alignment of the blades to standard solar cables
- Length stop adjustable to the millimetre from 5 to 26 mm
- Additional blade for making a longitudinal cut
- low weight, as the housing is made of high-quality, wear-resistant polyamide wear-resistant polyamide
- Effective use and extremely good power transmission due to ergonomic shape
- Suitable for right and left-handers

Art. no. 201062

1.5 – 16 mm²

EUR net (RRP)

40,00



Assembly tool MC4 (Multi Contact)

For assembling and loosening the cable glands of MC4 connectors (Multi Contact), easy loosening of the locks on MC4 (Multi Contact) housings, made of glass-fiber reinforced plastic

Art. no. 110806

for MC4 (Multi Contact)

EUR net (RRP)

8,00



HUPsolarKit3

Equipped with 5 tools in a practical plastic case.

Contents:

211225	Cable cutters VDE HUPtriCut 160 mm for Ø 8 mm
201060	Cable stripper HUPstripPV 2.5 – 6 mm ²
110806	assembly tool for MC4 (Multi Contact, 2 pieces)
211659	Crimping pliers photovoltaic for MC4 (Multi Contact) 2.5 – 6 mm ²
330046/K	Case with insert

The empty space in the case can be used
to store photovoltaic equipment.

Equipment is not included in the set!

Art. no. 330046

6 pcs., 340 x 275 x 70 mm

EUR net (RRP)

135,⁰⁰



HUPsolarKit4

Art. no. 330048

6 pcs., 340 x 275 x 70 mm

EUR net (RRP)

166,⁰⁰

Equipped with 5 tools in a practical plastic case.

Contents:

211225	Cable cutters VDE HUPtriCut 160 mm for Ø 8 mm
201062	Cable stripper HUPstripPV+ 1.5 – 16 mm ²
110806	assembly tool for MC4 (Multi Contact, 2 pieces)
213110	HUPcompact HC06 for MC4 connector (Multi Contact) 4 – 10 mm ²
330048/K	Case with insert

The empty space in the case can be used
to store photovoltaic equipment.

Equipment is not included in the set!



POWER TOOLS!

BATTERY-
POWERED
HYDRAULIC
TOOLS &
ACCESSORIES




Battery powered cable cutter AS-52

- for copper and aluminium cable, multi wire
- diameter up to 52 mm

Scope of delivery:

1 cutting tool, 1 quick charger,
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box



Art. no. 216434-1

Ø 52 mm

EUR net (RRP)

1.450,00




Battery powered cable cutter AS-52F

- for copper and aluminium cable
- with blades for fine-stranded cables

Scope of delivery:

1 cutting tool, 1 quick charger,
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box



Art. no. 216436/F-1

Ø 52 mm

EUR net (RRP)

1.609,00



Battery powered cable cutter AS-65

- for copper and aluminium cable, multi wire
- diameter up to 65 mm

Scope of delivery:


1 cutting tool, 1 quick charger,
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box

Art. no. 216435-1

Ø 65 mm

EUR net (RRP)

1.799,00




Battery powered crimping tool SDE 240-6

Crimping head can be rotated by 180°, with fast opening, return manually once compressing is complete, no inserts required, **mandrel shape pressing**.

The device also has 1 white LED designed to illuminate the working area.

Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened: yes
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Cable lugs: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²
- Connectors: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²
- Crimp ring terminals without insulation DIN 46234 10 – 240 mm²
- Dimensions: 455 x 75 mm



Scope of delivery for battery-operated tools:

1 tool, 1 quick charger and 1 rechargeable battery in SysCon incl. Insert.



For versions -NO: no battery, no charger

For versions -N: only machine in transport packaging

Art. no. 216669-1

Base Tool

incl. battery and charger in case

EUR net (RRP)

1.810,⁰⁰

Art. no. 216669-1-NO

Base Tool

without battery, without charger

EUR net (RRP)

1.709,⁰⁰

Art. no. 216669-1-N

Base Tool

Machine in transport packaging

EUR net (RRP)

1.550,⁰⁰



Battery powered crimping tool SDE 240-6M

Sensor




Crimping head can be rotated by 180°, with fast opening, return manually once compressing is complete, no inserts required, **mandrel shape pressing**.


The device also has 1 white LED designed to illuminate the working area.

Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened: yes
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Cable lugs: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²
- Connectors: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²
- Crimp ring terminals without insulation DIN 46234 10 – 240 mm²
- Dimensions: 455 x 75 mm

With the different colours of the sensor LED, it shows whether the pressing has been completed successfully or which errors have occurred:

-  Light is green:
Pressing completed as standard, motor stopped.
-  Light is orange:
Battery voltage not sufficient
-  Light is red:
Pressing interrupted before completed

VIDEO 216669/M-1

Art. no. 216669/M-1
Base Tool

incl. battery and charger in case

EUR net (RRP)
1.865,⁰⁰
Art. no. 216669/M-1-N0
Base Tool

without battery, without charger

EUR net (RRP)
1.727,⁰⁰
Art. no. 216669/M-1-N
Base Tool

Machine in transport packaging

EUR net (RRP)
1.585,⁰⁰


Smart Battery powered crimping tool universal US-6M

Sensor


Head can be rotated by 180°, with fast opening, manual return flow after perfect pressure.

The device also has 1 white LED designed to illuminate the working area.

- **for 7 different interchangeable heads**
(item no. 216761, item no. 216762, item no. 216762/32ACSR, item no. 216763, item no. 216764, item no. 216665-U, item no. 216666-U)
- Heads can be changed easily
- Can be locked using 2 extractable pins
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Pressing load kN: 60
- Working pressure in bar: 700

With the different colours of the sensor LED, it shows whether the pressing has been completed successfully or which errors have occurred:

- Light is green:
Pressing completed as standard, motor stopped.
- Light is orange:
Battery voltage not sufficient
- Light is red:
Pressing interrupted before completed

Video 216760-1


HAUPA batteries are compatible with the MAKITA charging technology and can be used in all 18 V Li-ion systems.

Art. no. 216760-1
Base Tool

incl. battery and charger in case

EUR net (RRP)

1.726,⁰⁰
Art. no. 216760-1-N0
Base Tool

without battery, without charger

EUR net (RRP)

1.556,⁰⁰
Art. no. 216760-1-N
Base Tool

Machine in transport packaging

EUR net (RRP)

1.387,⁰⁰

7in1




Crimping headstock U-K0-6


300-06

Pressing head for interchangeable pressing applications, with quick opening, without dies.

- Pressing force in kN: 60 kN
- Head can be opened
- Opening / Hub: 17 mm
- Pressing width: slim
- Cable lugs: standard Cu 6 – 300 mm² / DIN Cu 6 – 300 mm² / DIN Al 16 – 300 mm²
- Connectors: standard Cu 6 – 300 mm² / DIN Cu 6 – 300 mm² / DIN Al 16 – 300 mm²


Art. no. 216761


for 216760-1

 EUR net (RRP)
495,00


Crimping headstock U-KDE240-6

Pressing head with quick opening, indent v-shape pressing, no inserts required.

- Pressing force in kN: 60 kN • Head can be opened
- Crimp ring terminals without insulation DIN 46234, 10 – 240 mm²
- Cable lugs: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²
- Connectors: standard Cu 10 – 300 mm² / DIN Al 50 – 240 mm²


Art. no. 216763

for 216760-1

 EUR net (RRP)
582,00


Crimping headstock U-KD300-6

Pressing head 4-mandrel U-KD300-6 for exchange head system US-6M (216760-1), insert does not need to be changed, mandrel pressing.

- Pressing force in kN: 60 kN
- Cable lugs: standard Cu 16 – 300 mm²
- Connectors: standard Cu 16 – 120 mm²


Art. no. 216665-U

for 216760-1

 EUR net (RRP)
750,00


Crimping headstock U-HKD400-6

Pressing head 4-mandrel U-HKD400-6 for exchange head system US-6M (216760-1), insert does not need to be changed, mandrel pressing.

- Pressing force in kN: 60 kN
- Head can be opened
- Cable lugs: standard Cu 25 - 400 mm²
- Connectors: standard Cu 25 - 400 mm²



Art. no. 216666-U

for 216760-1


EUR net (RRP)

805,00



Cutting headstock U-KS6-S50

- for copper and aluminium cable
- multi-wiring
- sector-shaped



Art. no. 216762

for 216760-1

EUR net (RRP)

778,00



Punching headstock U-S-6



Art. no. 216764

for 216760-1

EUR net (RRP)

486,00

without dies, 1 connecting rod 3/8-24 UNF (article no. 217660), 1 connecting rod 3/4-16 UNF (article no. 217662), 1 adapter (article no. 217664), 1 spacer bushing (article no. 217666).

Advantages:

- Head can be rotated by 360°
- Flexible aluminium head

Stamping capacity:

- for steel plate up to max. thickness of 3.2 mm
- for stainless steel up to max. thickness of 1.6 mm
- from Ø 12 mm to max. 50 mm punching die



Universal set 1

Sensor

Art. no. 216766

6 pieces


EUR net (RRP)

2.920,00

Hydraulics for interchangeable heads, crimping head can be rotated by 180°, with fast opening, manual return flow after perfect pressure.

Consists of Art. 216760-1, Art. 216763 and Art. 216762 in one SysCon system container, incl. insert.

- Heads can be changed easily
- Can be locked using 2 extractable pins
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Pressing load kN: 60
- Working pressure in bar: 700



PRESSING AND CUTTING WITH PRECISION!

PRESSING FORCE

60 kN

SAFETY FEATURE
Lockable with two removable pins




EUR net (RRP)
2.785,⁰⁰

Universal set 2

Art. no. 216767

6-piece set including cutting and pressing head, without press dies in SysCon with foam insert

Ø 50	Cu AL			Sensor			
							
60 kN	700 bar	180°	LI-ION 18V 2Ah		LED		


Smart Battery powered crimping tool S0-6

Hydraulic for interchangeable dies, crimping head 180° swivelling, Head can be opened, manual return flow after perfect pressure, without dies.

The device also has 1 white LED designed to illuminate the working area.

Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened yes
- Opening/ Hub: 17 mm
- Pressing width: slim
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- Cable lugs:
 - standard Cu 6-300 mm²
 - DIN Cu 6-300 mm²
 - DIN Al 16-300 mm²
- Connectors:
 - Cu 6-300 mm²
 - DIN Cu 6-300 mm²
 - DIN Al 16-300 mm²
- Dimensions: 383 x 75 mm



HAUPA batteries are compatible with the MAKITA charging technology and can be used in all 18 V Li-ion systems.

Art. no. 216801-1

Base Tool

incl. battery and charger in case

EUR net (RRP)

1.520,⁰⁰

Art. no. 216801-1-N0

Base Tool

without battery, without charger

EUR net (RRP)

1.350,⁰⁰

Art. no. 216801-1-N

Base Tool

Machine in transport packaging

EUR net (RRP)

1.199,⁰⁰



Crimping dies set Standard Cu



Art. no. 216805-SET


Set: 14-pieces, 6 - 300 mm²

EUR net (RRP)

765,⁰⁰

13 standard crimping dies in practical transport case.

Art. no.	mm ²	PW		PU
216806	6	5	Cu	1 pair
216808	10	5	Cu	1 pair
216810	16	5	Cu	1 pair
216812	25	5	Cu	1 pair
216814	35	5	Cu	1 pair
216816	50	5	Cu	1 pair
216818	70	5	Cu	1 pair
216820	95	5	Cu	1 pair
216822	120	5	Cu	1 pair
216824	150	5	Cu	1 pair
216826	185	5	Cu	1 pair
216828	240	5	Cu	1 pair
216830	300	5	Cu	1 pair

**300-06**

Crimping dies set Standard Cu WM pressing


Art. no. 216806/V-SET



Set: 14-pieces, 6 – 300 mm²

EUR net (RRP)

680,⁰⁰

13 standard crimping dies in practical transport case. Crimping dies set for standard tubular cable lugs with extra compression also for use on compacted or thinned conductors.

Art. no.	mm²	PW		PU
216806/V	6	5	Cu	1 pair
216808/V	10	5	Cu	1 pair
216810/V	16	5	Cu	1 pair
216812/V	25	5	Cu	1 pair
216814/V	35	5	Cu	1 pair
216816/V	50	5	Cu	1 pair
216818/V	70	5	Cu	1 pair
216820/V	95	5	Cu	1 pair
216822/V	120	5	Cu	1 pair
216824/V	150	5	Cu	1 pair
216826/V	185	5	Cu	1 pair
216828/V	240	5	Cu	1 pair
216830/V	300	5	Cu	1 pair



Crimping dies set DIN Cu



Art. no. 216831-SET



Set: 13-pieces, 10 – 300 mm²

EUR net (RRP)

709,⁰⁰

12 DIN-Crimping dies in practical transport case.

Art. no.	mm ²	PW	ld.		PU
216834	10	5	6	Cu	1 pair
216836	16	5	8	Cu	1 pair
216838	25	5	10	Cu	1 pair
216840	35	5	12	Cu	1 pair
216842	50	5	14	Cu	1 pair
216844	70	5	16	Cu	1 pair
216846	95	5	18	Cu	1 pair
216848	120	5	20	Cu	1 pair
216850	150	5	22	Cu	1 pair
216852	185	5	25	Cu	1 pair
216854	240	5	28	Cu	1 pair
216856	300	5	32	Cu	1 pair



SMART CABLE PULLERS

CABLE PULLING
DEVICES AND
DECOILER



Cable pulling device FOX

Cable pulling device FOX with glass fibre rod Ø 4.5 mm and green PP coating RAL 6018, with zinc-plated steel winder Ø 330 mm, standing version, complete with front/end sleeve M5 and pulling head M5 with loop



Art. no. 143050

TL: 40 m, Ø 4,5 mm

EUR net (RRP)

322,⁰⁰

Art. no. 143052

TL: 60 m, Ø 4,5 mm

EUR net (RRP)

392,⁵⁰

Art. no. 143054

TL: 80 m, Ø 4,5 mm

EUR net (RRP)

422,⁰⁰

Cable pulling device HAUPA PullTec4

with special plastic coating, M5 thread and probe, in durable plastic housing, colour: black

Single Composite

 4,0 mm, green

- Breaking load: 300 kg

The advantages of the HAUPA PullTec at a glance:

- Material: Coated with a special plastic
- Slides very well and is highly elastic
- Low friction
- Does not break or bend
- M5 thread
- With probe
- In durable plastic housing



Art. no. 143500

TL: 20 m, Ø 4,0 mm

EUR net (RRP)

91,⁵⁰

Art. no. 143502

TL: 30 m, Ø 4,0 mm

EUR net (RRP)

107,⁰⁰




Cable pulling device HAUPA PullTec5

with special plastic coating, M5 thread and probe, in durable plastic housing, colour: black

Single Composite

 5,2 mm, black

- Breaking load: 350 kg



Art. no. 143506


TL: 30 m, Ø 5,2 mm

EUR net (RRP)

125,⁰⁰



ONTO THE REEL!



PROFESSIONAL

Aluminium profiles
with anti-slip ribs

FAST

The ball-bearing rollers
can be adjusted without
special tools

STABILITY

Side panels made
of galvanised powder-
coated steel

SAFETY

Vibration-damping feet prevent
unwanted movement and protect
the floor

EUR net (RRP)

246,⁰⁰

TECHNICAL DATA:

Drum/width: 560 mm
Drum-Ø: 1200 mm
Drum/kg: 175

Decoiler 1200

Art. no. 143400

Weight: 9 kg
Length: 610 mm
Width: 570 mm
Height: 115 mm

Decoiler 1200+

Art. no. 143402

Weight: 10,5 kg

EUR net (RRP)

313,⁰⁰

The front and the rear sides are made of anodized aluminum with antiskid ribs. For the left and the right side, sink steel with powder coating has been used. Because of this construction, the decoilers are strong, flexible to use, and resistant against heavy circumstances. The roles have bearings and a sliding axis, which make it easy to change the position of the roles without any special tools. Four antiskid buffers ensure that vibrations are subdued and floors remain intact.

Technical data:

Length: 705 mm

Width: 670 mm

Height: 115 mm

Drum/width: 660 mm

Drum-Ø: 1200 mm

Drum/kg: 300



ELECTRICITY NEEDS STRONG CONNECTIONS

Safe, durable and standard-compliant connections are the foundation of every professional electrical installation.

HAUPA cable connection technology offers you a comprehensive range of end sleeves, crimp connectors, tubular cable lugs and heat-shrink connectors – designed to meet the highest demands in trade and industry.

Precisely manufactured components, tested materials and practical assortments in a robust case or box system ensure order, efficiency and safety.

Whether in the workshop, on the construction site or in service: our solutions guarantee reliable contacts and long-lasting cable connections.

HAUPA cable connection technology – perfectly connected, reliably secure.

CABLE CONNECTION TECHNOLOGY

WIRE END SLEEVES,
TUBULAR CABLE LUGS,
BUTT CONNECTORS,
CABLE TIES



End sleeve assortment

Content: 5.200 insulated end sleeves,
1 crimping pliers (art. no. 212806), crimp 0,5 - 16 mm², in plastic bulk
storage chest 415 x 335 x 90 mm

Qty.	Description	Length mm	CS mm ²
100	Twin end sleeves	8	0,5
100	Twin end sleeves	8	0,75
100	Twin end sleeves	8	1
100	Twin end sleeves	8	1,5
100	Twin end sleeves	10	2,5
100	Twin end sleeves	12	4,0
100	Twin end sleeves	14	6,0
500	insulated end sleeves	8	0,5
500	insulated end sleeves	8	0,75
1.000	insulated end sleeves	8	1
1.000	insulated end sleeves	8	1,5
500	insulated end sleeves	8	2,5
500	insulated end sleeves	10	4
200	insulated end sleeves	12	6
200	insulated end sleeves	12	10

Art. no. 270881

Serie DIN

EUR net (RRP)

132,00

NEW



Assortment for Combi-Crimp



Art. no. 270895



Serie DIN

Content: 2.700 insulated end sleeves, 1.100 insulated terminals, 1 crimping pliers (210784) for insulated terminals 0,5 - 2,5 mm² and end sleeves 0,5 - 6 mm², in plastic bulk storage chest 415 x 335 x 90 mm

EUR net (RRP)

154,00

Qty.	Description	Length mm	CS mm ²	M
500	insulated end sleeves	8	0,5	
500	insulated end sleeves	8	0,75	
500	insulated end sleeves	8	1	
500	insulated end sleeves	8	1,5	
500	insulated end sleeves	8	2,5	
100	insulated end sleeves	10	4	
100	insulated end sleeves	12	6	
200	insulated butt connectors		0,5-1,0	
200	insulated butt connectors		1,5-2,5	
100	insulated socket sleeves		0,5-1,5/6,3x0,8	
100	insulated socket sleeves		1,5-2,5/6,3x0,8	
100	insulated ring terminals		0,5-1,0	M4
100	insulated ring terminals		0,5-1,0	M5
100	insulated ring terminals		1,5-2,5	M4
100	insulated ring terminals		1,5-2,5	M5
100	insulated ring terminals		1,5-2,5	M6



Assortment of tubular cable lugs, standard

Content: 380 cable lugs,
1 crimping pliers (art. no. 210805), crimp standard 6 - 50 mm²,
hexagon crimping, in plastic bulk storage chest 415 x 335 x 90 mm

Qty.	Description	CS mm ²	M	Art. no.
50	cable lugs, standard, tinned	6	M6	290934
50	cable lugs, standard, tinned	6	M8	290936
50	cable lugs, standard, tinned	10	M6	290940
50	cable lugs, standard, tinned	10	M8	290942
30	cable lugs, standard, tinned	16	M8	290952
40	cable lugs, standard, tinned	16	M10	290954
25	cable lugs, standard, tinned	25	M8	290960
25	cable lugs, standard, tinned	25	M10	290962
20	cable lugs, standard, tinned	35	M8	290968
20	cable lugs, standard, tinned	35	M10	290970
20	cable lugs, standard, tinned	50	M8	290978

Art. no. 290380

6 - 50 mm², standard

EUR net (RRP)

297,⁰⁰



Dispenser box with insulated end sleeves (DIN)

Art. no. 270854

400 pcs

EUR net (RRP)

16,50
Contents: Colour range III, DIN

50 pcs	white,	0,5 mm ² ,	art. 270800
100 pcs	grey,	0,75 mm ² ,	art. 270802
100 pcs	red,	1,0 mm ² ,	art. 270804
100 pcs	black,	1,5 mm ² ,	art. 270807
50 pcs	blue,	2,5 mm ² ,	art. 270810



Dispenser box with Twin end sleeves (DIN)

Art. no. 270795

200 pcs

EUR net (RRP)

19,50
Contents: Twin end sleeves, Colour range III, DIN

50 pcs	grey,	0,75 mm ² ,	art. 270780
50 pcs	red,	1,0 mm ² ,	art. 270784
50 pcs	black,	1,5 mm ² ,	art. 270788
50 pcs	blue,	2,5 mm ² ,	art. 270792



Slide Box with DIN end sleeves

Art. no. 270864

400 pcs

EUR net (RRP)

21,⁵⁰

The transparent sliding lids enable easy access and prevent the contents from becoming mixed up. 5 separate compartments.

Dimensions: 165 x 58 x 38 mm (L x W x H)

Contents: Colour range III, DIN

50 pcs	white,	0,5 mm ² ,	art. 270800
100 pcs	grey,	0,75 mm ² ,	art. 270802
100 pcs	red,	1,0 mm ² ,	art. 270804
100 pcs	black,	1,5 mm ² ,	art. 270807
50 pcs	blue,	2,5 mm ² ,	art. 270810



Slide box with heat-shrink butt connectors

Art. no. 363501

60 pcs

EUR net (RRP)

18,⁵⁰

The transparent sliding lids enable easy access and prevent the contents from becoming mixed up. 5 separate compartments.

Dimensions: 165 x 58 x 38 mm (L x W x H)

Contents: 60 waterproof heat-shrink butt connectors with internal adhesive

20 pieces	red,	0,5 - 1,0 mm ² ,	item no. 363500
30 pieces	blue,	1,5 - 2,5 mm ² ,	item no. 363502
10 pieces	yellow,	4,0 - 6,0 mm ² ,	item no. 363504

Only crimp with crimping pliers item no. 211695!

NEW


COMPACT CONNECTOR SET

PROFESSIONAL

Unlockable
forced lock



INDIVIDUAL

Crimp pressure
can be readjusted



PRACTICAL

Easy access to connectors
thanks to transparent
sliders



CONNECTORS

for watertight
connections

EUR net (RRP)

49,⁵⁰



**Heat-shrink butt con-
nectors with crimping
pliers**



NEW

**Art. no.
363501/SET
61 pieces**

Set 1: Assortment of cable ties, natural colour

Art. no. 300918/Z1

Set 1

EUR net (RRP)

55,00

NEW

in a sturdy construction bucket (Art. no. 300102)
with tool holder (Art. no. 220313)

The assortment includes:

- 300 x cable ties 203 x 2.5 mm, natural (Art. no. 262506)
- 300 x cable ties 142 x 3.2 mm, natural (Art. no. 262508)
- 300 x cable ties 292 x 3.6 mm, natural (Art. no. 262510)
- 200 x cable ties 199 x 4.8 mm, natural (Art. no. 262516)
- 100 x cable ties 302 x 4.8 mm, natural (Art. no. 262520)
- 200 x cable ties 371 x 4.8 mm, natural (Art. no. 262522)



Set 2: Assortment of black cable ties, UV-resistant

Art. no. 300919/Z1

Set 2

EUR net (RRP)

55,00

NEW

in a sturdy construction bucket (Art. no. 300102)
with tool holder (Art. no. 220313)

The assortment includes:

- 300 x cable ties 203 x 2.5 mm, black (Art. no. 262606)
- 300 x cable ties 142 x 3.2 mm, black (Art. no. 262608)
- 200 x cable ties 292 x 3.6 mm, black (Art. no. 262610)
- 300 x cable ties 203 x 4.6 mm, black (Art. no. 262616)
- 100 x cable ties 302 x 4.8 mm, black (Art. no. 262620)
- 100 x cable ties 371 x 4.8 mm, black (Art. no. 262622)



WORKING UNDER TENSION


BUT SAFELY!





TESTED IN ACCORDANCE WITH STANDARDS AND INDIVIDUALLY INSPECTED

When working on electrical systems, the quality of the tool is crucial. That is why tools used under voltage are subject to strict safety standards such as DIN EN IEC 60900. These special tools must be specifically designed and tested for such applications.

HAUPA safety tools with the special symbol 1000 V  are approved for work up to 1000 V AC. To ensure that the insulation can reliably withstand high voltages, each tool undergoes a breakdown test with 10,000 V AC. HAUPA safety tools thus offer a guaranteed safety buffer for applications up to 1000 V AC.

HAUPA – safety you can rely on.

SAFETY FIRST!

SAFETY
TOOLS



Cable knife VDE with sliding block

with a hook blade for slicing open and removing the sleeve from all cables, handles made from tough elastic, impact proof plastic, with transparent blade guard.

Application: for all cables, no damage to conductor insulation thanks to sliding block



1000 V IEC 60900



Art. no. 200007

BL: 50 mm

EUR net (RRP)

23,00



Cable cutter VDE HUPtriCut

- for cutting copper/aluminium cables, fine wire, multiple-core and solid copper
- Chrome vanadium steel, dip-insulated handles
- insulating function in upper head area
- Cable measuring function thanks to the 180 degree crossover of the legs
- Data, telephone and control cable, maximum Ø 12 mm
- Cu single wire, maximum 16 mm²
- Cu fine wire, maximum 50 mm²
- Cu multi-wire, maximum 25 mm²
- Al single wire, maximum 16 mm²
- Al multi-wire, maximum 25 mm²

Art. no. 211223


50 mm² | Ø 12 mm | 200 mm

EUR net (RRP)

20,00



1000 V IEC 60900



THE TRIPLE HERO IN THE TOOLBOX!

STRONG PERFORMANCE

Thanks to chrome vanadium.



3-IN-1 ALL-ROUNDER

Cutting, stripping and opening cable sheathing – all with just one tool!



CUTTING PERFORMANCE

Designed for fine and multi-strand copper/aluminium cables.

TURN IT AROUND!
A 180-degree leg swing transforms the cutter into a cable knife.



ERGONOMIC AND COMFORTABLE

Two component grip covers for optimum grip.



EUR net (RRP)

19,⁰⁰

Cable cutter VDE HUPtriCut

Art. no. 211225

16 mm² | Ø 8 mm | 160 mm



1000 V IEC 60900

VDE-TESTED

Safe operation up to 1000 V.

Wrench pliers VDE

- Stepless gripping of all wrench widths thanks to the parallel jaws
- Easy tightening and releasing of screw connections
- Weight-reduced for very light working that is gentle on the joints
- Secure setting of the gripping jaws prevents the joint slipping through
- Gentle on surfaces thanks to the smooth, polished gripping surfaces
- 10-fold manual force amplification for very high clamping force
- With comfortable single-hand adjustment pushbutton
- With finger clamp protection for safe working
- Chrome-vanadium tool steel ensures high durability and a long product life
- Individually tested acc. to DIN EN IEC 60900 for working safely on live parts

Art. no. 211224

Length: 280 mm | WS: 50 mm

EUR net (RRP)

50,50

360° | 211224



1000 V IEC 60900



Replaces entire open wrench set!
Thanks to the parallel jaws, screw surface will not be damaged and sensitive surfaces are protected!



Screwdrivers set Plus 1000 V



with 2 component handle made from PP/TPE material, blade made from molybdenum vanadium steel, hardened, blasted, type tested, insulated, 15-pieces.

Content:

- Electricians' screwdrivers 1000 V 2,5 x 0,4 x 75 mm, 3 x 0,5 x 100 mm, 4 x 0,8 x 100 mm, 5,5 x 1,0 x 125 mm
- Cross slotted screwdrivers 1000 V Phillips, size 1 and 2
- Cross slotted screwdrivers 1000 V Pozidriv, size 1 and 2
- Screwdriver 1000 V with PZ slot profile, size 1 and 2
- Screwdrivers 1000 V Tx, size 10, 15, 20, 25
- Voltage testers 120 – 250 V




Art. no. 101980

Set: Mix | 15-pieces

EUR net (RRP)

69,⁵⁰



Screwdrivers set HUPslimPlus 1000 V



with 2 component handle made from PP/TPE material, blade made from molybdenum vanadium steel, hardened, blasted, type tested, insulated, 12-pieces.

HUPslim

Screwdriver with reduced blade diameter and integrated protective insulation. Deep screwing can be achieved to a better standard thanks to the reduced blade diameter.

Content:

- Electricians' screwdrivers HUPslim 3,5 x 0,6 x 100 mm, 4 x 0,8 x 100 mm, 4 x 1,0 x 100 mm, 5,5 x 1,0 x 125 mm, 6,5 x 1,2 x 150 mm
- Cross slotted screwdrivers HUPslim Phillips, size 1 and 2
- Cross slotted screwdrivers HUPslim Pozidriv, size 1 and 2
- Screwdriver HUPslim with PZ slot profile, size 1 and 2
- Voltage testers 120 – 250 V



Art. no. 102980

Set: Mix | 12-pieces

EUR net (RRP)

69,⁵⁰



WORKING UNDER TENSION

VarioPro 1000 V replaceable blade system

VarioPro

Art. no. 102052

30-pieces

EUR net (RRP)

205,⁰⁰

The VarioPro replaceable blade system with insulated replaceable blades, switching cabinet key is integrated into the system, VDE pliers set and voltage tester.

Content: 30 pcs.

- Slot: 0.4 x 2.5 x 100, 0.5 x 3.0 x 100, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 100, 1.2 x 6.5 x 100
- Phillips: 0 x 100, 1 x 100, 2 x 100
- Pozidriv: 0 x 100, 1 x 100, 2 x 100
- PZ/FL 1, PZ/FL 2
- Tx: 8 x 100, 9 x 100, 10 x 100, 15 x 100, 20 x 100, 25 x 100, 30 x 100
- Square: 8 x 47
- Double-bit: 5,3 x 47
- Screw cap, additional screw cap when using as precision tool (electronics)
- 2-component exchangeable handle: 120 mm
- Voltage testers VDE/GS: 100700, 125-250 V
- Combination pliers DIN ISO 5746 VDE*, 180 mm
- Side cutters DIN ISO 5749 VDE*, 160 mm
- Long chain nose pliers DIN ISO 5745 VDE, straight*, 200 mm
- Wire stripping pliers VDE, 160 mm, Ø: 0,2 – 6 mm



* High leverage | perfected cutting force performance (high leverage pliers offer power saving of up to 50%)

⚠ 1000 V IEC 60900

Placeholders for torque handle



VarioPro 1000 V replaceable blade system + Torque handle

VarioPro **TQ**

Art. no. 102052/TQ

31-pieces

EUR net (RRP)

252,⁰⁰

The VarioPro replaceable blade system with insulated replaceable blades, switching cabinet key is integrated into the system, plus VDE pliers set. **Including a Torque handle (Art. no. 102790, 1 – 6 Nm) and Square socket key.**

Content: 31 pcs.

- Slot: 0.4 x 2.5 x 100, 0.5 x 3.0 x 100, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 100, 1.2 x 6.5 x 100
- Phillips: 0 x 100, 1 x 100, 2 x 100
- Pozidriv: 0 x 100, 1 x 100, 2 x 100
- PZ/FL 1, PZ/FL 2
- Tx: 8 x 100, 9 x 100, 10 x 100, 15 x 100, 20 x 100, 25 x 100, 30 x 100
- Square: 8 x 47
- Double-bit: 5,3 x 47
- Screw cap, additional screw cap when using as precision tool (electronics)
- 2-component exchangeable handle: 120 mm
- 2-component exchangeable torque handle: 120 mm
- Square socket key
- Combination pliers DIN ISO 5746 VDE*, 180 mm
- Side cutters DIN ISO 5749 VDE*, 160 mm
- Long chain nose pliers DIN ISO 5745 VDE, straight*, 200 mm
- Wire stripping pliers VDE, 160 mm, Ø: 0,2 – 6 mm



* High leverage | perfected cutting force performance (high leverage pliers offer power saving of up to 50%)

1000 V IEC 60900



Including torque handle !



WORKING UNDER TENSION

Vario 1000 V replaceable blade system

Vario

in robust nylon bag, **Content:** 2-component exchangeable handle, screw cap, replaceable blade – slotted blade 0.4 x 2.5 / 0.5 x 3.0 / 0.8 x 4.0 / **PH1 / PH2 or PZ1 / PZ2**, PZ/FL 2, switch cabinet key – square 1, double-bit

Further characteristic feature include:

- High level of safety
- Exchangeable cap for use as an electronics screwdriver
- Switching cabinet key is integrated into the system
- Space-saving
- Weight-saving
- Cost-effective price/performance ratio
- Meets all relevant standards

Art. no. 102000-1

Phillips, 10-pieces

EUR net (RRP)

31,⁵⁰


Art. no. 102000/PZ-1

Pozidriv, 10-pieces

EUR net (RRP)

31,⁵⁰

⚠ 1000 V IEC 60900



VarioTQ 1000 V torque screwdriver with replaceable blades

VarioTQ


insulated replaceable blade made from molybdenum vanadium steel, hardened, blasted, with hexagonal shaft, in robust nylon bag.

- torque can be set using a separate key
- scale value can easily be read off
- clearly perceptible and audible signal when the set torque is achieved
- torque accuracy according to EN ISO 6789:2003

Content: 12-pieces

- 2-component exchangeable torque handle: (1000 V)
1 – 6 Nm or 0,5 – 3,5 Nm
- slotted 0.4 x 2.5 / 0.5 x 3.0 / 0.8 x 4.0 / 1.0 x 5.5 / 1.2 x 6.5
- PH0 / PH1 / PH2 or PZ0 / PZ1 / PZ2
- PZ/FL 1
- PZ/FL 2
- Square socket key

⚡ 1000 V IEC 60900



Art. no. 102700-1

Phillips, 1 – 6 Nm



EUR net (RRP)
123,⁰⁰

Art. no. 102700/PZ-1

Pozidriv, 1 – 6 Nm



EUR net (RRP)
123,⁰⁰

Art. no. 102701-1

Phillips, 0,5 – 3,5 Nm



EUR net (RRP)
106,⁰⁰

Art. no. 102701/PZ-1

Pozidriv, 0,5 – 3,5 Nm



EUR net (RRP)
106,⁰⁰



WORKING UNDER TENSION

Tool case 1000 V, 1/4"

1/4"

made of plastic, complete with 1/4" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Content:

- Reversible ratchet 150 mm, 1/4"
- T-slip-on-keys 125 mm, 1/4"
- Extension 100 and 150 mm, 1/4"
- Sockets 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- Dies for hexagon screws 1/4", 3, 4, 5, 6 mm

Video 220576



1000 V IEC 60900

Art. no. 220576

18-pieces

EUR net (RRP)

183,00



Tool case 1000 V, 3/8"

3/8"

made of plastic, complete with 3/8" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Content:

- Reversible ratchet 200 mm, 3/8"
- T-slip-on-keys 200 mm, 3/8"
- Extension 150 and 250 mm, 3/8"
- Sockets 3/8", 8, 10, 12, 13, 14, 17, 19, 22 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm

Video 220402



1000 V IEC 60900

Art. no. 220402

16-pieces

EUR net (RRP)

243,00



OPEN THE TOOLBOX — PROBLEM SOLVED.



EVERYTHING INCLUDED:

reversible ratchet,
extensions,
high-quality sockets.



MOBILE:

Wherever you go.



1/2" POWER FOR PROFESSIONALS

Ideal for electricians,
fitters and others.

VDE INSULATION:

Safe working
up to 1000 V.



PRECISELY FITTING FOAM INSERT:

No rattling, no searching!

EUR net (RRP)

291,⁰⁰



1000 V IEC 60900

1/2"



Video 220404

Tool case 1000 V, 1/2"

Art. no. 220404

Set: 20 pieces

Dimensions: 380 x 316 x 61 mm

Torque wrench 1000 V

3/8"


Art. no. 220415

10 - 50 Nm

10 - 50 Nm, full insulated, from shock-resistant plastic. The achievement of the set torque is made noticeable by a clearly audible or tactile mechanism.

EUR net (RRP)

345,⁰⁰



1000 V IEC 60900

Tool case 1000 V

1/2"

Art. no. 220205/EN

16-pieces

made of plastic, complete with double-insulated 1/2" tools.
Dimension: 450 x 340 x 100 mm.

EUR net (RRP)

388,⁰⁰

Content:

- Reversible ratchet 1/2"
- Extension 125 mm, 1/2"
- Extension 250 mm, 1/2"
- Slip-on-keys 1/2"
- Hexagon sockets 1/2", 10, 12, 13, 14, 17, 19, 22, 24 mm
- Dies for hexagon screws 1/2", 5, 6, 8 mm
- 2C-VDE screwdriver 3,5 x 100 mm

with locking system



1000 V IEC 60900



Tool case Biber 1000 V

1/2"

Art. no. 220146

26-pieces

made of plastic, complete with double-insulated 26 safety tools.
Dimension: 450 x 340 x 100 mm.

EUR net (RRP)

565,⁰⁰

Content:

- 2C-VDE electrician's screwdrivers 4 x 100, 5,5 x 125, 6,5 x 150, 8 x 175 mm
- VDE combination pliers 200 mm
- VDE side cutters 180 mm
- VDE telephone pliers, straight, 200 mm
- Reversible ratchet 1/2"
- Extension 250 mm, 1/2"
- Hexagon sockets 1/2", 10, 11, 12, 13, 14, 17, 19 mm
- Open end spanners 10, 11, 12, 13, 14, 17, 19 mm
- 2-pole voltage tester
- Cable knife
- Cable stripping knife

with locking system



1000 V IEC 60900



WORKING UNDER TENSION

SAFETY TO GO

HAUPA case systems combine tested VDE tools, robust transport solutions and intelligent equipment in one system.

Each case is individually equipped with screwdrivers, pliers, voltage testers, protective clothing and special tools for professional use.

Well-thought-out organisation ensures clarity and quick access, whether on the construction site, in service or in the workshop. Compact, safe and durable – the ideal solution for professionals who value quality and mobility.

Compact. Safe. Well thought-out. HAUPA.

MOBILE AND RELIABLE.

TOOL CASES, BAGS,
SysCon



FULL POWER FOR PROFESSIONALS.

EUR net (RRP)

681,⁰⁰

CLEVERLY ORGANISED

+ with document pocket and dividers.

FULLY EQUIPPED

+ including tester, pliers, safety glasses and more.

ERGONOMIC 2 COMPONENT HANDLES

+ for precise working.



ABS-CASE

durable and shockproof.



VDE TOOLS

up to 1000 V – for maximum safety.



Tool case

Power Pack 1000 V

Art. no. 220303

Set: 22 pieces

Dimensions:

460 x 180 x 310 mm

Weight: 8,68 kg



Tool case trolley Secure Mobil 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Content:

- VDE electricians' screwdrivers
2,5 x 75, 4 x 100, 5,5 x 125, 6,5 x 150 mm
- VDE cross slotted screwdrivers PH, size 1 + 2
- Voltage tester Profi plus 12-1,000 V
- Single ended spanner 1000 V 10, 12, 13, 19, 22, 24
- Finger gloves 1000 V, size 9
- Safety fuse grips
- Flat nose pliers 1000 V
- Slip on bushes 1000 V no. 1,2, 3 (each 5x)
- VDE cable knife, 50 mm
- VDE combination pliers 180 mm*
- VDE diagonal cutter 160 mm*
- VDE long chain nose pliers 200 mm*
- Tool case 1000 V, drive 3/8"
- Electrical insulating tape, red (6x)



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220272

29 pcs., 470 x 220 x 360 mm

EUR net (RRP)

878,00

ABS



14,7 kg

WORKING UNDER TENSION

Tool case Delux Plus 1000 V

ABS-case, signal-red, with high-grade fittings, case 220076.

Content:

- VDE electrician's screwdriver
2.5 x 75, 4 x 100, 5.5 x 125, 6.5 x 150 mm
- VDE cross slotted screwdriver PH, size 1 + 2
- VDE telephone pliers, coating insul., straight, 200 mm
- VDE telephone pliers, coating insul., bent, 200 mm
- VDE combination pliers, coating insul., 180 mm
- VDE side cutters, coating insul., 160 mm
- VDE wire stripping pliers, coating insul., 160 mm
- Socket wrenches 5.5, 7, 8, 10 mm
- Voltage tester Profi Plus
- Reversible ratchet, coating insul., 1/2"
- T-sliding handle, coating insul., 1/2"
- Hexagon sockets, coating insul., 10, 11, 12, 13, 14, 15, 16
- Open end spanners, coating insul., 10, 12, 13, 19, 22, 24
- VDE Cable knife
- Cable scissors 200 mm, coating insul.
- Slip-on bushes 5-pieces No. 1, 10 mm
- Slip-on bushes 5-pieces No. 2, 10 mm
- Slip-on bushes 5-pieces No. 3, 10 mm
- Plastic pliers, 180 mm
- Plastic clamp
- Covering tape, grey
- Covering tape, red
- Safety grip
- Gloves size 9

Art. no. 220239


43 pcs., 460 x 180 x 310 mm

EUR net (RRP)

1.335,00

ABS+ 



 1000 V IEC 60900



11,78 kg

Service-Trolley E-Mobility

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Content:

- VDE electrician's screwdrivers
2,5 x 75, 3 x 100, 3,5 x 100, 4 x 100 mm
- VDE cross slotted screwdrivers PH 1, 2, 3
- VDE cross slotted screwdrivers S-Tx 20, 25, 30
- Hexagon sockets VDE 3/8"
WS 8, 9, 10, 12, 13, 14, 17, 19, 22
- Extension 3/8" VDE, 250 mm
- Reversible ratchet VDE 3/8"
- Water pump pliers VDE 240 mm
- Cable cutters VDE 230 mm
- Side heavy duty side cutters VDE 200 mm*
- Side cutters VDE 160 mm*
- Short flat nose pliers VDE 160 mm
- Long chain nose pliers, angled nose 200 mm*
- Combination pliers VDE 200 mm*
- Cable stripping knife 1000V, straight blade, 50 mm
- Safety-sets with bag, insulating mat
- Slip on bushes 1000V, 12 mm
- Slip on bushes 1000V, 10 mm
- VDE-sockets 3/8", M8, M10, M12
- Shutting band red/white 500 m
- Sign DANGEROUS VOLTAGE
- Sign DO NOT SWITCH
- Sign CAUTION BATTERIES



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220171

40 pcs., 470 x 220 x 360 mm

EUR net (RRP)

1.150,00

ABS

VIDEO 220171



19,8 kg

WORKING UNDER TENSION

SysCon HUPeMobility

Content:

- ABS-Box SysCon S
- ABS-Box SysCon M
- ABS-Box SysCon XL with divider
- Tool board SysCon 11 compartments
- Rolling board universal for SysCon
- Digital multimeter Multi Check III
- Voltage tester Profi LED Plus II 6 – 1000 V
- VDE-electrician's screwdriver **HUPslim***
3.5x0.6x100 mm | 4.0x0.8x100 mm
5.5x1.0x125 mm | 6.5x1.2x150 mm
- VDE-screwdriver **HUPslim** PH 1 + 2*
- VDE-universal pliers 180 mm*
- VDE-wire cutter 160 mm*
- VDE-pliers wrench 280 mm
- VDE-pantograph pliers straight*
- VDE-installation pliers
- VDE-finger gloves 1000 V Gr. 10
- Electrician's shield EN 166
- Self-clamping sleeves 10, 20, 30 mm
- Reversible ratchet 200 mm, 3/8"
- T-spanner wrench 200 mm, 3/8"
- Extensions 150 and 250 mm, 3/8"
- Socket wrench inserts 3/8" 8, 10, 12, 13, 14, 17, 19, 22 mm
- Inserts for socket screws 3/8" 4, 5, 6, 8 mm
- VDE-insert 3/8" eco, long WS 8, 10, 12, 13, 14, 17, 19 mm
- VDE-insert 3/8" XZN M8, M10, M12 eco
- Sign DANGEROUS VOLTAGE
- Sign DO NOT SWITCH
- Sign CAUTION BATTERIES



1000 V IEC 60900

Art. no. 220610

36-pcs.

EUR net (RRP)

1.507,00

SysCon



VIDEO 220610



* perfected
cutting force
performance



19,5 kg



HAUPA ToolBag 1000 V

Art. no. 220510

14 pcs., 320 x 190 x 280 mm

EUR net (RRP)

201,⁰⁰

Tool bag with inner and outer tool compartments, rubber-reinforced base. Waterproof and dirt resistant, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments outside (various sizes), 10 compartments inside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black/green. ToolBag 220061.

Content:

- VDE electrician's screwdrivers, 2,5 x 75 | 4 x 100 | 5,5 x 125 | 6,5 x 150 mm
- VDE cross slotted screwdrivers PH, size 1 + 2
- VDE combinations pliers, 180 mm*
- VDE side cutters, 160 mm*
- VDE telephone pliers, straight, 200 mm*
- VDE wire stripping pliers, 160 mm
- Spanners for switch-cabinets
- Cable knife
- Voltage tester Basic



1000 V IEC 60900



* perfected cutting force performance



3,92 kg

WORKING UNDER TENSION

SysCon XL SafetySet

Content:

- 220650 ABS plastic box SysCon XL
- 120010 VDE electricians protection visor 1000 V
- 120007 VDE gloves 1000 V size 10
- 120008 Electricians' protection helmet
- 120012 VDE NH fuse grip

Art. no. 220652

5-pcs.

EUR net (RRP)

235,00

SysCon



6,62 kg

LOCKOUT/ TAGOUT

ACCESS CONTROL
SYSTEMS



Security lock | Shackle Ø 4.7 mm

Zenex padlock

- Locking system with differently locking locks
- Content: 1 key (1 operator = 1 padlock = 1 key)
- Spark-free padlock suitable for use in explosive atmospheres
- Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with Danger / Property of in EN, FR, and SP

Art. no. 120155

Ø 4,76 | 35 x 86 mm

EUR net (RRP)

26,⁰⁰



Security lock | Shackle Ø 6 mm

Zenex padlock

- Locking system with differently locking locks
- Content: 1 key (1 operator = 1 padlock = 1 key)
- Key retention ensures that the lock doesn't unintentionally remain unlocked
- Spark-free padlock suitable for use in explosive atmospheres
- Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with Danger / Property of in EN, FR, and SP

Art. no. 120156

Ø 6 | 38 x 82 mm

EUR net (RRP)

26,⁰⁰



Aluminium lockout hasp

Safety lockout hasp, aluminium, clip with diameter 2.71 cm, red handle, for 6 padlocks with max. 6 mm shackle diameter

- Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed

Art. no. 120157

Ø 6 | for 6 locks

EUR net (RRP)

9,50



Plastic lockout hasp

Non-conductive nylon lockout hasp, dielectric protection, spark-free - for 6 padlocks with a maximum shackle diameter of 6 mm


- Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed
- Suitable for use in potentially explosive atmospheres

Art. no. 120158

Ø 6 | for 6 locks

EUR net (RRP)

9,00



Safety lockout for standard circuit breakers

Designed for standard circuit breakers

- Effective lockout of circuit breakers
- Durable construction with powder-coated, reinforced polymer for use in extreme environmental conditions
- Suitable for use in potentially explosive atmospheres

Art. no. 120170

Ø 6 | for 1 lock

EUR net (RRP)

11,50



FOCUS ON SAFETY

QUICK ASSEMBLY +

No tools required –
simply clip into place.

APPROVED

for safe use in potentially
explosive atmospheres.



UNIVERSALLY COMPATIBLE

with standard
miniature circuit
breakers.

FLEXIBLE USE +

suitable for all
applications -
horizontal or
vertical.

SAFETY LOCKOUT +

Space for up to
2 padlocks.
(Ø 6 mm)



EUR net (RRP)

21,⁰⁰

**Safety lockout for
circuit breaker**


Art. no. 120159

Ø 6 | for 2 locks

Lockout device for 120 – 240 V plug

Cover for electrical plug connection, small - 120 to 240 V
plug connections

- Unique rotating design for easy handling
- Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals



Art. no. 120171

120 – 240 V

EUR net (RRP)

17,⁵⁰



Lockout device for 16 – 32 A CEE plug

Cover for electrical plug connection, large - 240 and 550 V

- Unique rotating design for easy handling
- Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals



Art. no. 120172

240 and 550 V

EUR net (RRP)


28,⁵⁰



Adjustable multi-lock cable

Adjustable cable lockout (1.8 m) for various security lockout applications

- Adjustable cable length (braided steel cable 1.8 m x Ø 4 mm with plastic coating)
- Thermoplastic Zenex body is chemical resistant
- Flexible and easy insertion into various lockout points
- Integrated safety hasp for up to 4 padlocks with a max. shackle diameter of 6 mm
- Ideal for multiple lockout situations
- Comes with reusable, writeable safety labels (EN, FR, SP)
- Suitable for use in potentially explosive atmospheres



Art. no. 120173

Ø 6 | 1,8 m x Ø 4 mm

EUR net (RRP)

35,50

Security lockout set

Set of lockout devices for electrical systems – Blister-pack – English

Content:

- 1 keyed-alike Zenex padlocks
- 1 mini circuit breaker lockouts
- 1 circuit breaker lockout for large circuit breakers
- 2 Warning tags/signs
- 1 plastic lockout hasp for four padlocks
- 1 compact red belt pouch

Art. no. 120174

7 pieces

EUR net (RRP)

95,50



DO NOT OPERATE sign | English

Lockout tags in English (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: Danger – Do not operate

Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120175

146 x 80 mm

EUR net (RRP)

36,⁵⁰



DO NOT OPERATE sign | German

Lockout tags in German (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: Danger – Do not operate

Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120176

146 x 80 mm

EUR net (RRP)

36,⁵⁰



DO NOT OPERATE sign | Spanish

Lockout tags in Spanish (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: PELIGRO – NO HACER FUNCIONAR

Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120177

146 x 80 mm

EUR net (RRP)

36,⁵⁰



BASIC TOOLS

ESSENTIAL ITEMS FOR
ALL SITUATIONS.





THE FOUNDATION OF PROFESSIONAL PERFORMANCE

Our basic tools form a solid foundation for precise, safe and efficient work in trade, industry and service.

Whether pliers, screwdrivers, socket wrenches or measuring tools – every product impresses with its well-thought-out function, high ergonomics and durable materials.

From individual tools to complete case systems and mobile solutions, the basic range offers everything professionals need for everyday use.

Innovative details, robust workmanship and proven quality ensure that every project is a reliable success – from the first step to the final check.

HAUPA basic tools – reliable, versatile, indispensable.

UNPACK. GET STARTED.

READY FOR ANY PROJECT.



Pliers wrench

- Stepless gripping of all wrench widths thanks to the parallel jaws
- Easy tightening and releasing of screw connections
- Weight-reduced for very light working that is gentle on the joints
- Secure setting of the gripping jaws prevents the joint slipping through
- Gentle on surfaces thanks to the smooth, polished gripping surfaces
- 10-fold manual force amplification for very high clamping force
- With comfortable single-hand adjustment pushbutton
- With finger clamp protection for safe working
- Chrome-vanadium tool steel ensures high durability and a long product life
- Handles in black/green soft dip insulated

Art. no. 210615

Length: 180 mm | WS: 36 mm

EUR net (RRP)

32,⁰⁰



Art. no. 210619

Length: 260 mm | WS: 50 mm

EUR net (RRP)

36,⁰⁰



Set with 7 tools



Art. no. 212683/Z1

7-pieces

Screwdrivers set 1000 V, Phillips, 6 pieces

Content: Electricians' screwdriver 1000 V, 2.5 x 75 mm / 4 x 100 mm / 5.5 x 125 mm / 6.5 x 150 mm, Cross slotted screwdrivers 1000 V, Phillips size 1 and 2

Automatic wire stripper

- for solid and flexible cables
- automatic setting to the cross-section
- Working range of 0.5 to 6 mm² (212695)
- integrated side cutter up to 2.5 mm²

EUR net (RRP)

40,⁰⁰



Hexagon L-Key Set with ball head

Made from chrome vanadium steel, blades hardened throughout, nickel plated, **extra long**, metric or AF, with ball head, in folding holder.

Content metric:

WS: Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

Content AF:

WS: Hex 1/16 - 5/64 - 3/32 - 1/8 - 5/32 - 3/16 - 1/4 - 5/16 - 3/8"

Art. no. 100965

9-pieces, size 1,5 - 10 mm

EUR net (RRP)

15,⁵⁰

Art. no. 100967

9-pieces, size 1/16" - 3/8"

EUR net (RRP)

14,⁵⁰



Hole saw with edge countersink and board ejector


- For setting wall-flush sockets, Ø 68 mm
- Cutting depth 35 mm
- High concentricity
- Specially for plasterboard, softwood, plywood, Fermacell etc.
- 9,5 mm hexagonal holder
- In plastic box

Art. no. 231929

Ø 68 mm

EUR net (RRP)

40,⁵⁰



Ratchet screwdriver set FlexBag

FlexBag

Art. no. 104020-1

51-pieces, Bit: 50 mm

EUR net (RRP)

70,00

with 50 mm S2 bits and reduced shank, in robust nylon bag.

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set – top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatiguefree working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws.

Contents:

1/4" 50 mm Power bits Tx:

T5, T6, T7, T8, T9, T10, T15, T20, T25, T30, T40

1/4" 50 mm Power bits Hex: H2, H2.5, H3, H4, H5, H6

1/4" 50 mm Power bits PH: 0, 1, 2, 3

1/4" 50 mm Power bits PZ: 0, 1, 2, 3

1/4" 50 mm Power bits slot: 3, 4, 5, 6, 7, 8

1/4" 50 mm Power bits SQ: 0, 1, 2, 3

1/4" 50 mm Power bits Tri-Wing: 1, 2, 3

1/4" 50 mm Power bits PZ/FL 1 & 2


Above bits are in reduced shank except T40, H6,

flat: 6, 7, 8 in full hex shank

2 pcs. Adapters: 1/4" 50 mm, 1/4" 80 mm

8 pcs. sockets: 5, 5.5, 6, 7, 8, 10, 12, 13

1 pc of FlexPlus ratcheting driver



Ratchet screwdriver set FlexBagPro

FlexBag

Art. no. 104022-1

51-pieces, Bit: 50 mm

EUR net (RRP)


70,00

37 safety bits, 8 spanner sockets, 5 drill bits, in robust nylon bag.

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set – top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatiguefree working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws.

Contents:

- 1/4" 50 mm torsion bits S-TX (hole), color coded: T10, T10, T15, T15, T20, T25, T27, T30, T40
- 1/4" 50 mm torsion bits Hex, color coded: H3, H4, H5, H6
- 1/4" 50 mm torsion bits PH, color coded: 1, 2, 2, 3
- 1/4" 50 mm torsion bits PZ, color coded: 1, 2, 2, 2
- 1/4" 50 mm torsion bits slot, color coded: 3, 4, 4, 5, 6
- 1/4" 50 mm torsion bits SQ, color coded: 1, 2, 3
- 1/4" 50 mm standard bits PZ/FL: 1, 1, 2, 2
- 1/4" 50 mm standard bits PH/FL: 1, 1, 2, 2
- 8 pcs. sockets: 5, 5.5, 6, 7, 8, 10, 12, 13
- 5 pcs. drills: 2, 3, 4, 5, 6
- 1 pc of FlexPlus ratcheting driver



with colour coding



incl. Drill Bits

Socket set

1/4"

Art. no. 110674

33-pieces, 1/4"

EUR net (RRP)

50,⁰⁰

Chrome vanadium steel, industrial quality, black plastic case with metal catch.

Contents:

- 12 Sockets: 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm,
- 1 ratchet handle,
- 2 gears with quick release function,
- 1 flexible extension bar,
- 2 extension bars 50 & 100 mm,
- 1 universal joint,
- 1 sliding adapter 3/8" x 1/4" for extension bar work as T handle,
- 1 spinner handle for screwdriver
- 14 insert bit socket PH: 1 - 2 - 3,
- HX: 3 - 4 - 5 - 6 - 8,
- TX: 10 - 15 - 20 - 25 - 27 - 30



SocketFlex socket wrench box

1/4" 1/2"

Art. no. 110672

59-pieces, 1/4" + 1/2"

Chrome vanadium steel, industrial quality, black plastic case with metal catch.

EUR net (RRP)

110,⁵⁰

Contents:

- 12 1/4" socket wrench inserts 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 2 1/4" 50 and 150 mm extensions
- 1 3/8" x 1/4" adapter for extending for use as a T-handle
- 1 1/4" universal joint
- 1 bit adapter 4-edge to 1/4" hexagonal
- 1 1/4" reversible wratchet
- 13 1/2" socket wrench inserts 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm
- 2 1/2" 75 and 250 mm extensions
- 1 3/8" x 1/2" adapter for extending for use as a T-handle
- 1 1/2" universal joint
- 1 1/2" reversible ratchet
- 1 Flex ratchet screwdriver
- 1 adapter 1/4" x 1/4" x 50 mm
- 1 adapter 1/4" x 1/4" x 80 mm
- 4 bits 1/4", 50 mm, PH 0 - 1 - 2 - 3
- 4 bits 1/4", 50 mm, PZ 0 - 1 - 2 - 3
- 2 bits 1/4", 50 mm, PZ/FL 1 - 2
- 4 bits 1/4", 50 mm, slot 3 - 4 - 5 - 6 mm
- 6 bits 1/4", 50 mm, hexagon socket 2 - 2,5 - 3 - 4 - 5 - 6



Torque wrench

1/4" TQ

Art. no. 110607

5 – 25 Nm, 1/4"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 5 – 25 Nm
- Drive 1/4"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box

EUR net (RRP)

90,⁵⁰



Torque wrench

1/2" TQ

Art. no. 110610

20 – 120 Nm, 1/2"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 20 – 120 Nm
- Drive 1/2"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box

EUR net (RRP)

84,⁵⁰



Torque wrench

1/2" TQ

Art. no. 110609

42 – 210 Nm, 1/2"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 42 – 210 Nm
- Drive 1/2"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box

EUR net (RRP)

115,⁰⁰



HIGH PERFORMANCE FOR EVERY CUT

**Extremely
SHARP & PRECISE**

**Elegant
BLACK APPEARANCE**

MAXIMUM SHARPNESS
thanks to double grinding

PARTICULARLY DURABLE
due to fire hardening

EUR net (RRP)

4,⁵⁰

SAFE AND COMFORTABLE
thanks to automatic locking
mechanism

**Utility knife professional
HUPblackSeries18**

Art. no. 200222

Length: 167 mm



Utility knife professional HUPblackSeries9

- Extremely sharp cutting edge for precise cuts
- Blade length: 80 mm
- Blade width: 9 mm
- Blade thickness: 0.38 mm
- 13 segments
- Double grinding for maximum sharpness
- Ideally suited for a wide range of materials
- Maximum durability due to fire hardening
- Black blade coating



Art. no. 200220

145 mm

EUR net (RRP)

3,00

Blade dispenser HUPblades9

suitable for Art. No. 200220

- 10 blade strips
- **extremely sharp cutting edge** for precise cuts
- blade length: 80 mm
- blade width: 9 mm
- blade thickness: 0.38 mm
- 13 segments
- double grinding for maximum sharpness
- ideally suited for a wide range of materials
- maximum durability due to fire hardening
- blade black coated



Art. no. 200221

80 x 9 x 0.38 mm

EUR net (RRP)

3,00

Blade dispenser HUPblades18

suitable for Art. No. 200222

- 10 blade strips
- extremely sharp cutting edge for precise cuts
- blade length: 100 mm
- blade width: 18 mm
- blade thickness: 0.6 mm
- 8 segments
- double grinding for maximum sharpness
- ideally suited for various materials
- maximum durability due to fire hardening
- blade black coated



Art. no. 200223

80 x 9 x 0.38 mm

EUR net (RRP)

4,00

EVERYTHING INSIDE. EVERYTHING SECURE.

TOOL CASES & BAGS



Tool trolley HUPtransporter Pro

Roomy and organised – the HAUPA tool trolley HUPtransporter Pro provides a lot of space for tools

Extremely sturdy case: polypropylene (PP) housing, with **gas pressure springs**, fit for flight: automatic air pressure release valve, stackable, dust-proof, protected against water splashes, temperature stable from -30°C to +80°C, ergonomic two-component handle, eyelets for padlock, aluminium divider system, foam insert optional, colour: black, with owner label, tool trolley HUPtransporter 220820

Content:

- Safety goggles • Wire stripper 0.2 - 6 mm²
- Uni wire stripper 0.2 - 4 mm² • Crimping pliers 0.75 - 16 mm
- Crimping pliers wire end ferrules 0.5 - 16 mm
- Crimping pliers insulated cable lugs 0.5 - 6 mm²
- VDE all-round soft grip scissors 160 mm, 70 mm²
- VDE crimping pliers, curved 200 mm
- VDE cable cutters 160 mm • VDE diagonal cutters 160 mm*
- VDE combination pliers 180 mm*
- VDE water pump pliers 240 mm • VDE diagonal cutters 200 mm*
- VDE pliers spanner 280 mm
- VDE cable cutter Hook blade 50 mm
- Switch cabinet spanner
- Cutter blades HUPblackSeries18
- Cutter blades HUPblades18
- Wire cutter with hook blade 8 - 28 mm²
- One-hand cable cutter max. Ø 34 mm
- Deep-hole marker, 2 in 1, black, with sharpener
- Electronic ESD side cutter without blade 115 mm
- Hexagon head offset screwdriver set with ball head, 9 pcs, 1.5 - 10 mm, extra long
- VDE screwdriver **HUPslim**[®]
PZ/FL 1 + 2 | PZ 1 + 2 | PH 1 + 2
- VDE electrician's screwdriver **HUPslim**[®]
3.5 x 0.6 x 100, 4 x 0.8 x 100 mm,
4 x 1 x 100 mm, 5.5 x 1 x 125 mm, 6.5 x 1.2 x 150 mm
- Electrician's chisel 10 x 250 mm
- Flat oval stone chisel 32 x 300 mm
- Ratchet ring spanner 4 in 1, 8 x 10 + 12 x 13 mm
- Ratchet ring spanner 4 in 1, 10 x 13 + 17 x 19 mm
- Enclosure spirit level 200 mm
- Light metal spirit level 400 mm
- Measuring tape 5 m • Scale 1 m
- LED torch Pen Torch
- Locksmith's hammer 500 g
- Puk saw with fixed handle
- Voltage tester Profi LED Plus 12 - 1,000 V
- FlexBagPro ratchet screwdriver set
- PU cut protection glove level 3, grey, size 10

Art. no. 220821

57 pcs., 539 x 225 x 359 mm

EUR net (RRP)

1.190,00

PPsafe ****



**Exclusively in the tool trolley
HUPtransporter Pro**



* perfected
cutting force
performance



10,94 kg




Tool trolley HUPtransporter StandardPlus

Roomy and organised – the HAUPA tool trolley HUPtransporter StandardPlus provides a lot of space for tools

Extremely sturdy case: polypropylene (PP) housing, with **gas pressure springs**, fit for flight: automatic air pressure release valve, stackable, dust-proof, protected against water splashes, temperature stable from -30°C to +80°C, ergonomic two-component handle, eyelets for padlock, aluminium divider system, foam insert optional, colour: black, with owner label, tool trolley HUPtransporter 220820

Contents:

- Basic wire stripper 0.5 - 6 mm² • Uni wire stripper 0.2 - 4 mm²
- Crimping pliers 0.75 - 16 mm
- Crimping pliers wire end ferrules 0.5 - 16 mm
- Crimping pliers insulated cable lugs 0.5 - 6 mm²
- VDE all-round soft grip scissors 160 mm, 70 mm²
- VDE crimping pliers, curved 200 mm*
- VDE cable cutters 160 mm • VDE diagonal cutters 160 mm*
- VDE power side cutters 200 mm* • VDE pliers spanner 280 mm
- VDE cable cutter straight blade
- Switch cabinet spanner
- Cutter blades HUPblackSeries18
- Cutter blades HUPblades18
- Stripper with hook blade 8 - 28 mm²
- Basic stripper 4 - 13 mm
- Deep-hole marker, 2 in 1, black, with sharpener
- Electronic ESD diagonal cutters without blade 115 mm
- Hexagonal offset screwdriver set with ball end, 9-piece | 1.5 - 10 mm, extra long
- VDE screwdriver **HUPslim*** PZ/FL 1 + 2 | PZ 1 + 2 | PH 1 + 2
- VDE electrician's screwdriver **HUPslim*** 3.5 x 0.6 x 100, 4 x 0.8 x 100 mm, 4 x 1 x 100 mm, 5.5 x 1 x 125 mm, 6.5 x 1.2 x 150 mm
- Electrician's chisel 10 x 250 mm
- Flat oval stone chisel 32 x 300 mm
- Switch cabinet spirit level 200 mm
- Light metal spirit level 400 mm
- Measuring tape 5 m - Scale 1 m
- LED torch Pen Torch
- Locksmith's hammer 500 g
- Puk saw with fixed handle
- Voltage tester Profi LED Plus 12 - 1,000 V
- FlexBag ratchet screwdriver set
- PU cut protection glove level 3, grey, size 10



Art. no. 220822

52 pcs., 539 x 225 x 359 mm

EUR net (RRP)

910,⁰⁰

PPsafe ★★★★★



* perfected cutting force performance

Tool case trolley Start-up Mobil 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Content:

- 2C-VDE electricians' screwdrivers
2,5 x 75, 4 x 100, 5,5 x 125, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C-VDE combination pliers, 180 mm*
- 2C-VDE side cutters, 160 mm*
- 2C-VDE telephone pliers, 200 mm*
- 2C-VDE wire stripping pliers, 160 mm
- Wire stripper, hooked blade, 8 - 28 mm Ø
- Cable knife, 1 blade
- Engineers' hammer, 300 g
- PUK pocket saw, fixed handle
- Electricians' chisel, 10 x 250 mm
- Paint scraper, 40 mm
- Voltage tester 120 - 250 V, loose
- Measuring tape, 3 m
- Water brushes



1000 V IEC 60900



Art. no. 220252

20 pcs., 470 x 220 x 360 mm

EUR net (RRP)

309,00

ABS



10,94 kg

Tool case Start-up VDE 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, case 220031.

Content:

- 2C-VDE electrician's screwdrivers
2.5 x 75, 4 x 100, 5.5 x 125 und 6.5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C combination pliers, 185 mm*
- 2C side cutters, 165 mm*
- 2C telephone pliers, 200 mm*
- 2C wire stripping pliers, 160 mm
- Wire stripper, hooked blade, 8 - 28 mm Ø
- Cable knife, 1 blade
- Engineers' hammer, 300 g
- PUK pocket saw, fixed handle
- Electricians' chisel, 10 x 250 mm
- Paint scraper, 40 mm
- Voltage testers
- Measuring tape, 3 m
- Water brush



1000 V IEC 60900



* perfected
cutting force
performance

Art. no. 220235

20 pcs., 470 x 200 x 360 mm

EUR net (RRP)

266,⁰⁰

ABS 

220235 | 360°



8,64 kg

BASIC TOOLS

Tool case Jobstarter Plus

ABS-case, black. Interior equipment: 2 tool boards, bottom plate with variable dividers, case 220028.

Content:

- 2C-VDE telephone pliers, 200 mm*
- 2C-VDE combination pliers, 180 mm*
- 2C-VDE side cutters, 160 mm*
- Stripping pliers 0,5 - 4,0 mm²
- Cable cutter VDE, straight
- Wire stripper, hooked blade, 8 - 28 mm Ø
- PUK pocket saw
- 2C-VDE electrician's screwdrivers, 2,5 x 75, 3,5 x 100, 5,5 x 125, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH 1 + 2
- 2C-VDE cross slotted screwdrivers PZ 1 + 2
- Voltage testers
- Electricians' chisel, 10 x 250 mm
- Stone chisels, flat oval shank
- Engineers' hammer
- Sledge hammer
- Industrial ring brush, size 4
- Paint scraper
- Plaster cup
- Carpenters' pencil, 150 mm



1000 V IEC 60900



Art. no. 220027


25 pcs., 460 x 180 x 310 mm

EUR net (RRP)

266,00

ABS

220027 | 360°



9,27 kg

TOOLS CLEVERLY ORGANISED

HARD-SHELL CASE

Sturdy & lockable

**COMPLETE
VDE TOOL KIT**

Screwdrivers, pliers,
stripping/sheathing tool

EUR net (RRP)

235,⁰⁰

**REMOVABLE
TOOL BOARDS**

flexible & clearly arranged

**BOTTOM TRAY WITH
ADJUSTABLE DIVIDERS**

customisable organisation

REINFORCED METAL CORNERS

for additional protection

FREE CRIMPING PLIERS

only with this set

Toolbox HUPactive

Art. no. 220255

Contents: 24 pieces

Dimensions: 460 x 180 x 310 mm

Weight: 9,62 kg



1000 V IEC 60900

Tool case Elektro Plus

ABS-case, black, lockable, incl. 2 keys, 2 tool boards and document pocket completely removable, base tray with variable aluminium dividers, reinforced metal corners as additional protection against damage, case 220036.

Contents:

- VDE electrician's screwdriver 1000 V
3 x 0.5 x 100 mm | 4 x 0.8 x 100 mm | 5.5 x 1.0 x 125 mm
- VDE screwdriver **HUPslim** PH, size 1 + 2*
- VDE screwdriver **HUPslim** PZ, size 1 + 2*
- VDE screwdriver **HUPslim** PZ/FL, size 2*
- VDE Snipe nose pliers DIN ISO 5745*
- VDE diagonal cutters 160 mm*
- VDE cable cutters 160 mm
- Basic wire stripper 0.5 - 6 mm²
- Basic wire cutter 8 - 28 mm
- Basic voltage tester 6 - 400 V
- XL stripper
- Plaster mould
- Puk saw with fixed handle
- VDE cable knife, straight blade
- Plasterer's hammer 300 g
- Painter's spatula 40 mm
- Industrial ring brush size 4
- Scale 2 m
- Carpenter's pencils
- Torpedo spirit level 225 mm



1000 V IEC 60900



* perfected cutting force performance



Art. no. 220257

25 pcs., 460 x 180 x 310 mm

EUR net (RRP)

298,00

ABS



6,50 kg

Tool case Start-up Max

ABS-case, black, 2 tool sections, bottom half of case equipped with variable partitions, case 220028 Start-up S.

Content:

- 2C-VDE electricians' screwdrivers 2,5 x 75 mm, 4 x 100 mm, 5,5 x 125 mm, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C-VDE combination pliers, 180 mm*
- 2C-VDE long chain nose pliers, 45° angled nose, 200 mm*
- 2C-VDE side cutters, 160 mm*
- 2C-VDE cable cutters, 160 mm
- Cable knife VDE with a straight blade
- Automatic wire stripper Super Plus 0,2 - 6 mm²
- Cable stripping knife 8 - 28 mm²
- Voltage tester Profi LEDplus II 3 - 1.000 V
- Crimping pliers for end sleeves 0,25 - 2,5 mm²
- Dispenser box with insulated end sleeves, colour range III, DIN
- Combination spanners similar to DIN 3113, 8-pcs.
- Set ball point allen keys 9-pcs., 1,5 - 10 mm, extra long
- Spanners for switch-cabinets HUPkey
- LED Pen Torch
- PUK pocket saw, fixed handle
- Engineers' hammer, 300 g
- Carpenters' pencils
- Measuring tape, 3 m



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220268

44 pcs., 460 x 310 x 180 mm

EUR net (RRP)

435,00

ABS



9,22 kg

BASIC TOOLS

Tool case trolley EXTRA 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Content:

- 2C-VDE screwdriver set PZ, 101999/PZ
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- Automatic wire stripper Super Plus 0,2-6 mm²
- Voltagetester Basic black
- Combination pliers VDE 185 mm*
- Heavy duty diagonal cutters VDE 205 mm*
- Long chain nose pliers VDE angled 200 mm*
- Carpenters' pencils • Engineers' hammers 300 g
- Cable stripping knives without hook blade 8-28 mm²
- Electricians' chisels 10x250 mm
- Hand saws PUK mit fixed handle
- Torped-level 225 mm • Folding rules 2 m
- Paint scrapers 40 mm • Water brushes • Plaster cups
- Cable knives 1000 V, 50 mm
- Sledge hammers 1000 g
- Stone chisels, flat oval shank 28x250 mm
- Industrial cleaning wipes
- Crimping pliers crimping pliers for insulated terminals and end sleeves 0,5 - 6 mm
- Stripper 8-13 mm²
- Cable cutters VDE 170 mm
- Electrical insulating tape VDE 15 mm x 10 m, Rainbow pack, 263820, 10 colours
- Voltage tester Profi plus
- HAUPA Multi Check digital high-capacity multimeter



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220307

34 pcs., 470 x 220 x 360 mm

EUR net (RRP)

667,⁰⁰

ABS



14,90 kg

Tool case trolley Master Mobil HUPslim 1000 V

ABS-case, black, combination lock, 1 document compartment, 2 lockable locks, 2 tool boards, base tray with variable dividers, allround bumper strip, high-quality fittings. Case 220023.

Content:

- 2C VDE screwdriver set **HUPslim** PH*
- 2C VDE screwdriver set **HUPslim** PZ/FL 1 + 2*
- VDE cable cutter 230 mm*
- VDE combination pliers 180 mm*
- VDE diagonal cutters 160 mm*
- VDE Snipe nose pliers 45°, 200 mm*
- Wire strippers 0.2, 6 mm²
- VDE cable knife, straight blade
- Industrial all-purpose cleaning cloths
- Measuring tape 3 m
- Puk saw with fixed handle
- Earplugs green SNR 30 db
- Retractable perlon tape 15 m, 3 mm
- LED torch 18 x 91 mm, 80 lm
- Uni wire stripper 0.2, 4 mm²
- Hook blade stripper 8, 28 mm²
- Crimping pliers for insulated cable lugs and wire end ferrules
- Cable cutter 160 mm, dip-insulated
- Crimping pliers 0.75, 16 mm²
- Profi Plus voltage tester
- Safety goggles
- Switch cabinet spanner
- Bit box with safety bits, 58 pieces
- Electronics ESD side cutter without blade, 115 mm
- Rolling spanner 24 mm
- 2K soft grip scissors 140 mm
- Cable ties black UV-resistant 250 x 4.8 mm
- Cable gland IP68 M20 light grey
- Wire end ferrules in a tin colour series III DIN
- Nail clips 7-10, white

Art. no. 220329

37 pcs, 470 x 220 x 360 mm

EUR net (RRP)

719,00

ABS 



1000 V IEC 60900



Slim Top



* perfected cutting force performance



14,70 kg

BASIC TOOLS

Tool case trolley Master Mobil 1000 V

Art. no. 220254

37 pcs., 470 x 220 x 360 mm

EUR net (RRP)

705,⁰⁰

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case art. 220023.

Content:

- 2C VDE screwdriver set PH
- VDE cable knife straight blade
- Industrial all-purpose cleaning cloths
- Measuring tape 3 m
- Puk saw with fixed handle
- VDE cable cutter 230 mm
- VDE combination pliers 185 mm*
- VDE diagonal cutters 165 mm*
- VDE snipe nose pliers 45°, 200 mm*
- Wire stripper 0.2 - 6 mm²
- Earplugs green SNR 30 db
- 2C VDE screwdriver PZ/FL 1
- 2C VDE screwdriver PZ/FL 2
- Retractable nylon tape 15 mm, 3
- LED torch 18 x 91 mm, 80 lm
- Uni wire stripper 0.2 - 4 mm²
- Hook blade stripper 8 - 28 mm²
- Crimping pliers for insulated cable lugs and wire end ferrules
- Cable cutter 160 mm, dip-insulated
- Crimping pliers 0.75 - 16 mm²
- Bit box with safety bits, 58 pieces
- Safety goggles
- Switch cabinet spanner
- Profi Plus voltage tester
- Electronics ESD side cutter without blade, 115 mm
- Rolling spanner 24 mm
- 2K soft grip scissors 140 mm
- Cable gland IP68 M20 light grey
- Wire end ferrules in a tin can Colour series III DIN
- Cable ties black UV-resistant 250 x 4.8 mm
- Nail clips 7-10, white

ABS 



1000 V IEC 60900



* perfected cutting force performance

14,70 kg

Tool case trolley Profi Mobil

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Content:

- 2-component socket wrenches set
- 2-component screwdrivers
2,5 x 75, 3 x 100, 4x100, 4 x 125, 5 x 150 mm
- Cross slotted screwdrivers PH, size 1 + 2, insulated
- Voltage tester Basic 6-400 V
- Electronic screwing bit set, 34-pcs
- HAUPA ratchet screwdriver Flex, 58-pcs.
- Combination spanners sets, 12-pcs
- Adjustable single-head wrench 24 mm
- Spanners for switch-cabinets
- Engineers' hammer, 300 g
- Cable stripping knives with hook blade, 8-28 mm²
- Utility knives EXTRA with spare blades 19 mm
- Cable cutter with a snap, max. 16,9 mm
- Cable cutter 160 mm, dipped
- 2C combination pliers 185 mm*
- 2C diagonal cutter 165 mm*
- 2C long chain nose pliers 200 mm*
- Automatic wire stripper Super Plus 0,2-6 mm²
- ESD Electronic side cutter 115 mm
- Measuring tape 5 m • Cabinet levels 250
- VDE electrical insulating tape 19 mm x 20 m, black (8x)



* perfected cutting force performance

Art. no. 220273

39 pcs., 470 x 220 x 360 mm

EUR net (RRP)

550,00

ABS



14,68 kg

EVERYTHING YOU NEED FOR SMARTHOME

SMART ORGANISATION

Lots of compartments & loops

LAPTOP COMPARTMENT

UP TO 15"

Padded & secure

EUR net (RRP)

492,⁰⁰

COMPREHENSIVE TOOL SET

for smarthome and electrical work

FULLY EQUIPPED

Pliers, screwdrivers
& crimping tools

IDEAL FOR TRAINEES AND PROFESSIONALS

in building system integration



1000 V IEC 60900

Service bag HUPsmarHome

Art. no. 220805

Contents: 31 pieces

Material: Nylon

Dimensions:

510 x 220 x 335 mm

Weight: 7,55 kg

Service bag Supply Max 1000 V

Document compartment, compartments for tools and instruments, small pocket, big compartments, rubber loops, separate well protected main compartment for laptop and documents, additionally divided with removable centre wall. Notebook compartment up to 15". Colour: green, black.

Content:

- 2C-VDE electrician screwdriver 2.5x75, 3.5x100, 4x100, 5.5x120, 6.5x150
- 2C-VDE screwdriver PH 1 + 2
- 2C-VDE screwdriver PZ/FL 1 + 2
- 2C-VDE diagonal cutters 165 mm*
- 2C-VDE combination pliers 185 mm*
- 2C-VDE telephone pliers straight, 200 mm*
- Cable cutter 160 mm, dipped
- ESD diagonal cutter 115 mm
- Automatic stripper 0.08-6.0 mm²
- LED Head lamp 75 lm
- Utility knives EXTRA with spare blades
- Voltage tester Profi LCD Plus 6-1.000 V
- VDE cable stripping knife changeable blade, 50 mm
- Electricians Scissor stainless steel, 150 mm
- Control cabinet key
- Measuring tape 3 m
- Adjustable single-head wrench
- Electronic screwdriver assortment, 34 pcs.
- Industrial cleaning wipes, 40 pcs.
- Cable ties black UV-resistant 203x4.6 mm
- Cable ties natural 203x4.6 mm
- Electrical insulating tape VDE 15 mm x 10 m, Rainbow pack
- HAUPA Flex Bag
- Set X-Crimp



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220293

31 pcs.

EUR net (RRP)

661,⁰⁰

Nylon



9,55 kg

BASIC TOOLS

Service bag Supply

Document compartment, compartments for tools and instruments, small pocket, big compartments, rubber loops, separate well protected main compartment for laptop and documents, additionally divided with removable centre wall. Notebook compartment up to 15". Colour: green, black.

Features:

- Ergonomic handle
- adjustable shoulder belt
- compartment for business cards
- 2 zipper pockets on each side (one of them can be opened completely)
- 2 large fold out side compartments - individually removable
- Polytexstrap for carriage fixation

Art. no. 220292

empty

EUR net (RRP)

110,00

Nylon



3,30 kg

HAUPA ToolBag XL Go

Art. no. 220804

15 pcs., 420 x 220 x 310 mm

EUR net (RRP)

192,⁰⁰

Tool bag XL with inner and outer tool compartments, rubber-reinforced base. Features: Waterproof and dirt resistant, rubber-reinforced base, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments inside/outside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: green, black. ToolBag 220366.

Content:

- VDE combinations pliers, 185 mm*
- VDE heavy duty side cutters, 170 mm*
- VDE telephone pliers, straight, 200 mm*
- 2C-VDE electrician's screwdriver PZ/FL 1 + 2
- 2C-VDE electrician's screwdriver 2,5 x 75, 3,5 x 100, 4 x 100, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH 1 + 2
- Automatic wire stripper 0,2-6 mm²
- Switching cabinet key
- Cable stripper hooked blade, 8 - 28 mm Ø



1000 V IEC 60900



* perfected
cutting force
performance



3,67 kg



BASIC TOOLS

HAUPA SquareBag Basic 1000 V

Tool bag made of 600D Polyester, with inner and outer tool compartments, with padded carrying strap, rubber-reinforced base, double cross-seam for heavy loads. ToolBag 220703.

Content:

- Automatic wire stripper Super Plus 0,2 – 6 mm²
- 2C-VDE electricians' screwdrivers **HUPslim***
- 4 x 100 mm, blade thickness 0,8 and 1,0 mm
- 2C-VDE electricians' screwdrivers **HUPslim** PH, size 1 + 2*
- 2C-VDE electricians' screwdrivers **HUPslim** PZ/FL, size 2*
- VDE telephone pliers 45°, 200 mm*
- VDE side cutters 160 mm*
- VDE combination pliers 180 mm*
- Measuring tape 3 m
- PU textile gloves, size 9



1000 V IEC 60900



* perfected cutting force performance

Art. no. 220706

12 pcs., 260 x 260 x 230 mm

EUR net (RRP)

150,⁰⁰

220706 | 360°



3,04 kg

Tool backpack HUPtoGo1

Art. no. 220830

32 pcs., 400 x 450 x 260 mm


EUR net (RRP)

547,⁰⁰

Work on the go with the new HAUPA tool backpack HUPtoGo1

Content:

- VDE cable cutter 160 mm
- VDE long chain nose pliers DIN ISO 5745*
- VDE combination pliers 200 mm*
- VDE side cutters 160 mm*
- VDE cable stripping knife, straight blade 50 mm
- LED mini working light HUPlight4 | 4 Watt
- Voltage tester Profi LEDplus II 6 - 1,000 V
- Universal switch cabinet key HUPkey
- Wire stripper Super Plus 0.2 - 6 mm²
- VDE pliers wrench 280 mm
- VDE screwdriver set **HUPslimPlus***
VDE electrician's screwdriver **HUPslim***
3.5 x 0.6 x 100 mm, 4 x 0.8 x 100 mm,
4 x 1.0 x 100 mm, 5.5 x 1.0 x 125 mm,
6.5 x 1.2 x 150 mm
- VDE Phillips screwdriver **HUPslim**
Phillips, size 1 + 2*
- VDE Phillips screwdriver **HUPslim**
Pozidriv, size 1 + 2*
- VDE screwdriver **HUPslim** with PZ/FI
profile, size 1 + 2*
- Voltage tester 100 - 250 V loose
- Socket set 1/4", 33-parts
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- Stone chisel, flat oval 32 x 300 mm
- Flexi PUK saw
- Set X-CrimpPlus
- Switch cabinet level 200 mm
- Measuring tape 5 m
- Deep hole marker, 2-in-1, black,
with sharpener
- **Tool backpack HUPtoGo 220249**



10,94 kg



* perfected
cutting force
performance



haupa 121

Tool backpack HUPtoGo2

Art. no. 220831

21 pcs., 400 x 450 x 260 mm

EUR net (RRP)

284,00

Work on the go with the new HAUPA tool backpack HUPtoGo2

Content:

- VDE long chain nose pliers, curved, 200 mm*
- VDE combination pliers 180 mm*
- VDE side cutters 160 mm*
- VDE screwdriver set **HUPslim** PH*
- Utility knife HUPblackSeries18
- Blades HUPblades18
- LED torch Pen Torch
- Wire stripper Basic 0,5 – 6 mm²
- Basic cable stripper 8 – 28 mm with hook blade
- Test Pen Profi 12 – 1000 V
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- PUK saw with fixed handle
- Carpenter's pencil, black, Mine 7B, triangular, 240 mm
- Measuring tape 3 m
- **Tool backpack HUPtoGo220249**



1000 V IEC 60900



* perfected cutting force performance



5,70 kg

Tool holder for construction buckets

Tool bag for hanging up/covering in a commercially available 10 l bucket, 30 exterior pockets/compartments, 14 inner pockets/compartments, 1 hammer loop, 1 loop with carabiner, stain-resistant, double cross-seam stitching for high load capacity, material: extra strong 1680D polyester, colour: black, green.

Art. no. 220313

460 x 280 x 40 mm

EUR net (RRP)

24,50



Supplied without buckets



0,56 kg

HAUPA SquareBag

Tool bag made of 600D Polyester

- compact design and low weight
- with inner and outer tool compartments
- rubber-reinforced base as protection against dirt and moisture
- double cross-seam for heavy loads
- carrier bar of metal, for high wearing comfort
- removeable carrying strap, padded
- additional pockets of polyester with hook of metal and velcro fastening
- Material: extra strong 600D Polyester, water resistant and dirt-repellent
- colour: black with green stitching

Art. no. 220703

260 x 260 x 230 mm

EUR net (RRP)

46,50



1,50 kg

HAUPA ToolBag

Tool bag with inner and outer tool compartments, rubber-reinforced base. Waterproof and dirt resistant, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments outside (various sizes), 10 compartments inside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black/green.



Art. no. 220061

320 x 190 x 280 mm

EUR net (RRP)

49,⁵⁰



1,51 kg

HAUPA ToolBag XL

Tool bag XL with inner and outer tool compartments, rubber-reinforced base. Features: waterproof and dirt resistant, rubber-reinforced base, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments inside/outside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black with green seams.

Art. no. 220366

310 x 420 x 220 mm

EUR net (RRP)

59,⁵⁰



1,51 kg

Tool backpack HUPtoGo

Art. no. 220249

400 x 450 x 260 mm

Work on the go with the HAUPA tool backpack HUPtoGo

- Velcro pad on front pocket can be embroidered for personalisation
- 41 compartments, including 6 outer pockets (3 neoprene)
- 4 inside pockets with zip
- Front neoprene pockets (e.g. level, long chisel)
- Practical detachable knee pad
- High, waterproof base for moisture protection
- Reflective strips on front
- 2 metal fixing lugs on sides
- Ergonomically padded, adjustable shoulder straps
- Padded back and carrying handle
- Highly tip resistant, even when open
- Material: extremely strong 1680D polyester
- Colour: black with grey seams

EUR net (RRP)

115,⁰⁰



3,00 kg



Tool case trolley Start-up Profi

Rigid case, made of ABS-plastic material, black, integrated rolls and pull-out handle in the bottom, locks of alu-press-casting, empty.

Inside: 1 separation for documents, 1 plate for tools, 1 cover-plate with pocket compartments and clip-compartment, 1 bottom-tray



Art. no. 220023

470 x 220 x 360 mm

EUR net (RRP)

188,00

ABS ★★



8,40 kg

Tool trolley HUPtransporter

Roomy and organised – the HAUPA tool trolley HUPtransporter provides a lot of space for tools

With an additional tool tray, the tool trolley HUPtransporter offers an enormous amount of space for tool storage. The boards are clearly arranged, allowing easy access to tools at all times. Stable pockets and loops ensure that each tool reliably stays in its assigned spot, unless it is needed.

Content:

- Extremely sturdy case: polypropylene (PP) housing
- With gas pressure springs
- Fit for flight: automatic air-pressure release valve
- Stackable
- Dust-proof
- Protected against water splashes
- Temperature stable from -30°C to +80°C
- Ergonomic two-component handle
- Eyelets for padlock
- Aluminium divider system
- Foam insert optional
- Colour: black
- With owner label



Art. no. 220820

539 x 225 x 359 mm

EUR net (RRP)

345,50


PPsafe ★★



7,55 kg

BRILLIANCE YOU CAN BUY.

TORCHES & CONSTRUCTION
SPOTLIGHTS



LED flashlight, HUPflash1000

- Rechargeable
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cool white light that reaches up to 100 meters.

Waterproof (IPX7) and powered by a rechargeable lithium-ion battery via a supplied USB cable (USB-C). The battery is a standard commercial cell (18650) and can be easily replaced.

1000 Lm	6500 K	CRI 90	200m	60°
100% 50% 25%	Lifetime 50000 h	3.7V 2200mAh 8.5Wh	3 - 12h	USB-C Charge cable included
-10°C - 40°C	Class III	Ø35 152mm	kg 168 g	IPX7

Art. no. 130384

Ø 35 x 152 mm

EUR net (RRP)

43,00



LED flashlight, HUPflash300

- Splashwater protected
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cold white light that reaches up to 100 meters.

The flashlight is splash-proof and powered by three AAA batteries (not included).

300 Lm	6500 K	CRI 90	200m	120°
100% 50% 25%	Lifetime 50000 h	1 - 10h	3X AAA not included	-10°C - 60°C
Class III	Ø34 124mm	kg 102 g	IPX4	

Art. no. 130390

Ø 34 x 124 mm




EUR net (RRP)

21,00



LED Pen Torch

- Illumination range: 50 m
- 50 Lm
- LED 1 Watt CREE
- With clip
- 2xAAA batteries


LED 1W CREE	50 Lm		Lifetime 30000 h
 2X AAA not included	Aircraft Grade Aluminium		IP54

Art. no. 130328

TL: 14 x 143 mm

EUR net (RRP)

14,50














LED flashlight, HUPflash120

- Compact pin form
- With magnetic holding clip
- Main and inspection light

Perfect for both industrial and trade applications. The rechargeable penlight has two light sources: at the head and on the side. The penlight comes with a USB-C charging cable.

Each penlight is equipped with a magnetic clip, allowing you to easily attach the lamp to any magnetic surface. The flexible use combined with the compact size makes this penlight very practical for professional use by mechanics, craftsmen, technicians, and others.

120 Lm	5000 K			
 95°	 2-4h 3h charge time	 3.7V 600mAh 2.22Wh	 -10°C - 35°C	 USB-C Charge cable included
 Class III		 Magnetic	IK07	

Art. no. 130388

159 x 18 x 16 mm

EUR net (RRP)

31,50



haupa 129

FULL POWER – MINIMAL SPACE

EUR net (RRP)

21,⁵⁰

POWERFUL LIGHT

up to 800 lumens
in boost mode



ONE-BUTTON OPERATION

Quick and easy to use

MOBILE & LONG-LASTING

Battery life up to 1.5 hours



ROBUST

ALUMINIUM HOUSING

compact and durable



MAGNETIC BASE & CLIP MAGNET

for hands-free working

haupa®

800 Lm	6500 K	CRI 90	800lm boost	100lm spot
100lm - 500lm	62°	10h @ 100lm 3h charge time	3.7V 1200mAh 4.44Wh	USB-C Charge cable included
-0°C - 40°C	Class III	97 x 30.5 x 21 mm	Magnetic	IP54

LED flashlight HUPflash800

Art. no. 130382

Dimensions:
97 x 30,5 x 21 mm

LED headlamp HUPflash155

- 3 W COB LED
- Material: ABS, PC
- Luminosity 155 Lm
- Colour reproduction 90 CRI
- Battery-powered (3 x AAA included in the scope of delivery)
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special **sensor technology**
- Easy to operate e.g. when wearing protective gloves
- **Headband with silicone strips** for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm
- Weight: 49 g (without batteries)

LED 3W	155 Lm	50% 100%	CRI 90	Lifetime 30000 h	2.5 h
3x AAA not included	Sensor		60 x 45 x 38 mm	kg 90 g	ABS PC

Art. no. 130319

TL: 60 x 45 x 38 mm

EUR net (RRP)

29,⁵⁰



LED headlamp HUPflash155+

- **3.7 V 1200 mAh lithium polymer battery**
- 3 W COB LED
- Material: ABS, PC
- Light intensity 155 Lm
- Colour reproduction 90 CRI
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Charging cable (micro USB) included in the scope of delivery
- Charging time approx. 4 hours
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special **sensor technology**
- Easy to operate e.g. when wearing protective gloves
- **Headband with silicone strips** for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm • Weight: 73 g

LED 3W	155 Lm	50% 100%	CRI 90	Lifetime 30000 h	2.5 h
Lithium Polymer Akku 1200 mAh 3.7 V	Sensor		60 x 45 x 38 mm	kg 73 g	ABS PC

Art. no. 130321

TL: 60 x 45 x 38 mm

EUR net (RRP)

35,⁵⁰



LED inspection lamp HUPlight400

Art. no. 130378

Length: 160 mm

EUR net (RRP)

19,00

- White SMD main LED with 400 Lumens on the front side
- Secondary rear 200 Lumens white SMD-LED
- Additional upper spot - 120 Lumens white SMD-LED
- Extremely rugged design made of nylon and aluminium
- 200° vertically foldable head with super-strong magnetic base
- Loop and hanging system for easy use
- Two strong magnets on the back of the lamp
- IK07 super rugged, impact resistant design
- Large reflector SMD LED
- 5 V charging system for charging the battery
- Integrated USB-C charging port with protective cover
- 1 A direct USB-C charging - 2 hours charging time
- 1 m USB-C charging cable included

Specifications:





- Lithium 3.7 V, 800 mAh, rechargeable
- LED: Front side main 3 W, SMD LED 400 Lm, CRI 90
Back side 1.5 W, SMD LED 200 Lm, CRI 90
Spot 1 W, SMD LED, 120 Lm, CRI 90
- Ambient temperature: -10°C - +45°C
- Operating time: 3 h to 6 h for main LED in front
6 h for rear LED
6 h for spot LED
- Dim switch for the front main LED: 100% - 50%
- Charging time: approx. 2.5 h
- Protection class: III
- USB-C input for charging: 5 V, 1000 mA
- Lamp dimensions: 160 x 37 x 21 mm
- Net weight: 90 g (not including packaging)



LED 3+1,5 +1 W	120/ 200/ 400 Lm	CRI 90	CRI Ra≥90	Akku Li-Ion 800 mAh 3.7V
USB-C	2.5h	Magnetic	kg 90 g	IP54

Mini working light HUPlight4

- Rechargeable battery, lithium-ion 1800 mAh 3.7 V
- **4 watt LED**
- Approximately 200 Lumen lighting performance
- Approximately 3 hours lighting performance
- Lamp may be charged using the micro USB port
- Stand may be angled
- Dual magnetic bracket
- Hook for securing and hanging
- Can be used and carried everywhere

LED 4W	200 Lm	Lifetime 30000 h	Akku Li-Ion 1800 mAh 3.7V	
100-240V AC 12-24V DC				ABS
				IP54



Art. no. 130336

4 watt LED








EUR net (RRP)

34,⁵⁰



LED working light HUPlight10+3

- Integrated Li-Ion 3.7V / 6.7Ah battery
- **10 watt + 3 watt LED**
- High-quality plastic housing
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 7000K colour temperature
- 220 Lm (3W LED) + 800 Lm (10W LED) luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time
 - 10W LED: - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
 - 3W LED: - Approx. 12 hours with 100% light output
 - Approx. 24 hours with 50% light output
- 3.5 hours charging time using power unit supplied
- Charger: 100 – 240 V AC plug-in power supply (5V/2A DC)
- 12V KFZ charging cable
- Adjustable magnetic stand
- With hook for hanging
- With belt clip

LED 10+3 W	800 + 220 Lm	7000K			Lifetime 30000 h	
Akku Li-Ion 6700 mAh 3.7V		100-240V AC 12-24V DC				IP54

Art. no. 130348

10 watt + 3 watt LED

EUR net (RRP)

46,⁵⁰



haupa 133

LED charging station HUPlightWLcharger

Art. no. 130376

265 x 110 x 29 mm

EUR net (RRP)

40,50

- Charges two devices simultaneously
- Works with compatible mobile phones
- IK08 impact resistance
- Strong magnets on back side enable easy mounting on magnetic surfaces and integrated screw holes for permanent mounting

Specifications:

- Material: ultra-hard nylon, aluminium, rubber, PC and TPE
- Power adapter: Input: 100 – 240 V~ 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A 20 W max.
USB charging cable: USB-C to USB-C x 1 m
- When charging with the wireless pad:
Charge time: approx. 3.0 – 8.0 hours depending on battery pack - the ambient temperature affects the charge and discharge time of the battery
- Operating temperature: -5°C to +30°C
- Charging station dimensions: 265 x 110 x 29 mm
- Net weight: 330 g (not including packaging)

Contents:

- USB power adapter:
Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: 20 W, 5 V DC 3.0 A
- USB charging cable: USB-C to USB-C x 1 m



LED work lamp HUPlightWL1000






- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1,000 lumens COB-LED
- Super bright spot LED with 300 lumens
- Stand with magnetic base rotates 160 degrees
- Battery status and charging indicators
- Protection class IP65
- IK08 impact resistance

Specifications:

- Main LED: 10 W COB 1,000 LM;
Spot LED: 3 W 300 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station HUPlightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 72 x 40 x 92 mm
- Net weight: 210 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m

LED 10+3 W	1000/ 350 Lm	6500 K	CRI 90	
Akku Li-Ion 2500 mAh 3.7V	 USB-C	 USB 2 h (ca) 3,5 h	 Magnetic	 210 g
IK08	IP65			

Art. no. 130374

72 x 40 x 92 mm

EUR net (RRP)

30,⁵⁰



LED work lamp HUPlightWL900

- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 900 lumens COB-LED
- Head rotates 180 degrees
- Focus function, beam angle 20° to 110°
- Luminous range: max. 200 m
- With strong magnetic base
- Battery status and charging indicators
- Protection class IP54
- IK08 impact resistance

Specifications:

- LED: 10 W 900 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station HUPlightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 47 x 48 x 192 mm
- Net weight: 270 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m

Art. no. 130372

47 x 48 x 192 mm

EUR net (RRP)

30,50



LED 10W	225/450/900 Lm	CRI 90	Ra ≥ 90	200m
Akku Li-Ion 2500 mAh 3.7V	USB-C	USB 2h (w) 3.5h	Magnetic	
kg 270g	IP54	IK08		

LED inspection lamp HUPlightWL1500

Art. no. 130370

77 x 171 x 41 mm

EUR net (RRP)

39,50

- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1500 lumens COB-LED lamp
- Super bright spot LED with 300 lumens
- Integrated hook – lamp/torch can be positioned in a wide range of angles
- Battery status and charging indicator
- Powerful magnet on the back for hands-free work
- Protection class IP65
- IK08 impact resistance

Specifications:

- LED: 15 W COB SUPERWHITE + 3 W LED
- Lumens: main light 15 W, 1,500 Lm; spot LED 3 W, 300 Lm
- Material: Ultra-robust nylon, aluminium, PC, rubber and TPE
- Battery Li-Ion 3.7 V/4400 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: PD 20 W, 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 3.5 hours (charging station HUPlightWLcharger approx. 6 hours)
- Operating time: 3.0 – 14.0 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 77 x 171 x 41 mm
- Net weight: 400 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m



LED 15+3 W	300/ 900/ 1500 Lm	CRI 90	CRI Ra≥90	
Akku Li-Ion 4400 mAh 3.7 V				
IP65	IK08			

LED set HUPlightWL1500+1000

Set comprising:

Charging station HUPlightWLcharger Art. 130376

LED work lamp HUPlightWL1000 Art. 130374

LED inspection lamp HUPlightWL1500 Art. 130370

For technical specifications, see respective item

Art. no. 130371

3 pieces

EUR net (RRP)

104,⁰⁰



LED set HUPlightWL900+1000

Set comprising:

Charging station HUPlightWLcharger Art. 130376

LED work lamp HUPlightWL1000 Art. 130374

LED work lamp HUPlightWL900 Art. 130372

For technical specifications, see respective item

Art. no. 130373

3 pieces

EUR net (RRP)

92,⁵⁰



Compact floodlight HUlight10pro

- Integrated Li-Ion 3.7V / 4.4Ah battery
- **10 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 900 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- Approx. 4.75 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (5 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand


LED 10W	900 Lm	6500 K	50% 100%	CRI 90	Lifetime 30000 h
Akku Li-Ion 4400 mAh 3.7 V	3 h	Inclusive 100–240 V ~ 12–24 V ~	5V 1A Powerbank	170 x 121 x 43 mm	IP54

Art. no. 130344

10 watt LED

EUR net (RRP)

45,⁰⁰



Compact floodlight HUlight20pro

- Integrated Li-Ion 7.4V / 4.4Ah battery
- **20 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 1800 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand


LED 20W	1800 Lm	6500 K	50% 100%	CRI 90	Lifetime 30000 h
Akku Li-Ion 4400 mAh 7.4 V	3 h	Inclusive 100–240 V ~ 12–24 V ~	5V 1A Powerbank	165 x 135 x 43 mm	IP54

Art. no. 130346

20 watt LED

EUR net (RRP)

68,⁵⁰



haupa 139

Compact floodlight HUlight30pro

- Integrated Li-Ion 7.4V / 5.2Ah battery
- **30 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 2500 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand

LED 30W	2500 Lm	6500 K	50% 100%	CRI 90	Lifetime 30000 h
Akku Li-Ion 5200 mAh 7.4V	3h	Inclusive 100–240V – 12–24V +	Output 5V 1A Powerbank	185 x 135 x 43 mm	IP54


Art. no. 130352

30 watt LED

EUR net (RRP)

87,00

360° | 130352



HUlightpro
Crashtest



Magnetic lamp holder

- Holder for affixing working lamps
- Suitable for Item Nos. 130344, 130346, 130352
- extra strong magnet for flexible mounting

Art. no. 130343

8,5 x 8,5 x 4 cm

EUR net (RRP)

7,80



LED construction site lamp HUlight5200hybrid

Art. no. 130386

389 x 342 x 140 mm

EUR net (RRP)

208,00

- Compatible with 18 V battery systems from Bosch, Makita, Milwaukee, DeWalt, and CAS (Metabo), corresponding adapters included
- 230 V AC or 18 V DC operation with emergency light function
- Designed and certified for use on construction sites, both indoors and for temporary outdoor use

This versatile hybrid (230 V & battery) work light is specially designed for professional craftsmen, mechanics, and construction workers who are often on the go. It comes equipped with a battery holder suitable for 18 V batteries from **HAUPA, Makita, Dewalt, Milwaukee, Bosch (AMP Share), Metabo (CAS)**.

The corresponding adapters are included, eliminating the need to purchase an additional battery system.

The work light is dimmable in two stages (50%, 25%), has a cool white colour temperature (5,000 K), and a colour rendering index of RA >90. The operating time ranges from 2.5 to 9 hours (based on an 18 V/5 AH battery), depending on the selected light output mode. The opal diffuser reduces glare from the 5,200 lumen strong light source and ensures homogeneous illumination of the workplace.

The housing and front diffuser are made of impact-resistant polycarbonate (IK08). The light is dust and splashwater protected thanks to the sturdy battery cover (IP54).

This work light is equipped with technology that prevents overheating and deep discharge of the battery.

The batteries must be charged with the manufacturers' charging stations and are not included.

In addition to batteries, the work light can also be powered by the included 5 m long connection cable H07RN-F 3G 1.5 mm². This work light is equipped with a socket (max. 3000 W), allowing the connection of another light, power tool, or other device, eliminating the need for additional extension cords.

Safety: In the event of a power outage, this work light automatically switches to battery operation within approximately 0.5 seconds, ensuring you never sit in the dark and minimizing the risk of injuries and damage.



LED 40W DC mode 47W AC mode	5200 Lm	5000 K	300p DIM 100%-50%-25%	CRI 90
120°	Lifetime 50000 h	BGI G0303 K2	DC mode 18V to 11V DC 2.1A AC mode 220-240VAC 50/60Hz 225mA	Class I
H07RN-F 1.5MM² 5m	Output 30/2A Powerbank	1 x Socket 3000W max	TEMP -20°C - 45°C	4 universal battery adapters included
Cable holder	389 x 342 x 140mm	kg 3550 g	>IK08	IP54



SEE MORE. WORK BETTER.

4000 LUMENS POWER

50 W LED, dimmable
to 50/100%



NATURALLY BRIGHT

+ 6500 K & CRI 90
for clear colours

TOUGH
Robust & weatherproof



EUR net (RRP)

131,⁰⁰

CLEVER IN USE
with sockets,
hooks and handles



SUITABLE TRIPOD

Art. no. 130361

EUR net (RRP)

78,⁵⁰

Height: up to 3 m
Weight: 3.5 kg



LED 50W		4000 Lm	Lifetime 30000 h	Akku Li-Ion 6600 mAh 7.4V	220-240V 50/60 Hz	360°
IP54				2x		6500 K


Domed luminaire HUPlight50combi

Art. no. 130360

Dimensions:
Ø 280 x 260 mm
Weight: 3.4 kg

LED light strip HUlightStripe15


- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 180 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 15 m + connecting cable 2,5 m
- Can be extended up to 100 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 19500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum: W 286 mm x D 210 mm x H 338 mm



Art. no. 130364


15 m

EUR net (RRP)
149,00



LED light strip HUlightStripe25


- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 300 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 25 m + connecting cable 2,5 m
- Can be extended up to 100 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 32500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum: W 317 mm x D 250 mm x H 385 mm



Art. no. 130366

25 m

EUR net (RRP)
220,00



LED Renovation Light HUPlightEasy

The Renovation Light HUPlightEasy is the quick, affordable, and uncomplicated solution for illuminating construction sites, vacant apartments, storage rooms, etc.

- Impact-resistant polycarbonate housing
- Spring clips
- Lifespan 25,000 hours
- Renovation light including built-in LED bulb with opal diffuser
- Emits neutral white light
- Beam angle of 160 degrees
- 14 cm connection cable, hanger, and spring clip for easy and fast installation without tools
- Lamp body made of impact-resistant polycarbonate and withstands fall heights of up to 2.5 m
- Suitable for use at temperatures from -20 to 45°C.

Note: Renovation light is NOT intended for installation in luminaries.

Contents: 5 pieces


1200 Lm	Ø60 100mm	LED 10W	CRI 90	4000 K
A60 OPAL	160°	Lifetime 25000 h	kg 80 g	-20°C - 45°C
14cm cable push connector	10W = 75W		2.5m	

Art. no. 130380

5 pcs., Ø 60 x 100 mm

EUR net (RRP)

21,00



5x



THE ADDED BONUS

COMPLEMENTARY
RANGE



Our PU cut-protection gloves are used to protect against mechanical risks, in accordance with EN 388 and EN 420. The „Hammer“ pictogram defines the performance level of the product.


EN 388



4544

Example:


Abrasion resistance	➔	4
Cut resistance	➔	5
Tear propagation strength	➔	4
Penetration resistance	➔	4



PU textile glove

Ideal for fine mechanical tasks and low mechanical loads

- HPPE fibre
- Thin PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehouse and assembly work, fine mechanical tasks



Art. no. 120300/6

Size: 6

EUR net (RRP)

0,90

Art. no. 120300/7

Size: 7

EUR net (RRP)

0,90

Art. no. 120300/8

Size: 8

EUR net (RRP)

0,90

Art. no. 120300/9

Size: 9

EUR net (RRP)

0,90

Art. no. 120300/10

Size: 10

EUR net (RRP)

0,90

Art. no. 120300/11

Size: 11

EUR net (RRP)


0,90



PU cut-protection glove, level 3

For high mechanical loads, good cut-protection due to cut-resistance level 3

- HPPE fibre
- PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehousing and assembly work, fine mechanical tasks with slightly sharp objects



Art. no. 120302/9

Size: 9

EUR net (RRP)

5,00

Art. no. 120302/10

Size: 10

EUR net (RRP)

5,00

Art. no. 120302/11

Size: 11

EUR net (RRP)


5,00



PU cut-protection glove, level 5

High cut-protection thanks to cut-resistance level 5, for high mechanical loads

- HPPE fibre
- Thick PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehousing and assembly work, fine mechanical tasks with sharp objects



Art. no. 120304/9

Size: 9

EUR net (RRP)

6,00

Art. no. 120304/10

Size: 10

EUR net (RRP)

6,00

Art. no. 120304/11

Size: 11

EUR net (RRP)

6,00



haupa 147

Deep-hole marker 2-in-1 with a sharpener

One pen – two functions

With a cap: Retractable pencil for precise marking and writing

Without a cap: Deep-hole marker for drilling and installation tasks

- Very stable, with a practical clip
- Sharpener integrated into the push-button
- Graphite universal refill for marking on rough and smooth surfaces
- Preserves resources and is environmentally-friendly
- Ergonomic, triangular form
- Designed for various refills for almost all surfaces and materials
- Refill Leads Art. no. 150045



Art. no. 150044

155 mm

EUR net (RRP)

8,50

Refills, graphite universal

- Suitable for deep-hole marker Art.No. 150044
- Refills in a dispenser, 6 units



Art. no. 150045

125 mm

EUR net (RRP)

5,00

Assortment boxes with metal catch and pick boxes

- made of black plastic, including small part boxes
- transparent lid closes tightly
- contents do not become mixed up
- stackable
- ergonomic shape, hinged handle
- feet for upright storage
- catch fasteners with metal brackets
- oil and grease-repellent

Content:

- 6 Boxes 49 x 49 x 72 mm
- 11 Boxes 49 x 98 x 72 mm
- 2 Boxes 98 x 98 x 72 mm
- 2 Boxes 98 x 148 x 72 mm

Art. no. 221131

415 x 335 x 90 mm

EUR net (RRP)

29,00



MAXIMUM POWER, MINIMUM EFFORT

HIGH LASHING FORCE

340 daN direct /
680 daN in strapping

COMPACT & ROBUST

25 mm webbing,
light green,
ideal for small loads

QUICK AND EASY

No threading into
the ratchet necessary

SAFE & COMPLIANT WITH STANDARDS

Complies with
DIN EN 12195-2

VERSATILE

Double-sided pointed hooks,
3.5 m length

EUR net (RRP)

14,⁰⁰

Automatic lashing strap

Art. no. 393158

Length: 3.5 m

Width: 25 mm




CONTENTS

pp. 152 – 176

HAND TOOLS

MUST-HAVES FOR PLUMBING!

Professional. Efficient. Reliable.



pp. 177 – 184

PIPE CUTTERS

CUTTING MADE EASY!

Powerful. Convenient. Precise.



pp. 185 – 198

TOOL CASES

PLENTY OF SPACE FOR TOOLS!


Everything in its place – always ready for use.

pp. 208 – 215

INSPECTION CAMERA SYSTEMS

MAKING THE INVISIBLE VISIBLE!

Everything in view – even around corners.



pp. 199 – 207

DRILLS & SETS

PRECISION AT ITS CORE!

Power in every turn.



pp. 216 – 225

SUPPLEMENTARY RANGE

THAT EXTRA SOMETHING!

For special requirements.

FULL RANGE FOR THE

PLUMBING CRAFT





PLUMBING TOOLS

Plumbing hand tools are indispensable companions for professionals in the water, heating and air conditioning technology sectors.

They enable precise, safe and efficient work – from installation and maintenance to repairs.

Whether pipe cutters, press tongs or testing devices: every BRINKO tool is designed to meet the highest demands of the trade and impresses with its durability, ergonomics and functionality.

Our professional plumbing hand tools form the foundation for quality you can rely on every day – in new construction, renovation or service work.

For everyone who values precision and reliability.

MUST-HAVES FOR PLUMBING!

HAND TOOLS







Water pump pliers

The BRINKO pipe wrench BRlpowerXL with slip joint for larger pipe diameters and large-edged screw connections fits in every tool case despite its large diameter.

The maximum lever arm greatly facilitates work thanks to the optimum force transmission. The setting is made using an INOX pushbutton directly on the workpiece, and is extremely easy compared to a pipe wrench. The BRlpowerXL has a hand-friendly handle setting with finger clamp protection.

- Chrome-Vanadium-Steel, hard chrome-plated (no rusting)
- Grip surfaces are hardened inductively
- INOX pushbutton and spring
- Self-clamping to tubes and nuts
- With finger clamp protection
- Anti-slip handles, soft dip-insulated, yellow
- With pushbutton single-and adjustment
- 27-level fine adjustment



Art. no.		 mm	 mm	 "
687/150	150	30	32	1 1/4
687/180	180	36	40	1 1/2
687/250	250	46	50	2
687/300	300	60	70	2 3/4
687/400	400	100	104	3 3/4

Art. no. 687/150

Ø 1 1/4 Inch

EUR net (RRP)

22,⁵⁰

Art. no. 687/180

Ø 1 1/2 Inch

EUR net (RRP)

23,⁵⁰

Art. no. 687/250

Ø 2 Inch

EUR net (RRP)

24,⁵⁰

Art. no. 687/300

Ø 2 3/4 Inch

EUR net (RRP)

35,⁵⁰

Water pump pliers BRlpowerXL

Art. no. 687/400

Ø 3 3/4 Inch

EUR net (RRP)





63,⁵⁰



Water pump pliers

- Chrome vanadium steel
- heavy-duty design
- high quality hardened and tempered
- Induction hardened gripping teeth
- with box joint
- Finger pinch protection
- jaws and joint bright ground
- yellow lacquered



Art. Nr.		 mm	 mm	 "
685/175	175	32	33	1 1/4
685/240	240	39	40	1 1/2
685/300	300	52	53	2

Art. Nr. 685/175

Ø 1 1/4 Zoll

EUR net (RRP)

16,⁰⁰

Art. Nr. 685/240

Ø 1 1/2 Zoll

EUR net (RRP)

18,⁰⁰

Art. Nr. 685/300

Ø 2 Zoll

EUR net (RRP)

22,⁵⁰

Water pump pliers | automatic

- Chrome vanadium steel
- nose brightly polished
- soft dip insulated anti-slip handles, yellow
- automatic jaw width adjustment by simply slipping handles together, without snap adjustment
- with finger pinch protection
- patented technology



Art. no.	↔ mm	↕ mm	↕ "
682/250	250	42	1 3/4

Art. no. 682/250


Ø 1 3/4 Inch

EUR net (RRP)

26,⁰⁰

Fittings pliers | Wrench pliers

- Chrome vanadium steel, hard chrome-plated (no rusting)
- with push-button one-hand adjustment
- with finger pinch protection, one parallel gripping and one movable jaw
- Smooth, polished gripping surfaces, induction hardened
- Non-slip handles, soft, double dip-insulated, yellow
- reduced weight
- 10-fold hand force
- replaces open-end spanner set



Art. no.	↔ mm	↕ mm	↕ "
689/180	180	36	1 1/4
689/240	240	50	2
689/300	300	68	2 1/2

- 10 times hand force
- replaces open-end wrench set

Art. no. 689/180

Ø 1 1/4 Inch

EUR net (RRP)

36,⁵⁰

Art. no. 689/240

Ø 2 Inch

EUR net (RRP)


38,⁵⁰

Art. no. 689/300

Ø 2 1/2 Inch

EUR net (RRP)

39,⁵⁰



Corner pipe pliers

- Chrome vanadium steel, forged
- special hardened teeth
- S-opening, polished
- finger pinch protection

Art. no.	mm	mm	"
619/1	320	0 - 49	1
619/11/2	440	0 - 68	1 1/2
619/2	560	0 - 85	2


Art. no. 619/1

Ø 1 Inch

EUR net (RRP)

30,⁵⁰
Art. no. 619/11/2

Ø 1 ½ Inch

EUR net (RRP)

43,⁰⁰
Art. no. 619/2

Ø 2 Inch

EUR net (RRP)

68,⁵⁰

Pipe pliers set

Consisting of:

1 corner pipe pliers 1"

Art. no. 619/1

1 corner pipe pliers 1 1/2"

Art. no. 619/11/2

1 water pump pliers 240 mm

Art. no. 685/240

- corner pipe pliers with S-opening and finger pinch protection
- special hardened teeth


Art. no. 9001

3 pieces

EUR net (RRP)

78,⁵⁰

Ratchet wrenches 4 in 1

4 in 1

The ratchet wrench handles 4 different nut sizes

- Sizes: 10 x 13 mm and 17 x 19 mm
- finely toothed 72 teeth of the 2 ratchets – ratchets can be switched to clockwise/counterclockwise operation
- due to 12-slided toothing, the wrench easily grips 4, 6 and 12-sided screws as well as almost round nuts
- Chrome-vanadium steel, chrome-plated
- extremely robust

Art. no. 83

Length 200 mm

EUR net (RRP)

30,⁵⁰

4in1



Hanger bolt driver



Multidirectional hanger bolt driver

- Screw-in and screw-out tool hanger bolt driver Ø 8 mm and Ø 10 mm
- self-clamping when turned
- for fast and effortless screwing and unscrewing of stay bolts, express and hanger bolts without damaging the thread
- with hexagonal driver for power tools

Art. no. 102/8

Ø 8 mm

EUR net (RRP)

15,⁰⁰

Art. no. 102/10

Ø 10 mm

EUR net (RRP)

15,⁰⁰



Step wrench set

1/2"

- 1 reversible ratchet Art. no. 672/265
- 1 step wrench, 105 mm Art. no. 673/105 with 9 levels 3/8 - 1"
- supplied in pouch

Art. no. 674

Length 105 mm

EUR net (RRP)

39,⁰⁰


Combination angle valve key

1/2"

The right tool, especially in tight spaces.

For damage-free installation of combination angle valves, which, in addition to connecting a mixer tap, also have an outlet for items like a dishwasher or washing machine.

1/2" ratchets Art. 129-3/250 are used for the drive.

Art. no. 659-1

1/2" Ratchet

EUR net (RRP)

25,⁵⁰


Sleeve extractor set

Art. no. 1088

5 pieces

EUR net (RRP)

120,⁰⁰

For the extraction of threaded pipe connections, sleeves and nipples

- Left-hand extractor
- CrV-steel, hardened
- Surface burnished
- Polished cutting surface

The service life of the extractors varies depending on the hardness of the counter material.

Knock the extractor into the drill hole and loosen the screw.

Content:


- 1 sleeve extractor 3/8"
- 1 sleeve extractor 1/2" - 3/4"
- 1 hexagonal insert 1/2", size 26
- 1 hexagonal insert 1/2", size 19
- 1 reversible ratchet, inner and outer square drive bit, 1/2" drive



SPECIAL TOOL WITH RIDGES!

INDISPENSABLE AND COST-SAVING.

No more hassle when operating a stuck valve.



PROTECTED BY DESIGN PATENT.

Special tool consisting of a base body with protruding ridges.

CENTRALLY APPLIED FORCE FROM ABOVE

and distribution of pressure points over several surfaces results in non-destructive operation.

EUR net (RRP)

37,⁵⁰



1/2"



EASY LOOSENING

even of the most stubborn shut-off valves!

1/2" RATCHET DRIVE

**Handwheel socket
BRIwheelNut**

Art. nr. 129-50
1/2" drive

Socket wrench set BRImultiLock | 86 pieces

1/2" 1/4"

Art. no. 127-1

86 pieces

EUR net (RRP)

120,⁰⁰

Troubleshooter!

BRINKO BRImultiLock for damaged hexagon head screws and many other profiles

- Reversible ratchet with inner and outer hexagon
- twelve-tooth profile, 1/2" and 1/4" drive

Material: Cr-V 50BV30 steel | Industrial quality | Standards: DIN 3124; ISO 2725 | Finishing: Silver mat finished | Profile: BRImultiLock - Best solution for variety bolts | Torsion: 30-50% (depends on size) higher than DIN | Life-Time: 200k circle times at 35% of DIN | square drive

Content:

- Plumber Ratchets 1/4", 1/2"
- Universal joint 1/4", 1/2"
- Spinner Handle incl. adapter 1/4", 150 mm
- Sliding T Bar 1/4", 150 mm
- Extension Bar 1/4", 50 - 100 mm
- Extension Bar 1/2", 125 - 250 mm
- Plug Sockets 1/2", 16 - 21 mm
- Bit Adapter 1/2" - 5/16"
- BRImultiLock Socket 1/2" SW 10 - 12 - 13 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
- Deep Socket 1/2" SW 14 - 15 - 17 - 19 mm
- BRImultiLock Socket 1/4" SW 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Deep Socket 1/4" SW 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- Bits, slot 1/4" 4 - 5.5 - 6.5 mm
- Bits, cross slot 1/4" PH 1, 2 | PZ 1, 2
- Bits, allen key 1/4" 3 - 4 - 5 - 6 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 30
- Bits, cross slot 1/4" PH 1, 2 | PZ 1, 2
- Bits, allen key 1/4" 3 - 4 - 5 - 6 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 30
- Bit Adapter 1/4 - 5/16"
- Bits, slot 5/16" 8 - 10 - 12 mm
- Bits, cross slot 5/16" PH 3, 4 | PZ 3, 4
- Bits, allen key 5/16" 8 - 10 - 12 - 14 mm
- Bits, Tx 5/16" Tx 40 - 45 - 50 - 55



Troubleshooter!
BRINKO BRImultiLock for damaged hexagon head screws and many other profiles



Socket wrench set BRImultiLock | 57 pieces

1/4"

Art. no. 122

57 pieces

EUR net (RRP)

63,⁰⁰

Troubleshooter!

BRINKO BRImultiLock for damaged hexagon head screws and many other profiles

- Reversible ratchet with inner and outer hexagon
- twelve-tooth profile, 1/4" drive

Material: Cr-V 50BV30 steel | Industrial quality | Standards: DIN 3124; ISO 2725 | Finishing: Silver mat finished | Profile: BRImultiLock - Best solution for variety bolts | Torsion: 30-50% (depends on size) higher than DIN | Life-Time: 200k circle times at 35% of DIN | square drive

Content:

- Plumber Ratchets 1/4"
- Universal joint 1/4"
- Sliding T Bar 1/4"
- Spinner Handle incl. adapter 1/4", 150 mm
- Hex keys 1,5 - 2,0 - 2,5
- Extension Bar 1/4", 50 - 100 mm
- BRImultiLock Socket 1/4" SW 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Deep Socket 1/4" SW 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- Socket Tx-E 1/4" E 4 - 5 - 6 - 7 - 8
- Bits, cross slot 1/4" PH 1, 2, 3 | PZ 1, 2, 3
- Bits, slot 1/4" 4 - 5.5 - 7 mm
- Bits, allen key 1/4" 3 - 4 - 5 - 6 - 7 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 27 - 30 - 40



Troubleshooter!
BRINKO BRImultiLock for damaged hexagon head screws and many other profiles



Screwdriver set



Content:

- 4 slot-head screwdrivers
- 80 x 3, 100 x 4, 125 x 5.5, 150 x 6.5 mm
- 2 Pozidriv screwdrivers PZ 1, PZ 2
- chrome vanadium steel
- matt chrome-plated blades
- 2-component handle with a hole



ROLL REPRESSIVE




Art. no. 2122

Slot-head / Pozidriv

EUR net (RRP)

26,⁰⁰



Hexagon spanner set Hex



Content:


- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Chrome vanadium steel, bright nickel-plated
- long design
- hex/ball-end combined
- the ball-end allows you to screw up to a 30° angle
- unfolding plastic holder allows free access
- with belt clip

Art. no. 114

9 pieces, size: 1,5 - 10 mm

EUR net (RRP)


18,⁵⁰



Claw-type gripper magnetic

Everything is under control!

- flexible claw-type gripper, length 60 cm
- ideal for gripping screws, nuts etc. that are difficult to reach
- the claw, with 'spring-action-system', can be opened up to 23 mm
- the additional magnet lifts metal parts up to 400 g
- the integrated LED allows to find dropped small-parts even in dark corners




Art. no. 1830

Length: 600 mm

EUR net (RRP)

12,⁵⁰



Bit set | 32 pieces | colour-coded

1/4"

- Supplied in a plastic box with a belt clip
- S2 steel, chrome-plated with colour-coding

Content:

- 1 bit holder with quick release
- 1 adaptor for 1/4"
- 30 bits

Art. no. 2145

32 pieces

EUR net (RRP)

23,⁵⁰



Content	Colour	Sizes	Pieces
cross slot Philips	Red	PH Gr. 1, 2, 2, 3	4
cross slot Philips	Green	PZ Gr. 1, 2, 2, 3	4
slot	Blue	3, 4, 5, 6 mm	4
allen key	Yellow	3, 4, 5, 6 mm	4
Tx	Orange	Tx 10, 15, 20, 25, 27, 30, 40	7
Security Tx	Purple	STx 10, 15, 20, 25, 27, 30, 40	7



Assembly Connection Gauge

- the installation connection gauge is a measuring tool for the optimal alignment of standardized fittings, such as bathtub and shower batteries, corner and recessed valves, pipe connectors, and vents
- supplied in an impact-resistant plastic case:
- dimensional and spatial alignment of all common installation inside dimensions 1/2" in bare brickwork
- easily readable circular bubble and with depth adjustment
- fixed adjustment increments: 75, 100, 120, 153, 200, 240 mm
- also fits for assembly rails 150 mm
- for bathtubs and shower mixers, corner and flush-mounted valves, pipe ventilators



Art. no. 2845

1/2" thread

EUR net (RRP)

102,⁰⁰

Valve extension cutter with chip collection

- for trimming 1/2" valve extensions made of red brass
- with SDS chuck adaptor
- rubber cap collects the milled chips

Art. no. 705/1/2

1/2" thread

EUR net (RRP)

61,⁵⁰



Combination washbasin tap wrench

- Suitable for all fittings up to 13 mm threaded rod and SW 32 mm
- 4 inserts 9, 10, 11, 12 and shank 13 mm
- reversible claw with spring
- Knurled handle
- Size 8 and 14 mm on request Art. No. 655-1/8 and 655-1/14

Art. no. 655

6 pieces

EUR net (RRP)

44,⁰⁰



PRECISION TOOLS FOR PROFESSIONALS!

TOOL SET WITH FOAM INSERT

Professional organisation
and protection of tools



BATHROOM INSTALLATION MADE EASY

special tools for bathroom
installation

DRIVE 1/2" REVERSIBLE RATCHET

With internal and external
square, indispensable for
plumbing installations



PRECISE, SAFE AND EFFICIENT WORKING

well equipped for every challenge
in plumbing, heating and air
conditioning technology

EUR net (RRP)

330,⁰⁰




**Bathroom installation
set PREMIUM |
12 pieces**

Item no. 677-2
1/2" drive

Valve holder

- to lock eccentric and standard valves in place
- with a flexible T-handle
- length 120 mm



Art. no. 725

Length 120 mm

EUR net (RRP)

28,⁰⁰



Duo valve holder

1/2"

Chrome-plated drain fittings installed in sinks tend to get scratched during installation, leading to customer frustration.

To prevent this, there's the Automatic Duo Valve Holder. The Duo valve holder is inserted from the top into the drain valve and locks into place. Now, holding it during installation is no longer a problem, and there's no risk of slipping that could damage the chrome plating.

- For drain fittings in sizes 1" and 1 1/4"
- For use with a 1/2" drive."

Art. no. 726

Length 134 mm

EUR net (RRP)

31,⁵⁰



Toilet seat & sanitary installation wrench BRImultiKey 19 in 1

Art. no. 662

17 mm | ½ Inch

EUR net (RRP)

14,⁵⁰

The BRINKO Toilet seat & sanitary installation wrench BRImultiKey 19 in 1 is a multi-talent for the different screw connections on toilet seats, and adapters on water taps and fittings (Perlators/aerators).

You practically do not need any other tools because this universal wrench combines almost everything in one tool.



- Up to 19 adapter options
- Application with larger torques on very tight or rusted nuts, wing nuts, perlators or aerators
- Attractive form, comfortable and pleasant handles
- Reversible inserts (red) as a 'click system' for various sanitary attachments
- Adapter options for 17 mm open-end wrench
- Inner adapter for wrench handle for a 1/2 inch ratchet wrench extension
- Universal wrench made of very durable and tough plastic PA6 (polyamide) and 30 % glass-fibres

WITHOUT an adapter:

Up to 11 different wing nuts of the toilet seat can be opened or screwed on.

WITH adapter:

Open and/or screw on 10 mm nuts (M6 threaded rods) or 13 mm nuts (M8 threaded rods) or 13 mm nuts (M8 threaded rods).



Hydraulic pipe bending set | Combined

Content in a strong plastic case:

1 hydraulic hand pipe bending tool
9 bending segments, aluminium pressure die-casting, 10, 12, 15, 16, 18, 20, 22, 26, 32 mm
5 dollys

- for medium-hard copper pipes, sheathed copper and soft steel pipes Ø 10 – 22 mm
- for stainless steel pipes Ø 10 – 15 mm
- for composite pipes Ø 12 – 32 mm
- bends up to 90°
- bending radius 4 x diameter
- to refill the oil, please use Shell Morlina S2 BL 10 (formerly Shell Tellus C 10)

Art. no. 637-10

15 pieces

EUR net (RRP)

940,⁰⁰



Hydraulic pipe bending set imperial – HRB-Z

The hydraulic pipe bending set imperial enables easy and smooth bending of soft, semi-hard, and coated copper and mild steel pipes with imperial outer dimensions. This avoids soldering-press connections and potential leaks. A standard bending radius is maintained with this hydraulic tube bending set.

- For soft, semi-hard, and coated copper and mild steel pipes $\varnothing 1/4'' - 7/8''$
- For stainless steel pipes $\varnothing 1/4'' - 1/2''$
- For composite pipes $\varnothing 1/4'' - 7/8''$
- Bends up to 90° ; bending radius 4x diameter

Content:

- Hydraulic manual pipe bending device
- Bending segments, aluminium die-casting, $1/4'' 5/16'' 3/8'' 1/2'' 5/8'' 3/4'' 7/8''$, 3 counter-holder

Art. no. 637-30

11 pieces

EUR net (RRP)

485,⁰⁰



Hydraulic pipe bending set metric – HRB-M

Art. no. 637-40

9 pieces

EUR net (RRP)
465,⁰⁰

The hydraulic pipe bending set metric enables easy and smooth bending of soft, semi-hard, and coated copper and mild steel pipes with metric outer dimensions. This avoids soldering-press connections and potential leaks. A standard bending radius is maintained with this hydraulic tube bending set.

- For soft, semi-hard, and coated copper and mild steel pipes Ø 10 - 22 mm
- For stainless steel pipes Ø 10 - 15 mm
- For composite pipes Ø 12 - 22 mm
- Bends up to 90°; bending radius 4x diameter

Content:

- Hydraulic manual pipe bending device
- Bending segments, aluminium die-casting, 10, 12, 15, 18, 22 mm, 3 counter-holder



Double-hole punch

To securely fasten mixer taps and spigot taps in kitchen sinks and other sheet materials, precise and accurately sized mounting holes are required.

With the double-hole punch, mounting holes in the most commonly requested sizes $\varnothing 32$ mm and $\varnothing 35$ mm can be created cleanly and without contamination.

The double-hole punch is suitable for the following thicknesses:


- Iron, steel, copper, and aluminium sheets up to 2 mm
- Stainless steel sinks and other stainless steel sheets up to 1.5 mm

Art. no. 914

$\varnothing 32 + 35$ mm

EUR net (RRP)

51,⁵⁰



Universal knife

Das Original BRINKO cutter knife

- ergonomic 2-component handle with soft plastic
- super-sharp, double-ground blade width 18 mm, thickness 0.5 mm
- blade feed with automatic lock
- 2 replacement blade strips in the handle
- colour: yellow, black


Art. no. 2980

160 x 45 x 25 mm

EUR net (RRP)

5,⁰⁰

**Das Original
BRINKO cutter knife**



Blade dispenser Black Blades

Original BRINKO Black Blades

Cutter blades, 10-part, suitable for Art. no. 2980

- **super sharp blade** for precise cuts
- reinforced design
- fits all conventional cutter knives
- dual edge for maximum sharpness
- maximum lifespan thanks to flame hardening process
- ideal for various materials
- blade is coated black
- delivered in a dispenser
- 8 segments
- 100 x 18 x 0,5 mm

10 x



**Original
BRINKO Black Blades**

Art. no. 2982

100 x 18 x 0,5 mm

EUR net (RRP)

4,⁰⁰



CUTTING MADE EASY!

PIPE CUTTER



Carbon steel, stainless steel pipe cutter

Special pipe cutter for INOX, C-steel and Cu pipes
For pipes with Ø 3 35 mm or 1", up to 3 mm wall thickness

Art. no. 633-71/35

Pipe Ø 3 – 35 mm

EUR net (RRP)

60,⁵⁰

Body

- magnesium die casting
- especially light 1/3 lighter than aluminum | almost 1/2 lighter than zinc diecast | as zinc die-cast
- best strength/weight ratio of any metal
- easily 100 % recyclable
- modern material, increasingly also used in automotive engineering
- powdercoated (not smoothly painted), thus better feel/grip for dirty (oily, greasy)/sweaty hands

Guide rollers

- **Needle bearing** | 2 needle bearings per roller
- Stainless steel rollers are non-magnetic, thus preventing the transport of rust particles
- no more recess for cutting close to the flange, thus optimal guiding of the Inox tube

Fast running spindle

- extra strong
- high dimensional accuracy
- high surface quality (low roughness)
- easy to machine: high accuracy

Integrated rotary deburrer

- Noga deburrer (one of the best blade manufacturers in the world)
- removable, easier deburring without moving the whole RAS

Spare cutting wheel

- Art. No. 633-75A
- size: 19 x 5 mm

Additional spare wheel in the handle!



- change without additional tool

Handle

- zinc die casting

Cutting wheel

- needle bearing
- less resistance when turning
- clean cut



PROBLEM SOLVER FOR ASSEMBLED PIPES!

EASY CUTTING

Fine ratchet function – even in
confined spaces

EUR net (RRP)

105,⁰⁰



QUICK, EASY SPINDLE ADJUSTMENT

comfortable working and precise
adjustment to different pipe
diameters

VERSATILE USE

For cutting stainless steel,
carbon steel and copper
pipes with a diameter of
Ø 8 – 28 mm

**Ratchet cut |
stainless steel,
carbon steel, copper**

Art. no. 622/28
Pipe Ø 8 – 28 mm

Cutting wheel | Stainless steel, carbon steel, copper

- replacement cutting wheel suitable for stainless steel and carbon steel
- suitable for: Art. no. 622/28
- Outer Ø 19 mm
- Inner Ø 6 mm
- Thickness 3 mm

Art. no. 622-1

Pipe Ø 8 – 28 mm

EUR net (RRP)

17,⁵⁰



Pipe cutter with deburrer for stainless steel, copper and brass pipes, plastic and composite pipes

With extra strong fast running spindle

- 4-roller guide with groove for beading
- integrated rotation deburrer
- 1 cutting wheel for stainless steel, copper and brass pipes, Art. no. 632-1
- 1 cutting wheel for plastic and composite pipes, Art. no. 633-1 (only integrated in the handle of Art. no. 633/35)

Art. no. 633/35

Pipe Ø 3 – 32 mm

EUR net (RRP)

35,⁵⁰

Art. no. 633/45

Pipe Ø 9 – 45 mm

EUR net (RRP)

54,⁰⁰



PRECISION IN ONE STROKE!

EUR net (RRP)

91,⁵⁰

HIGH LOAD CAPACITY

Perfect cut with every turn

CUTTING AND DEBURRING

two functions in one tool with two different cutting wheels

CONVENIENT AND TIME-SAVING

Quick adjustment to different pipe diameters thanks to spindle ratchet quick adjustment

ERGONOMIC DESIGN

Tool lies securely and comfortably in the hand

Combination pipe cutter with deburrer

Art. no. 627

Pipe Ø 6 - 76 mm, 1/4 - 3"



INOX pipe cutter Plus with deburring unit

Special pipe cutter for INOX pipes Ø 6 – 76 mm, 1/4 – 3"

- fast feeder system

Integrated rotation deburring unit

- Noga deburring unit (one of the world's best manufacturers of blades)
- detachable, easy deburring without having to move the entire RAS

Guide rolls

- 4 guide rolls made of INOX steel for optimum hold of the pipe
- guide rolls with needle bearings | 2 needle bearings per roller
- Stainless steel rollers are non-magnetic, thus preventing the transport of rust particles
- no more prior puncturing for cuts close to the seam, this allows optimum guidance of the Inox pipe

Cutting wheel

- fast exchange of cutting wheels without tools
- cutting wheel with needle bearings for INOX, Art. No. 627-71
- size: 19 x 6,2 mm
- extra spare wheel in the handle !!!



Art. no. 627-70

Pipe Ø 6 – 76 mm

EUR net (RRP)

93,⁵⁰

Cutting wheel | Stainless steel

- replacement cutting wheel suitable for stainless steel
- suitable for: Art. no. 627-70
- Outer Ø 19 mm
- Inner Ø 5 mm
- Thickness 5 mm

Art. no. 627-71

Pipe Ø 6 – 76 mm

EUR net (RRP)

13,⁰⁰



Plastic pipe scissors

For one-hand operation with automatic blade retraction

- for Ø 6 – 35 mm
- for separating hard and soft plastic pipes, cable ducts, fibre-reinforced plastic and rubber hoses, pipes made of composite material and polypropylene
- little strength required due to ratchet technology
- straight and distortion-free, right angles cuts
- no problem blade change

Art. no. 634/35

Ø 6 – 35 mm

EUR net (RRP)

46,⁵⁰



Pipe deburrer

- for internal and external deburring of stainless steel, brass, aluminium and plastic pipes
- robust quality tool: stiff aluminium housing and very fine deburrer blade

Art. no. 648/35

Pipe Ø 8 – 35 mm

EUR net (RRP)

51,⁵⁰

Art. no. 648/54

Pipe Ø 10 – 54 mm

EUR net (RRP)

60,⁰⁰



Automatic plastic tube shears

- with lever transmission
- for tubes in PVC, PE, PD, PEX, PVDF with a wall thickness of up to 2 mm and composite tubes
- single-hand operation and recoil-free ratchet mechanism, high safety standard
- durable blade made of tempered steel with a precise angle for easy cutting of plastic tubes, with V-cut
- little power required thanks to special teeth design
- precise pinpoint cut without deformation of the tubes, wide tube base
- rubber-coated handle and powder-coating for a secure hold without slipping
- transport lock and latch
- easy blade exchange

Art. no. 635/35

Pipe Ø 35 mm

EUR net (RRP)


47,⁵⁰

Art. no. 635/42

Pipe Ø 42 mm

EUR net (RRP)

51,⁵⁰



PLENTY OF SPACE FOR TOOLS!

BACKPACKS AND TOOL CASES



BRltoGo1 tool backpack

NEW

The BRltoGo1 tool backpack is the perfect answer to the needs of craftsmen and technicians. It combines well thought-out design and robust quality in terms of size, layout and equipment - precisely tailored to the requirements of daily use. The equipment is based on the experience of plumbers who know exactly which tools and aids they need. BRINKO combines the highest quality with a practical, robust transport system in this professional set. This set leaves nothing to be desired and contains only useful, well-designed products that provide optimum support for everyday work. Backpack 7521.

Content:

- Screwdriver set HUPslim 1000 V 6 pcs. slotted/PH, hardened*
- Safety voltage tester, • Pin spanner set 1.5 - 10 mm
- TORX angle spanner set T10 - T50, • Steel wire brush, 4-row
- Locksmith's hammer with 3-component handle 300 g
- Electrician's chisel 250 x 12 mm
- Universal hacksaw/mini hacksaw with fixed wooden handle in red incl. saw blade
- Universal knife for snap-off blades 18 mm
- Bit holder, length 350 mm
- Bit set, 32-piece colour-coded
- Automatic wire stripper Super 4 Pro, 165 mm
- Diagonal cutters DIN ISO 5749 VDE, 160 mm*
- Stork beak pliers DIN ISO 5745 VDE straight, 200 mm*
- Stork's beak pliers DIN ISO 5745 VDE 45° angled, 200 mm*
- Water pump pliers with push-button adjustment, 250 mm chrome-plated
- Fitting pliers/spanner pliers 180 mm chrome-plated
- Corner pipe wrench S-jaw, 1'
- 7-piece combination spanner set 6, 8, 9, 10, 13, 17, 19 mm
- Pipe cutter with deburrer 3 - 35 mm
- Combination tap spanner for fittings up to 14 mm threaded rod and SW 32 mm nuts
- WC seat & sanitary installation spanner BRlmultiKey 19 in 1
- LED claw gripper magnetic Length: 600 mm Claw with spring pressure system can be opened up to 23 mm
- Deep hole marker, 2 in 1
- Magnetic spirit level, mini
- Caliper, 160 mm
- Ruler, 2 m
- Neutral PTFE thread sealant, 175 m DVGW test up to 100 bar in accordance with DIN EN 751-3 Frp
- Quick degreaser HUPdegreaser
- LED inspection light HUPlight400 160 x 37 x 21 mm
- Breathable protective gloves size 10
- Ear defenders Ear plugs Noise protection hearing protection
- Safety goggles/safety glasses with length and height-adjustable temples

Art. no. 7522

62 pieces includes rucksack

EUR net (RRP)

650,⁰⁰



A 1000 V IEC 60900



* perfected cutting force performance



11,07 kg

BRltoGo2 tool backpack

NEW

The BRltoGo2 tool backpack offers an innovative solution for craftsmen and technicians. With its optimum size, well thought-out layout and robust equipment, it meets all the requirements for professional use. The equipment is based on the experience of service technicians in the field of maintenance and repair. BRINKO combines high-quality special tools and practical aids in this professional set, perfectly combined with a robust transport system. Additional space for a laptop, measuring instruments and individual tools, as well as a name patch, round off the set and make it the ideal equipment for every job. Tool backpack empty 7521.

Content:

- Screwdriver set HUPslim 1000 V*, 6 pcs. slotted/PH, hardened
- Voltage tester 120 - 250 V, 100 x 3.5 mm
- Diagonal cutters DIN ISO 5749 VDE, 160 mm*
- Automatic wire stripper Super 4 Pro, 165 mm, 0.1 - 6 mm²
- Stork beak pliers DIN ISO 5745 VDE, 45° angled, 200 mm*
- Neutral PTFE thread sealant, 175 mm
- Storkbill pliers DIN ISO 5745 VDE straight, 200 mm*
- Open-end spanner 24/30 mm, 275 mm
- Control mirror
- Socket spanner set BRlmultiLock, 55 pcs.
- Bit holder, length 350 mm
- Bit set, 32-piece
- Water pump pliers with push-button adjustment, 250 mm
- Fitting pliers/spanner pliers, 180 mm
- LED claw gripper, magnetic, length: 600 mm
- Screwdriver Tx 8 x 185 mm, 9 x 185 mm, 10 x 195 mm, 15 x 195 mm, 20 x 195 mm, 25 x 220 mm
- Torch brush
- LED inspection light HUPlight400, 160 x 37 x 21 mm
- Torque spanner, ¼", 2 - 20 Nm

Art. no. 7523

30 pieces includes rucksack

EUR net (RRP)

490,00




1000 V IEC 60900



* perfected cutting force performance



11,40 kg



BRINKO
powered by haupa

Tool case plumbing

Hard-top case ABS plastic, black

- dimensions 480 x 370 x 225 mm
- alu frame
- non-slip carrying handle
- 2 locks
- with shoulder strap
- reinforced metal corners as additional protection against damage

Inside:

- 2 tool kits completely removable
- document pocket
- bottom half of case equipped with variable partitions

Art. no. 7410

empty, 480 x 370 x 225 mm

EUR net (RRP)

132,⁰⁰

ABS ★★



6,50 kg

Skater tool trolley

Hardshell case made of PP plastic, black

- inside dimensions 470 x 360 x 220 mm
- extremely robust design, shell highly impact resistant and almost indestructible
- rigid frame made of hardened aluminium
- 3 sturdy back hinges, sturdy lid holders riveted 4 times
- case corners additionally reinforced with aluminium attachments
- ergonomic telescopic handle
- integrated trolley system with ball bearing skate wheels
- lockable locks and additional combination lock
- removable compartment dividers in the case bottom with cover
- 3 tool plates and document compartment


Art. no. 7413

empty, 470 x 360 x 220 mm

EUR net (RRP)

527,⁰⁰

HDPE ★★★★★



INSENSITIVU



CORROSION
FIRMLY



SHOCKRESISTANT BIKES



9,30 kg

FOR THE NEXT GENERATION OF TECHNICIANS!

ROBUST HARD-SHELL CASE

offers protection, organisation
and durability



READY FOR THE FUTURE

equipped with high-
quality standard and
special tools



11,00 kg

**Tool case for young
plumbing/heating
technicians**

Art. no. 7421

23 pieces

480 x 370 x 225 mm



ABS ★ ★ ★

Tool case Plumbing EXCLUSIVE

Hard-top case, black, fitted with 45 special tools

- dimensions 480 x 370 x 225 mm
- black alu frame, non-slip carrying handle, 2 locks, with shoulder strap
- reinforced metal corners as additional protection against damage

Inside:

- 2 tool kits completely removable, document pocket, bottom half of case
- equipped with variable partitions

Content:

- 22-1/300 Instrument key 300 mm
- 56 Open-end wrench 10 x 13 mm / 17 x 19 mm
- 92 Socket wrench 10 x 11, 12 x 13, 17 x 19, 19 x 22
- 105/10 Plumbing installation wrench
- 106-2 Plumbing four-way socket wrench
- 114 Hex key set, • 129-3/250 Reversible ratchet
- 129-7/125 Extension
- 129-12 BRImultiLock insert 10, 13, 17 mm
- 619/1 Corner pipe pliers 320 mm, 49 mm, 1"
- 631-5 Miniature pipe cutter
- 633/35 Pipe cutter with deburrer up to Ø 35 mm / 1 3/8", up to Ø 32 mm / 1 1/4"
- 655 Combination washbasin tap wrench
- 673/86 Step wrench 86 mm
- 687/250 Water pump pliers 250 mm
- 1333/200-10 Electrician's chisel 10 mm
- 1470/500 Cross peen hammer 500 g
- 1654-1/250 Engineer's file | half round
- 1710 Burner brush
- 1726/146 Universal bow saws
- 2070/125 Slot-head screwdriver 5.5 x 125
- 2070/150 Slot-head screwdriver 6.5 x 150
- 2080/1 Screwdriver | PZ1 x 80 / 2 - 3 mm
- 2080/2 Screwdriver | PZ2 x 100 / 3 - 5.2 mm
- 2088/145 Voltage tester
- 2524/235 All-purpose pencil 235 mm
- 2705/2 Cutting Folding ruler 2 m
- 2980 Universal knife
- 2999-1/25 Solder water brush 25 mm, 1"
- 3820 Hemp dispenser
- 2836/400 Lightweight metal spirit level 400 mm

Art. no. 7438

46 pieces, 480 x 370 x 225 mm

EUR net (RRP)

533,00

ABS ***



16,49 kg



Professional tool box

NEW

The **BRINKO Profi tool box** is equipped with various storage pockets for tools and aids of all kinds. Thanks to the arrangement of the pockets on the inside walls and lid, the contents can be seen at a glance and the tools can be removed and put back with just one hand (no lifting of tool plates with the second hand, as in conventional tool cases). With this extensive equipment, the interior is used for a roll-up pocket with combination wrenches and other accessories. This box can be easily connected to all BRINKO BRIboxes for transportation in the vehicle. All BRINKO boxes are compatible with the metaBOX system.

In the professional set offered here, the tool box is equipped with tools and aids that have been put together by experienced professionals from the plumbing/heating industry. The high-quality tools and useful aids leave nothing to be desired and make this tool box an indispensable companion.

Content:

- BRI box 340 S (compatible with the metaBOX system) with internal divider for tools, external dimensions: 396 x 296 x 340 mm
- Locksmith's hammer with 3-component handle 300 g
- Long electrician's chisel 200 x 10 mm
- Soft-face mallet with 3-component handle, 300 mm, Ø 32 mm
- Mini hacksaw with fixed wooden handle in red incl. saw blade
- PUK metal saw blade for small handsaw 12 pcs
- BRINKO cutter knife for snap-off blades 18 mm
- BRINKO Blade Dispenser Black Blades with snap-off blades, 10 pcs. 18 mm
- INOX pipe cutter Plus 6 - 76 mm, with deburrer, quick-feed system, needle-bearing cutting wheel and needle-bearing guide rollers
- Compact pipe cutter 3 - 30 mm
- Aluminum pipe deburrer Ø 8 - 35 mm
- Steel wire brush 4 rows
- BRINKO water pump pliers 250 mm and 300 mm
- BRINKO fitting pliers/wrench pliers 240 mm and 300 mm
- BRINKO corner pipe wrench S-jaw 320 mm, 1"
- Combination spanner set, DIN 3110, 6 - 27 mm
- Ratchet wrench 4 in 1, 10 x 13 mm and 17 x 19 mm with lever adjustment
- long Tx angle wrench set T10 - T50 mm
- Short screwdriver, slotted 6 x 30 mm
- Screwdriver short, Phillips PH2 x 30 mm
- Screwdriver set HUPslim 1000 V, tapered tip, 6-piece
- FlexBagPro ratchet screwdriver set, 37 safety bits, 8 sockets, 5 drill bits
- Long bit holder, matt chrome-plated blade, length 350 mm, suitable for all bit inserts 1/4"
- Magnetic spirit level, mini made from ABS
- 2C socket wrench, width across flats 7 mm for hose fittings
- long hexagon socket wrench set, SW 1.5 - 10 mm with ball head
- Caliper/caliper gauge 150 mm with quick adjustment
- DRY Profi LED deep hole marker with integrated LED light for targeted markings
- LED inspection light HUPlight400 with many functions, USB

Art. no. 4626

68 pieces, 396 x 296 x 340 mm

EUR net (RRP)

950,⁰⁰

5,62 kg

Tool box WZB

NEW

The **BRINKO tool box WZB** is equipped with various storage pockets for tools and aids of all kinds. Thanks to the arrangement of the pockets on the inside walls and lid, the tools can be seen at a glance and removed and put back with just one hand (no lifting of tool plates with the second hand, as in conventional tool cases). Furthermore, the interior offers enough space to store additional products such as sealing boxes, hemp and kit, or tool sets in roll-up pockets, as is the case with this equipment. This box can be easily connected to all BRINKO BRIboxes for transportation in the vehicle. **All BRINKO boxes are compatible with the metaBOX system.**

The WZB tool box is equipped with tools and aids that are specifically needed for work on heat pumps and air conditioning systems. Basic tools can be brought in from your own stocks or are of course available from BRINKO.

Content:

- BRI-Box 340 S (compatible with the metaBOX system) with internal divider for tools, external dimensions: 396 x 296 x 340 mm
- Pipe cutter with deburrer for INOX, copper, brass, plastic and composite pipes up to Ø 35 mm
- Mini pipe cutter 3 - 16 mm
- Universal switch cabinet wrench
- Interchangeable blade set Vario cross (PH), slotted, +/- with reduced blade diameter and integrated protective insulation
- Combination wrench SW 9 - 19, SW 9 - 24, SW 10 - 29, adjustable open-end wrench
- Multi Clamp II miniature current clamp AC/DC 600 V
- Control mirror with double ball joint
- Deep hole marker, integrated LED light for targeted markings in poorly illuminated areas
- Duo marker plumbing for marking different measuring points, hot and cold water pipes, or for corrections

Art. no. 4625

12 pieces, 396 x 296 x 340 mm

EUR net (RRP)

605,⁰⁰



A 1000 V IEC 60900



12,38 kg

BRINKO
powered by haupa

Toolbox EWB Electric

NEW

The BRINKO EWB tool box is equipped with 2 tool boards that hold various pockets for power tools. Under the 2nd tool panel, there is a large compartment with a foam insert for holding crimping boxes with ferrules and useful accessories for electrical engineering. This box offers safe transportation of special equipment and can be easily connected to all BRINKO boxes for transportation in the vehicle and to the job site. This makes it possible to divide up special tools that are not always required and the necessary aids in a practical way. All BRINKO boxes are compatible with the metaBOX system.

With this well thought-out equipment, work on electrical components can be carried out safely, cleanly and in accordance with standards. The necessary safety is supported by clear signage and the option of securing automatic circuit breakers against unintentional activation. DIN-compliant wire end ferrules and crimping pliers with standard-compliant square crimping round off this well thought-out set.

Content:

- BRI-Box 145 S (compatible with the metaBOX system), external dimensions: 396 x 296 x 145 mm
- 2x tool boards with pockets, 1x special showcase insert
- Diagonal cutters DIN ISO 5749 VDE, 160 mm
- Stork's beak pliers DIN ISO 5745 VDE, 200 mm
- Stork's beak pliers DIN ISO 5745 VDE, 45° angled, 200 mm
- Automatic wire stripper, 0.2 to 6 mm² + wire cutter up to 2.5 mm²
- Allround soft grip scissors with wire stripper, stainless steel
- Super stripper for round cables Ø 8 - 13 mm
- Universal switch cabinet wrench with fan wrench and screw bit
- Interchangeable blade set Vario cross (PH), slotted, + /- with reduced blade diameter and integrated protective insulation
- Warning plastic sign round 200 mm "Do not switch" for attaching to switch boxes
- Electrical lockout kit, specially developed for locking fuses in the electrical sector
- HUPsquare10 crimping pliers, 2-10 mm² with quadruple crimps
- Crimping tin DIN wire end ferrules for 1 strand
- Crimping box DIN wire end ferrules for 2 strands

Art. no. 4812

15 pieces, 396 x 296 x 145 mm

EUR net (RRP)

565,⁰⁰


1000 V IEC 60900



* perfected cutting force performance


4,82 kg


KWZ refrigeration tool box

NEW

The specially designed foam insert in the BRINKO KWZ refrigeration tool box clearly arranges special tools and aids for working with inch piping and keeps them safe during transportation. This enables the practical storage of rarely used special tools and the necessary aids. All BRINKO boxes are compatible with the metaBOX system.

Special tools are essential for the installation, maintenance and repair of heat pumps and air conditioning systems in order to carry out the necessary work professionally. Working on inch copper pipes (e.g. standard-compliant flaring), tightening the screw connections to the prescribed torque and also cleaning and straightening heat exchangers are tasks that cannot be carried out with conventional tools. BRINKO offers a well thought-out addition to existing tools.

Content:

- BRI box 145 M (compatible with the metaBOX system), incl. refrigeration tool foam insert 145 M and lid foam, external dimensions: 446 x 345 x 145 mm
- Lamelle comb with various pitches for cleaning and straightening heat exchangers
- Torque open-end wrench set, 17, 22, 24, 26, 27, 29 mm, 10 - 70 Nm
- Refrigeration/air conditioning ratchet, reversible, 157 mm, 4 in 1
- Pipe bender 3 in 1, 1/4"- 5/16"- 3/8" - 180°
- Ratchet wobble flaring tool with die, 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
- Softgrip deburring tool for copper and composite pipes, with spare blade
- Valve insert wrench For screwing in and unscrewing Schrader and Sclaverand/Presta valve inserts

Art. no. 4670

7 pieces, 446 x 345 x 145 mm

EUR net (RRP)

360,⁰⁰



6,04 kg

Refrigeration tool box, metric KWM

NEW

The specially designed foam insert in the BRINKO KWM refrigeration tool box clearly arranges special tools and aids for working with metric pipework and keeps them safe during transportation. This enables the practical storage of rarely used special tools and the necessary aids. All BRINKO boxes are compatible with the metaBOX system.

Special tools are essential for the installation, maintenance and repair of heat pumps and air conditioning systems in order to carry out the necessary work professionally. Working on inch copper pipes (e.g. standard-compliant flaring), tightening screw connections to the prescribed torque and also cleaning and straightening heat exchangers are tasks that cannot be carried out with conventional tools. BRINKO offers a sophisticated addition to existing tools for these tasks.

Content:

- BRI box 145 M (compatible with the metaBOX system), incl. refrigeration tool foam insert 145 M and lid foam, external dimensions: 446 x 345 x 145 mm
- Lamelle comb with various pitches for cleaning and straightening heat exchangers
- Torque open-end wrench set, 17, 22, 24, 26, 27, 29 mm, 10 - 70 Nm
- Refrigeration/air conditioning ratchet, reversible, 157 mm, 4 in 1
- Pipe bender 3 in 1 metric 6, 8, 10 mm - 180°
- Ratchet wobble flaring tool with die, 6, 8, 10, 12, 14, 16, 19 mm
- Softgrip deburring tool for copper and composite pipes, with spare blade
- Valve insert wrench for screwing in and unscrewing Schrader and Scloverand/Presta valve inserts

Art. no. 4675

7 pieces, 446 x 345 x 145 mm

EUR net (RRP)

365,00



6,04 kg

Personal protective equipment box PPE

NEW

The BRINKO Personal Protective Equipment Box PPE is designed for the refrigeration/air conditioning sector. Equipped with foam padding on the lid and base, the box contains the prescribed personal protective equipment, including special cold protection gloves that protect against cold burns caused by escaping refrigerant. This box can be easily connected to all BRINKO BRI boxes for transport in a vehicle.

Content:

- BRI box 145 M (compatible with the metaBOX system), incl. base and lid foam
- Nitrile chemical/cold protection gloves Chem, turquoise, size 10
- Safety goggles/safety glasses with length and height-adjustable temples
- Fine dust mask protection type FFP2 EN149:2001, 10 pcs
- Ear defenders

Art. no. 4635

14 pieces, 446 x 345 x 145 mm

EUR net (RRP)

145,⁰⁰



1,66 kg

EMB electrical meter box

NEW

In the specially manufactured foam insert of the BRINKO EMB electrical measuring device box, the electrical measuring devices are clearly arranged and safely stored for transportation. This enables the practical storage of rarely used special tools and the necessary auxiliary equipment. All BRINKO boxes are compatible with the metaBOX system.

Modern heating systems increasingly contain electrical and electronic components whose proper operation requires precise current measurements. The measuring devices required for this are sensitive and often expensive. To protect them from damage and ensure safe transportation, a special transport box is recommended. This prevents the sensitive devices from being damaged between robust tools such as pipe wrenches and fists.

4-piece set, consisting of:

- BRI-Box 145 M (compatible with the metaBOX system), incl. foam insert for electrical measuring devices and foam lid
- Profi LCDplus II two-pole voltage tester
- Multi Check II digital high-performance multimeter for testing capacitors and continuity
- Multi Clamp II miniature current clamp AC/DC 600V for power testing
- Test leads and test probes

Art. no. 4822

4 pieces, 446 x 345 x 145 mm

EUR net (RRP)

399,⁰⁰

3,20 kg

PRECISION IN EVERY DETAIL!

DRILL BITS & SETS



Glass tile drill

Single Drill

- optimally designed for cordless power tools
- 1/4" hexagonal shaft
- pointed chisel edge enables precision drilling, can be re-shar-pened

Please note: Only use in rotation (low rotation speed) and in sufficiently cool.

Areas: ceramics, tiles, hard-fired tiles, glass, acrylic glass, mirror glass



Art. no. 1368-1/5

Ø 5 x 75 mm

EUR net (RRP)

7,⁵⁰

Art. no. 1368-1/6

Ø 6 x 75 mm

EUR net (RRP)

8,⁰⁰

Art. no. 1368-1/8

Ø 8 x 85 mm

EUR net (RRP)

12,⁰⁰

Art. no. 1368-1/10

Ø 10 x 90 mm

EUR net (RRP)

15,⁵⁰

Art. no. 1368-1/13

Ø 13 x 100 mm

EUR net (RRP)

18,⁵⁰

Art. no. 1368-1/14

Ø 14 x 100 mm

EUR net (RRP)

21,⁰⁰

Glass tile drill set

- 5 piece
- Sizes: 2 x 6, 2 x 8.1 x 10 mm
- optimally designed for cordless power tools
- 1/4" hexagonal shaft
- pointed chisel edge enables precision drilling, can be re-shar-pened

Please note: Only use in rotation (low rotation speed) and in sufficiently cool.

Areas: ceramics, tiles, hard-fired tiles, glass, acrylic glass, mirror glass

Art. no. 1368

5 pieces

EUR net (RRP)

55,⁰⁰



DIAMOND core drills BRIdiamondDrill

Drilling without a centring aid

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 - 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required
- single hole drilling - only required if multiple holes are drilled



Art. no. 1381-1/6

Ø 6 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1381-1/8

Ø 8 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1381-1/10

Ø 10 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1381-1/12

Ø 12 mm

EUR net (RRP)

16,⁰⁰

Art. no. 1381-1/14

Ø 14 mm

EUR net (RRP)

16,⁰⁰

DIAMOND core drills set BRIdiamondDrill

Drilling without a centring aid

7-pieces: Ø 2 x 6, 2 x 8, 10, 12, 14 mm

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 - 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required
- single hole drilling - only required if multiple holes are drilled



Art. no. 1381

7 pieces

EUR net (RRP)

97,⁵⁰



DRILLING WITH PRECISION!

CLEAN, PRECISE DRILLING

in tiles and porcelain stoneware
slabs – faster and more economical



CORDLESS HIGH-SPEED DRILL

with 8,000 rpm 12 V, 2 Ah
and 4 Ah battery
M14a adapter



IDEAL FOR PROFESSIONALS

Quality, speed and
reliability



EUR net (RRP)

410,⁰⁰

VIDEO 13810



DIAMOND tile drilling set BRIspeedDrill

Art. no. 13810

15 pieces



DIAMOND core drills set BRldiamondDrill

Drilling without a centring aid

7 pieces: Ø 3 x 6, 3 x 8, 10 mm

- connector M14 to be used with the angle grinder and BRISpeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381-7

7 pieces

EUR net (RRP)

105,⁰⁰



DIAMOND core drills set BRldiamondDrill

Drilling without a centring aid

7 pieces: Ø 2 x 6, 8, 10, 12, 14 mm

1 Centering Guide stainless 5 – 40 mm

- connector M14 to be used with the angle grinder and BRISpeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381-6

7 pieces

EUR net (RRP)

132,⁰⁰



DIAMOND core drills set BRldiamondDrill

Drilling without a centring aid

4 pieces: Ø 2 x 6, 8, 10 mm

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required
- single hole drilling - only required if multiple holes are drilled

Art. no. 1381-4

4 pieces

EUR net (RRP)

60,⁰⁰



DIAMOND core drills BRIdiamondDrill

Advantages of the DIAMOND drills:

- precise positioning, minimum risk of slipping off
- Safety, Fast, Efficiency & Sophisticated design
- special wax filling ensure cooling, no cooling water required
- hex shank Ø 8,2 mm
- wax filled core helps cooling and lubricates, need not watering
- a strong bond is made through the brazing process extending service life
- Diamond coated design reduces cutting heat for 5x longer working life

Reliable cutting, drilling & grinding in the following materials:

- floor and wall tiles, hard porcelain
- granite and marble
- glass and fiberglass



Art. no. 1379-3/5

Pipe Ø 5 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1379-3/6

Pipe Ø 6 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1379-3/8

Pipe Ø 8 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1379-3/10

Pipe Ø 10 mm

EUR net (RRP)

15,⁰⁰

Art. no. 1379-3/12

Pipe Ø 12 mm

EUR net (RRP)

16,⁰⁰

DIAMOND core drills set BRIdiamondDrill

Drilling without a centring aid

4 pieces: Ø 2 x 6, 8, 10 mm

- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- long service life
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1379-4

4 pieces

EUR net (RRP)

60,⁰⁰



DIAMOND core drills set BRIdiamondDrill

Drilling without a centring aid

7 pieces: Ø 2 x 6, 8, 10, 12, 14 mm

1 Centering Guide stainless 5 - 40 mm

- hex shank Ø 8 mm
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- long service life
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1379-6

7 pieces

EUR net (RRP)

132,⁰⁰



HSS-bi-metal hole saw set | Plumbing standard

- supplied in unbreakable plastic case, 6 pieces:
 - 5 HSS-bi-metal hole saws Ø 44, 57, 68, 75, 114 mm, 4 - 6 tpi
 - 1 SDS chuck adaptor with HSS drill
- cutting depth 40 mm
- for steel, Nirosta, non-ferrous metals, HAT pipe, wood and aerated concrete
- also ideal for switches and sockets
- all hole saws are also available individually Art. no. 1380

Art. no. 1384

7 pieces

EUR net (RRP)

132,⁰⁰



PRECISE CONTROL AND CLEAR VISIBILITY

BRINKO inspection and camera systems allow precise monitoring of hard-to-reach areas such as pipelines, cavities, or machinery - without time - consuming disassembly.

Thanks to advanced camera technology, they deliver crystal-clear images and videos for rapid fault diagnosis and targeted maintenance. Robust construction, flexible guidance, and powerful lighting ensure reliable results - even under demanding conditions. This way, you always maintain full control and work efficiently, safely, and professionally.

Precision that makes the difference.

MAKING THE INVISIBLE VISIBLE!

INSPECTION CAMERA
SYSTEMS



HD-Hand Inspection Camera BRlcamS

- 5 inch LCD HD high resolution screen for real time display
- High-quality CMOS sensor (camera) with a resolution of 1280 x 720 pixels (camera head Ø 8 mm)
- HD resolution screen with 1920 x 1080 and 1280 x 720 options
- Photo and video recording to Micro SD-card
- Triple LED brightness adjustment of camera light and screen illumination
- 1 meter swan-neck camera with IP67 waterproofing
- 4000 mAh, 3.7 volt lithium-ion battery provides up to 5 hours of standby time
- Supports seven languages: English, French, German, Spanish, Italian, Japanese, Chinese

Art. no. 3780

5-Inch-LCD-HD

EUR net (RRP)

171,⁰⁰



Content:

- Screen Unit
- 1 Meter Swan-Neck Camera with Ø 8 mm Camera Head
- User Guide
- Threading-Attachable Hook
- Threading-Attachable Magnet
- Threading-Attachable 90° Mirror
- Charging cable USB-C to USB-A USB-A charger

Optional:

Camera head with 5 m camera cable



Pipe inspection camera system BRlcamL

Video inspection system for visual inspection of pipes, hollow bodies and spaces as well as finding blockages or damage!

Pipe inspection camera system BRlcamL with a swivelling camera head, only 28 mm diameter and 40 m fiberglass cable, intelligent compact design combined with simple operation and easy transportation, thanks to the aluminium frame.

This waterproof system is complete with transmitter module can be used between and can be detected, tracked and located by locating devices, operating at 512 Hz. The camera head of the BRlcamL can be rotated 360° and swiveled by 210° and enables an exact Driving through connections and checking pipe branches.

The display unit is surrounded by a robust, waterproof and airtight plastic case and can be used in cramped working conditions or for better transport of the separated push cable unit.

On the 10" TFT monitor with a Resolution of 1280 x 800 pixels the smallest Defects will be recognized and the number of meters inserted are shown. The BRlcamL is equipped with a multifunctional Control panel with QWERTY keyboard for entering text, as also an integrated microphone for voice recording

during video recording on SD card or USB stick. This intelligent system even has a device for cleaning the fibre cable after use by pushing it back, which removes adhering water and impurities. These are collected in the waterproof body, which can then be emptied outdoors.

By unscrewing the transmitter unit and inserting an optional adapter, bends from DN50 upwards are possible. This system can also be operated with a 10 or 20 meter long hand reel with a Ø 12 mm camera head.

Content:

- **360°/210° rotating/swivelling camera head Ø 28 mm**
- Camera cable: Ø 7 mm/40 metres long
- Steel coil, Meter counter
- 6-pin camera connection
- Cleaning brush
- 512 Hz sender
- IP68 Multifunctional control device in the IP66 case, 10" TFT monitor with USB/SD recording
- Text and voice input using the QWERTZ keyboard
- Joystick for swivelling camera head
- Operated with 6600 mAh Li-Ion battery or current
- Mains adapter, Guide ball and star for camera head
- Video cable 1 metres 6-pin, Remote operation

Art. no. 3741

DN70 – DN160

EUR net (RRP)

5.780,⁰⁰



PRECISE INSPECTION AND LOCATION!

ROBUST

Display unit in water- and airtight plastic case

+ VISUAL AND ACOUSTIC

Location of the camera head and precise depth determination

MULTIFUNCTIONAL

Control panel with QWERTY keyboard, microphone for voice and video recordings on SD card or USB stick

EUR net (RRP)

7.900,-



**Pipe inspection
camera system
BRlcamL + BRlcam0
location system**

NEW

Art. no. 3775
Bundle

Stand for locating device, receiver 512 Hz

NEW

The stand serves as a passive adapter and can be mounted at the lower end of the antenna rod.

It increases the overall height of the receiver by 8.57 cm.

This additional height is automatically compensated for via a menu function so that depth and current measurements continue to be recorded and saved correctly.

- Enables the locating receiver to stand upright independently
- Ideal for one-person operation for on-site measurements

Art. no. 3772

for items 3775

EUR net (RRP)

219,⁰⁰



Carrying case for locator 512 Hz

NEW

The carrying case allows for safe and convenient transport of the locator device – including the operating instructions, charger and stand.

A robust, two-way zip fastener ensures quick and easy access to the contents.

- Robust material
- Space for additional accessories
- perfect fit for tracking device
- double-sided zipper

Art. no. 3773

for items 3775

EUR net (RRP)

135,⁰⁰



Accessories for BRicamL/BRicamM, camera head set Ø 12 mm, length 10 m

Small camera head Ø 12 mm for pipe and house connections, as well as cavities

- As an extension to pipe inspection camera system BRicamL
- Camera head Ø 12 mm
- Camera cable Ø 4.8 mm | Length 10 m
- incl. steel reel
- 4-pin connection cable
- Application range DN20 - DN110

Art. no. 3750/10

Ø 12 mm | 10 m

EUR net (RRP)

771,⁰⁰



Accessories for BRicamL/BRicamM, camera head set Ø 12 mm, length 20 m

Small camera head Ø 12 mm for pipe and house connections, as well as cavities

- As an extension to pipe inspection camera system BRicamL
- Camera head Ø 12 mm
- Camera cable Ø 4.8 mm | Length 20 m
- incl. steel reel
- 4-pin connection cable
- Application range DN20 - DN110

Art. no. 3750/20

Ø 12 mm | 20 m

EUR net (RRP)

940,⁰⁰



BRicamXL pipe inspection camera system

Contents:

- 360°/210° rotating/pivoting camera head Ø 55 mm, IP68
- Push cable Ø 9 mm | length 60 m
- Steel reel, meter counter, 8-pin camera connection
- 512 Hz transmitter
- Multifunctional control unit in IP68 case
- 10" IPS HD display with USB/SD recording (photo, video, voice)
- Joystick for swiveling camera head
- 9 Ah Li-Ion battery (for approx. 4 hours of operation), charger/ mains adapter
- Guide ball and star for camera head
- Video cable 1.5 meter 8-pin
- Remote control

Art. no. 3760

DN70 – DN450

EUR net (RRP)

8.400,⁰⁰



PRACTICAL HELPERS FOR EVERY TASK

Our featured range offers handy tools and accessories that make everyday work significantly easier. From versatile everyday helpers to specialized professional tools, you will find products designed for precise, clean, and safe work. All tools stand out for their innovative solutions, ergonomic design, and high-quality materials.

Whether on the construction site, in the workshop, or during service calls, our helpers deliver efficiency, comfort, and reliability for every job.

Well thought-out, robust and always ready for use.

**THAT EXTRA
SOMETHING!**

**COMPLEMENTARY
RANGE**



Pressure testing pump

- for safe tightness testing on water pipes
- brass piston, 1/2" hose connection
- test pressure up to 60 bar
- storage tank 12 l, painted red
- tank dimensions 500 x 180 x 140 mm
- replacement manometer Art. no. 7640-1
- replacement pressure hose Art. no. 7640-2

Art. no. 7640

60 bar

EUR net (RRP)

195,⁰⁰



Pressure testing pump stainless steel

- for safe tightness testing on pipes
- in particular with chemically contaminated, aggressive liquids
- also suitable for solar panel systems and underfloor heating systems
- 1/2" hose connection
- test pressure up to 60 bar
- storage tank 12 l made of STAINLESS STEEL
- per stroke 0.027 litres
- tank dimensions 500 x 190 x 140 mm
- replacement manometer Art. no. 7641-1
- replacement pressure hose Art. no. 7640-2

Art. no. 7641

60 bar

EUR net (RRP)

295,⁰⁰



COMPLETELY CHEMICAL-FREE!

EUR net (RRP)

94,⁰⁰

TWO PRACTICAL ATTACHMENTS

A short one for wash-
basins and sinks and a
long one for toilets

EFFECTIVE AGAINST PIPE BLOCKAGES

Environmentally conscious
solution – suction and pres-
sure cleaners from BRINKO

CLEAN RESULTS

For professionals and DIY
enthusiasts

100% CHEMICAL-FREE

Powerful and sustainable

Pipe cleaning pump


Art. no. 3722

Length 55 cm



Sealing balloon

- easily seal pipes
- pneumatic sealing system for various pipe diameters
- insert, inflate, work
- suitable for compressed air hose Art. No. 3800-2 and to the air pump with manometer Art. No. 3800-3



Art. no. 3800-1/1

Pipe Ø 30 – 50 mm

EUR net (RRP)

110,⁰⁰

Art. no. 3800-1/2

Pipe Ø 50 – 80 mm

EUR net (RRP)

125,⁵⁰

Art. no. 3800-1/3

Pipe Ø 70 – 100 mm

EUR net (RRP)

146,⁰⁰

Art. no. 3800-1/4

Pipe Ø 90 – 150 mm

EUR net (RRP)

309,⁰⁰

Compressed air hose

- extension hose for sealing bubbles
- can be extended as required
- length 3 m

Art. no. 3800-2

Length 3 m

EUR net (RRP)

63,⁵⁰




Plug for inner pipe

Mechanical pipe sealing system for inner pipe

- ideal for sealing drain pipes and for long-term applications
- easy to insert and secure due to extra large wing nut
- resistant to use and waste water
- suitable for all types of pipest
- maximum counterpressure: 1.2 bar or 12 m
- Housing made of glass-fibre reinforced ABS plastic
- sealing ring based on natural rubber
- Galvanised threaded screw and wing nut - corrosion-resistant

Original Gripper - tested and proven, the most preferred mechanical shut-off discs on the market

Maximum Counter Pressure 1,2 bar corresponds to a 12 m water column



Art. no. 3806/1

Pipe Ø 96 - 103 mm

EUR net (RRP)

45,⁰⁰

Art. no. 3806/2

Pipe Ø 147 - 154 mm

EUR net (RRP)

76,⁵⁰

Art. no. 3806/3

Pipe Ø 196 - 204 mm

EUR net (RRP)

138,⁰⁰




Plug for end pipe

Mechanical pipe sealing system for end pipe

- ideal for sealing drain pipes and for long-term applications
- easy to insert and secure due to extra large wing nut
- resistant to use and waste water
- suitable for all types of pipest
- maximum counterpressure: 1.2 bar or 12 m
- Housing made of glass-fibre reinforced ABS plastic
- sealing ring based on natural rubber
- Galvanised threaded screw and wing nut - corrosion-resistant

Original Gripper - tested and proven, the most preferred mechanical shut-off discs on the market

Maximum Counter Pressure 1,2 bar corresponds to a 12 m water column



Art. no. 3805/1

Pipe Ø 39 - 42 mm

EUR net (RRP)

19,⁰⁰

Art. no. 3805/2

Pipe Ø 49 - 55 mm

EUR net (RRP)

22,⁰⁰

Art. no. 3805/3

Pipe Ø 71 - 79 mm

EUR net (RRP)

29,⁵⁰

Art. no. 3805/4

Pipe Ø 96 - 103 mm

EUR net (RRP)

40,⁰⁰

Art. no. 3805/5

Pipe Ø 147 - 154 mm

EUR net (RRP)

76,⁵⁰



Deep-hole marker 2-in-1 with a sharpener

One pen – two functions

With a cap: Retractable pencil for precise marking and writing

Without a cap: Deep-hole marker for drilling and installation tasks

- very stable, with a practical clip
- sharpener integrated into the push-button
- graphite universal refill for marking on rough and smooth surfaces
- ergonomic, triangular form
- preserves resources and is environmentally-friendly
- designed for various refills for almost all surfaces and materials



Art. no. 2528

black | yellow

EUR net (RRP)

8,50

2in1

DRY Profi

Effective pressing mechanism for automatic lead propulsion in robust stainless steel tube

- easy one-handed operation thanks to improved clip
- integrated sharpener with guide – for fast sharpening at any time
- leads can be replenished from the front or back
- for all surfaces (wood, metal, glass, ceramics ...)
- special graphite lead included can be wiped off smooth surfaces with a damp cloth
- separately available coloured leads, water soluble or waterproof
- available in colour sets or individual colours for versatile use on light and dark backgrounds



Art. no. 2513

Length 150 mm

EUR net (RRP)

15,50

Suction Cup

Guaranteed the right Suction Cup for your application with the highest degree of security

- plastic body, 2x suction disc Ø 120 mm
- load-bearing capacity: 40 kg
- guideline value – use under the specified value recommended
- handle is covered with non-slip rubber

Can be used on all materials with smooth, sealed surfaces (e.g. panes of glass, tiles, stone, sheet steel, panels made of coated wood)

Safety information:

- the surface of the object and the suction discs must not be greasy
- before lifting a weight, carry out a test
- never walk under the load and never lift above yourself or others

Art. no. 1180

0,39 kN

EUR net (RRP)

49,⁵⁰



Breathable protective gloves

- Nitrile coating, pimpled
- extremely grippy due to high abrasion resistance
- very comfortable to wear, hands remain cool and dry



Art. no. 3454/9

Size 9

EUR net (RRP)

4,⁸⁰

Art. no. 3454/10

Size 10

EUR net (RRP)

4,⁸⁰

Art. no. 3454/11

Size 11

EUR net (RRP)

4,⁸⁰

Work gloves BRlgecko

- Premium quality
- 100 % polyamide, finely knitted
- latex-coated glove palm
- repels liquid
- excellent fit



Art. no. 3458/9

Size 9

EUR net (RRP)

3,⁰⁰

Art. no. 3458/10

Size 10

EUR net (RRP)

3,⁰⁰

BRImobileWork folding workbench

Back-friendly work with maximum work safety!
Easy to transport with one hand - effortless to move thanks to wheels and pull rod, simple folding mechanism - quick to assemble.
Safe stand!

The compact folding workbench BRImobileWork offers the perfect balance of weight, mobility, stability, size and functionality. Ideal for use on construction sites, as well as space-saving and mobile.

- Weight under 20 kg
- Work surface 785 x 585 mm and a 30 mm thick screen-printed plate
- Working height 800 - 825 mm thanks to four adjustable feet to compensate for uneven surfaces
- Load capacity up to 200 kg (surface load)
- Dimensions when folded 785 x 250 x 585 mm
- Two large plastic wheels and fold-out pull rod for easy transport when folded up
- Can be moved over the two wheels when assembled by tilting the workbench
- Table legs made of galvanized square tube are locked by a crossbar with a spring mechanism for a firm stand
- Screen-printed plate with anti-slip surface and framed in T-profile steel frame
- Vice and other holding systems can be mounted

Art. no. 5641/800

785 x 585 mm

EUR net (RRP)

337,⁰⁰



BRINKO®

powered by **haupa**®

TOP DEALS 2026



**SPECIAL
OFFER**

valid until
31.01.2027

EN



brinko.de