

# haupa®

# TOP DEALS 2026

INCLUSIVE  
**PLUMBING  
CRAFT**  
pp. 150

**BRINKO®**  
powered by **haupa**

**SPECIAL  
OFFER**  
International  
EN



[haupa.com](http://haupa.com)

# CABLE CONNECTION TECHNOLOGY EXPERTISE TO THE POWER OF THREE!

Your experienced specialist for  
industry and craft

## CABLE CONNECTION TECHNOLOGY AND SYSTEM TOOLS

Precision, ergonomics and  
reliability in professional  
electrical installation.

## WORKING UNDER TENSION (VDE)

Uncompromising safety, IEC  
60900 individually tested  
and approved for 1000 V  
AC.

## EVERYTHING FOR THE PLUMBING CRAFT

Indispensable companions  
for professionals in water,  
heating and air conditioning  
technology.



Your wholesaler:

(Company stamp)

### HAUPA GmbH

Lange Str. 40 | D-42857 Remscheid | Germany  
Phone: +49 (0)2191 8418-0 | Fax: +49 (0)2191 8418-840  
E-mail: [info@haupa.com](mailto:info@haupa.com)

Prices upon request. Sales are conducted exclusively through  
specialized wholesalers.

Technical changes and printing errors reserved.

# CONVENIENT ONE-HAND OPERATION



# CONTENTS


pp. 8 - 28

**CABLE CONNECTION TECHNOLOGY**  
AND TOOLS FOR PROFESSIONALS.  
Precision crimping!



pp. 29 - 42

**HYDRAULIC TOOLS**  
POWERFUL WORKHORSES!  
With power, precision and comfort.



pp. 58 - 89

**WORKING UNDER TENSION**  
SAFETY TOOLS!  
Your safety is our priority.

pp. 103 – 126  
**CASE SYSTEMS & BAGS**  
SAFETY FIRST!  
Safety to go.



pp. 90 – 102  
**BASIC TOOLS**  
MUST-HAVES FOR ALL SITUATIONS!  
Ready for any project.

pp. 127 – 144  
**LIGHTING RANGE**  
RADIANCE CAN BE BOUGHT!  
See better. Work better.



# CABLE CONNECTION TECHNOLOGY

AND TOOLS FOR  
PROFESSIONALS.





## **PROFESSIONAL TOOLS**

Whether cutting, stripping or crimping – our tools stand for maximum precision, ergonomics and reliability in professional electrical installation.

From automatic wire strippers and compact crimping pliers to powerful hydraulic compression systems, HAUPA offers a well-designed range for the highest demands. Robust materials, intelligent gear ratios and durable mechanics guarantee precise results with minimal effort.

Every tool is designed for efficiency and safety in daily use – for clean connections, perfect cuts and permanently reliable contacts.

**HAUPA tools – developed for professionals who want to feel the performance.**

# ALL-ROUNDER FOR CABLES!

CUTTING AND  
STRIPPING



## Electrician's scissors stainless steel 160 mm

- Made entirely of steel, robust construction
- Ergonomic, enveloping handle for a secure grip
- Cuts solid aluminium and copper cables up to 3.5 mm in diameter as well as fine-stranded cables up to 70 mm<sup>2</sup>
- Fine cutting teeth prevent the conductor from slipping for clean cuts
- Stripping function for conductors 1.5 – 2.5 mm<sup>2</sup>
- Crimping function for crimp cable lugs and ferrules up to 2.5 mm<sup>2</sup>
- Milled teeth for cleaning dirty or sticky conductors/wires
- Includes practical blade protection sheath with belt clip



Art. no. 200204

160 mm | ≤ 70 mm<sup>2</sup>

## Electrician's scissors stainless steel 170 mm, Multi-Grip

- Made entirely of steel, robust construction
- Ergonomic, enveloping handle for a secure grip with four different grip options to prevent hand fatigue
- Cuts solid aluminium and copper cables up to 3.5 mm in diameter as well as fine-stranded cables up to 95 mm<sup>2</sup>
- Fine cutting teeth prevent the conductor from slipping for clean cuts
- Stripping function for conductors 1.5 – 4.0 mm<sup>2</sup>
- Crimping function for crimp cable lugs and ferrules up to 4.0 mm<sup>2</sup>
- Milled teeth for cleaning dirty or sticky conductors/wires
- Includes practical blade protection sheath with belt clip



Art. no. 200213

170 mm | ≤ 95 mm<sup>2</sup>

## ESD Electronic side cutter without cutting-facet

- normal construction
- head width 14 mm without chamfer
- special tool steel
- for smooth and flat cutting

Art. no. 211875

115 mm




## Cable cutter HUPtriCut

Art. no. 201085

16 mm<sup>2</sup> | Ø 8 mm | 160 mm

- for cutting copper/aluminium cables, fine wire, multiple-core and solid copper
- Chrome vanadium steel, dip-insulated handles
- insulating function in upper head area
- Cable measuring function thanks to the 180 degree crossover of the legs
- Data, telephone and control cable, maximum Ø 8 mm
- Cu single wire, maximum 10 mm<sup>2</sup>
- Cu fine wire, maximum 16 mm<sup>2</sup>
- Cu multi-wire, maximum 16 mm<sup>2</sup>
- Al single wire, maximum 10 mm<sup>2</sup>
- Al multi-wire, maximum 16 mm<sup>2</sup>




## Cable cutter HUPtriCut

Art. no. 201087

50 mm<sup>2</sup> | Ø 12 mm | 200 mm

Same as item 201085, except:

- Data, telephone and control cable, maximum Ø 12 mm
- Cu single wire, maximum 16 mm<sup>2</sup>
- Cu fine wire, maximum 50 mm<sup>2</sup>
- Cu multi-wire, maximum 25 mm<sup>2</sup>
- Al single wire, maximum 16 mm<sup>2</sup>
- Al multi-wire, maximum 25 mm<sup>2</sup>



## Cable cutter with a snap

Art. no. 201002

70 mm<sup>2</sup> | Ø 16.9 mm

- One-handed cable cutters for fine wire cables only
- Low force required
- CNC-ground cutting
- Inductively hardened blades
- Adjustable screw joint
- Cu fine wire cable, maximum Ø 16.9 mm = 70 mm<sup>2</sup>



## Hand cable cutters Ø 34 mm

Art. no. 200089-1

up to Ø 34 mm

- Designed for cutting copper and aluminium cables according to DIN EN 60228
- Equipped with ratchet gear transmission
- Provides optimal force transmission
- Enables one-handed operation through optimal lever ratio and step-by-step cutting up to Ø 34 mm
- Release mechanism available in every cutting position

### Material:



- All parts made from high-strength special steel, with hardened or tempered cutting edges and stressed components
- Burnished surfaces
- Ergonomically shaped soft handles
- Colour: black/green

### Cutting range:

- Cables and insulated conductors according to DIN EN 60228
- Multi-stranded cables (Class 2; Class 5) copper up to 300 mm<sup>2</sup> (sector-shaped, fine-stranded, communication/data)
- Multi-stranded cables (Class 2; Class 5) aluminium up to 380 mm<sup>2</sup> (sector-shaped, fine-stranded, communication/data)
- Not suitable for steel or ACSR cables
- Clean the ratchet mechanism after use

### Dimensions:

Length: approx. 260 mm | Width: approx. 100 mm | Depth: approx. 36 mm | Weight: approx. 600 g



single wire	wire rope
multi-wire	armoured steel cable (SWA)
sector-shaped	ACSR
fine wire	bolt
communication	solid steel

## Hand cable cutters Ø 62 mm

- Designed for cutting copper and aluminium cables according to DIN EN 60228
- Equipped with ratchet gear transmission
- Provides optimal force transmission
- Enables one-handed operation through optimal lever ratio and step-by-step cutting up to Ø 62 mm
- Release mechanism available in every cutting position

### Material:


- All parts made from high-strength special steel, with hardened or tempered cutting edges and stressed components
- Burnished surfaces
- Ergonomically shaped soft handles
- Colour: black/green

### Cutting range:

- Cables and insulated conductors according to DIN EN 60228
- Multi-stranded cables (Class 2; Class 5) copper up to 480 mm<sup>2</sup> (sector-shaped, fine-stranded, communication/data)
- Multi-stranded cables (Class 2; Class 5) aluminium up to 480 mm<sup>2</sup> (sector-shaped, fine-stranded, communication/data)
- Not suitable for steel or ACSR cables
- Clean the ratchet mechanism after use

### Dimensions:

Length: approx. 297 mm | Width: approx. 163 mm | Depth: approx. 36 mm | Weight: approx. 800 g



Art. no. 200183-1

up to Ø 62 mm



VIDEO 200183-1



## Cable stripper Kabifix

Art. no. 200022

Ø: 6 – 28 mm

- For cutting opening and stripping cables from Ø 6 – 25 mm
- Longitudinal and round cut
- Ø 6 – 28 mm
- NYY 4 – 16 mm<sup>2</sup>
- NYM 5 – 16 mm<sup>2</sup>
- Coaxial and bell round cable
- Isoflex and PVC piping maximum Ø 25 mm
- Interior adjustment screw for adjusting the cutting depth
- Exchangeable blades



## Cable stripping knife

Art. no. 200031

Ø: 8 – 28 mm

- For removing the sleeve from all current round cables
- Blades, titanium nitride coated, thanks to the higher cutting speed
- Lower wear, increased durability
- Cutting depth can be adjusted using the setting screw on the end of the handle
- Automatic adjustment to round and lengthwise cuts
- Handle security thanks to soft component insert on the bar and handle
- Titanium nitride coated replacement blade in the housing
- Housing made from high-quality, hard wearing polyamide
- With titanium nitride coated hook blade



Video 200031



## Stripper All-rounder

Art. no. 200050

Ø: 4 – 15 mm

- Cable stripper for round cables from Ø 4 – 15 mm and flat cables up to 15 mm width
- Stripping 1.5 – 2.5 mm<sup>2</sup> single wire
- Lengthwise cut

Video 200050



## Universal stripper

Art. no. 200043

Ø 8 – 13 mm

- Stripper for removing the sleeve from all current round cables Ø 8 to 13 mm
- Removing the insulation on various cable types, e.g. NYM 3 x 1.5 mm<sup>2</sup> to 5 x 2.5 mm<sup>2</sup>
- Contoured blades for stripping wires 0.2 – 0.3 – 0.8 – 1.5 – 2.5 – 4.0 mm<sup>2</sup>
- Ideal for working in distribution and junction boxes
- Longer cable lengths can be stripped using the lengthwise cutting mechanism
- Safe hold thanks to the inclusion of anti-slip handle zones
- No need to set blades required to cutting depth
- Additional titanium nitride coated retractable blade

Video 200043



## Automatic wire stripper Super 4 Pro

for solid and flexible conductors and strands between 0.2 and 6.0 mm<sup>2</sup> (AWG 24 – 10)

- For fast and precise stripping even of difficult – to-access places
- No adjustment to wire cross section necessary
- Suitable for cables with insulation made from PVC and other materials
- Special scanning system, therefore no damage to conductors
- Adjustable longitudinal stop from 6.0 to 15.0 mm for even serial stripping
- External side cutters for conductors up to 2.5 mm<sup>2</sup>
- Body of pliers made from fibre-glass reinforced polyamide

Art. no. 210698

0,2 – 6 mm<sup>2</sup>



## Automatic cable stripper

Art. no. 211930

0,08 – 6 mm<sup>2</sup>

- for stripping fine wires and solid cables 0.08 – 6 mm<sup>2</sup>
- automatic setting to the cross-section
- integrated side cutter of up to 6 mm<sup>2</sup>
- With stripping lengthwise stop



## Automatic cable stripper

Art. no. 211934

0,03 – 10 mm<sup>2</sup>

- for stripping fine wires and solid cables 0.03 – 10 mm<sup>2</sup>
- automatic setting to the cross-section
- integrated side cutter of up to 6 mm<sup>2</sup>
- With stripping lengthwise stop




## Crimping pliers HUPsquare10



Art. no. 212804

0,08 – 10 mm<sup>2</sup>

for end sleeves, precise square pressing profile, automatic setting to the conductor cross-section, unlockable forced lock, guarantees connections that meet DIN, high transmission and ergonomically shaped handles for fatigue free working,  
**square pressing.** TWIN 2 x 4 mm<sup>2</sup>



# SQUARE, AUTOMATIC

**GUARANTEED**  
DIN-compliant  
connections



**Crimping pliers  
HUPsquare16**

**Art. no. 212806**  
square pressing  
0,5 - 16 mm<sup>2</sup>  
TWIN 2 x 6 mm<sup>2</sup>

**HUPcompact HC01**

Art. no. 213090

Ø: 0,1 - 6 mm<sup>2</sup>

- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for colour-coded insulated cable lugs and connectors
- **oval pressing**

100 %  
parallel**5**  
**kN**LONG LIFE  
50000  
X**HUPcompact HC02**

Art. no. 213088

Ø: 0,25 - 16 mm<sup>2</sup>

- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for end sleeves
- **trapezoidal pressing**
- (10 + 16 mm<sup>2</sup> wave profile/0,5 - 6 mm<sup>2</sup> trapezoidal profile)
- Also suitable for thinning ladders

100 %  
parallel**5**  
**kN**LONG LIFE  
50000  
X

**HUPcompact HC03**

Art. no. 213092

Ø: 0,75 - 10 mm<sup>2</sup>

- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for non insulated cable lugs and connectors
- **mandrel shape pressing**

**100 %  
parallel****5  
kN****LONG LIFE  
50000  
X****HUPcompact HC04**

Art. no. 213094

Ø: 0,5 - 6 mm<sup>2</sup>

- 100 % parallel compression
- easy one hand operation due to 5 kN crimping force
- for open brass tab connectors
- with locator
- **roll pressing**

**100 %  
parallel****5  
kN****LONG LIFE  
50000  
X**

# FLEXIBLE PRECISION TO THE POWER OF FOUR

**PRECISION  
PRESS INSERTS**  
for quick  
changes

**INDIVIDUAL**  
Crimp force can  
be readjusted

**ROBUST  
NYLON BAG**  
for safe transport

**FORCED LOCK**  
for standard-compliant  
crimping

**Content:**  
Art. 211690

Art. 210763/E   0,5 – 4 mm<sup>2</sup> **M 210**

Art. 210765/E   6 – 16 mm<sup>2</sup> **M 210**

Art. 210764/E   1 – 10 mm<sup>2</sup> **M 210**

Art. 210761/E   0,5 – 6 mm<sup>2</sup> **M 210**



**Crimpset  
X-Crimp**

**Art. no. 211692**  
5-piece set in a robust  
nylon bag



# ENERGY WITH SYSTEM

The future is electric – and with our photovoltaic tools, you are optimally prepared.

HAUPA offers a professional range of products for the installation, maintenance and testing of PV systems – precise, safe and durable.

From crimping pliers and strippers to complete case sets: every tool is designed for maximum efficiency and reliability in daily use.

Well-thought-out details, ergonomic designs and tested materials ensure perfect results – from the first cut to the last connection.

With HAUPA, you can rely on tools that deliver visible performance – for clean crimps, secure connections and sustainable energy generation.

**HAUPA photovoltaics – precision technology for reliable connections in solar systems.**

# PHOTOVOLTAICS

## STRIPPING, CRIMPING, ASSEMBLY



# CRIMPING WITH PRECISION!

**PRESSING FORCE**  
5 kN



**LONG SERVICE LIFE**  
50,000 pressings



## ROLL-CRIMP

For MC4 connectors (Multi Contact)  
4 / 6 / 10 mm<sup>2</sup>

**100% PARALLEL FEED**



**COMPACT DESIGN**  
One-hand operation

**HUPcompact  
HC06**



**Art. no. 213110**  
For MC4 connectors  
(Multi Contact) 4 / 6 / 10 mm<sup>2</sup>

## Crimping pliers photovoltaic

2.5 / 4 / 6 mm<sup>2</sup>,  
with unlockable positive lock,  
crimp pressure adjustable  
Roll-crimp (for MC4 (Multi Contact))

Art. Nr. 211659

for MC4 (Multi Contact) 2.5 – 6 mm<sup>2</sup>

## Crimpset X-Crimp for photovoltaic



Art. no. 211697

Nylon bag included

Crimping pliers for quick change of HAUPA precision crimping dies especially for photovoltaics. Delivery in robust nylon bag (Art. 220260)

- reliable crimping results as with permanently installed press inserts
- positive lock ensures standard-compliant crimps
- flat design for precise work even in confined spaces

### Content:

Art. 211690

Art. 211657/E



 2,5 – 6 mm<sup>2</sup> **M 210**

Art. 211659/E



 2,5 – 6 mm<sup>2</sup> **M 210**

Art. 210842/E



 1 – 10 mm<sup>2</sup> **M 210**

Art. 210761/E



 0,5 – 6 mm<sup>2</sup> **M 210**



## Cable stripper HUPstripPV+

Solar 1.5 – 16.0 mm<sup>2</sup> | 16 – 6 AWG

- easy handling thanks to the four-chamber system (1.5 mm<sup>2</sup> / 2.5 mm<sup>2</sup> / 4 mm<sup>2</sup> + 6 mm<sup>2</sup> / 10 mm<sup>2</sup> + 16 mm<sup>2</sup>)
- For stripping solar and photovoltaic cables
- Precise alignment of the blades to standard solar cables
- Length stop adjustable to the millimetre from 5 to 26 mm
- Additional blade for making a longitudinal cut
- low weight, as the housing is made of high-quality, wear-resistant polyamide
- Effective use and extremely good power transmission due to ergonomic shape
- Suitable for right and left-handers

Art. no. 201062

1.5 – 16 mm<sup>2</sup>



## Assembly tool MC4 (Multi Contact)

For assembling and loosening the cable glands of MC4 connectors (Multi Contact), easy loosening of the locks on MC4 (Multi Contact) housings, made of glass-fiber reinforced plastic

Art. no. 110806

for MC4 (Multi Contact)



## HUPsolarKit3

Equipped with 5 tools in a practical plastic case.

**Art. no. 330046**

6 pcs., 340 x 275 x 70 mm

**Contents:**

211225	Cable cutters VDE HUPtriCut 160 mm for Ø 8 mm
201060	Cable stripper HUPstripPV   2.5 – 6 mm <sup>2</sup>
110806	assembly tool for MC4 (Multi Contact, 2 pieces)
211659	Crimping pliers photovoltaic   for MC4 (Multi Contact) 2.5 – 6 mm <sup>2</sup>
330046/K	Case with insert

The empty space in the case can be used to store photovoltaic equipment.

**Equipment is not included in the set!**



## HUPsolarKit4

Equipped with 5 tools in a practical plastic case.

**Art. no. 330048**

6 pcs., 340 x 275 x 70 mm

**Contents:**

211225	Cable cutters VDE HUPtriCut 160 mm for Ø 8 mm
201062	Cable stripper HUPstripPV+   1.5 – 16 mm <sup>2</sup>
110806	assembly tool for MC4 (Multi Contact, 2 pieces)
213110	HUPcompact HC06 for MC4 connector (Multi Contact) 4 – 10 mm <sup>2</sup>
330048/K	Case with insert

The empty space in the case can be used  
to store photovoltaic equipment.

**Equipment is not included in the set!**



# POWER TOOLS!

BATTERY-  
POWERED  
HYDRAULIC  
TOOLS &  
ACCESSORIES



## Battery powered cable cutter AS-52


- for copper and aluminium cable, multi wire
- diameter up to 52 mm

**Scope of delivery:**

1 cutting tool, 1 quick charger,  
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box

Art. no. 216434-1

Ø 52 mm



## Battery powered cable cutter AS-52F


- for copper and aluminium cable
- with blades for fine-stranded cables

**Scope of delivery:**

1 cutting tool, 1 quick charger,  
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box

Art. no. 216436/F-1

Ø 52 mm



## Battery powered cable cutter AS-65

Art. no. 216435-1

Ø 65 mm

- for copper and aluminium cable, multi wire
- diameter up to 65 mm

### Scope of delivery:

1 cutting tool, 1 quick charger,  
1 battery 18 V Li-Ion, 4 Ah, in SysCon tool box




## Battery powered crimping tool SDE 240-6

Crimping head can be rotated by 180°, with fast opening, return manually once compressing is complete, no inserts required, **mandrel shape pressing**.

The device also has 1 white LED designed to illuminate the working area.

### Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened: yes
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Cable lugs: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>
- Connectors: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>
- Crimp ring terminals without insulation DIN 46234 10 – 240 mm<sup>2</sup>
- Dimensions: 455 x 75 mm



**Art. no. 216669-1**

### Base Tool

incl. battery and charger in case

**Art. no. 216669-1-NO**

### Base Tool

without battery, without charger

**Art. no. 216669-1-N**

### Base Tool

Machine in transport packaging

### Scope of delivery for battery-operated tools:

1 tool, 1 quick charger and 1 rechargeable battery in SysCon incl. Insert.



**For versions -NO:** no battery, no charger

**For versions -N:** only machine in transport packaging



## Battery powered crimping tool SDE 240-6M

Sensor

Art. no. 216669/M-1

Base Tool

incl. battery and charger in case

Crimping head can be rotated by 180°, with fast opening, return manually once compressing is complete, no inserts required, **mandrel shape pressing**.

The device also has 1 white LED designed to illuminate the working area.


### Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened: yes
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Cable lugs: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>
- Connectors: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>
- Crimp ring terminals without insulation DIN 46234 10 – 240 mm<sup>2</sup>
- Dimensions: 455 x 75 mm

With the different colours of the sensor LED, it shows whether the pressing has been completed successfully or which errors have occurred:

- Light is green:  
Pressing completed as standard, motor stopped.
- Light is orange:  
Battery voltage not sufficient
- Light is red:  
Pressing interrupted before completed

VIDEO 216669/M-1



Art. no. 216669/M-1-NO

Base Tool

without battery, without charger

Art. no. 216669/M-1-N

Base Tool

Machine in transport packaging



## Smart Battery powered crimping tool universal US-6M

Sensor

Head can be rotated by 180°, with fast opening, manual return flow after perfect pressure.

The device also has 1 white LED designed to illuminate the working area.

- for 7 different interchangeable heads

(item no. 216761, item no. 216762, item no. 216762/32ACSR, item no. 216763, item no. 216764, item no. 216665-U, item no. 216666-U)

- Heads can be changed easily
- Can be locked using 2 extractable pins
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Pressing load kN: 60
- Working pressure in bar: 700

With the different colours of the sensor LED, it shows whether the pressing has been completed successfully or which errors have occurred:

- Light is green:  
Pressing completed as standard, motor stopped.
- Light is orange:  
Battery voltage not sufficient
- Light is red:  
Pressing interrupted before completed

Video 216760-1



60 kN

700 bar



300-06



180°



2Ah



LED



SysCom



Sensor



HAUPA batteries are compatible with the MAKITA charging technology and can be used in all 18 V Li-ion systems.

Art. no. 216760-1

Base Tool

incl. battery and charger in case

Art. no. 216760-1-NO

Base Tool

without battery, without charger

Art. no. 216760-1-N

Base Tool

Machine in transport packaging

7in1




## Crimping headstock U-KO-6



Art. no. 216761  
for 216760-1

Pressing head for interchangeable pressing applications, with quick opening, without dies.

- Pressing force in kN: 60 kN
- Head can be opened
- Opening / Hub: 17 mm
- Pressing width: slim
- Cable lugs: standard Cu 6 – 300 mm<sup>2</sup> / DIN Cu 6 – 300 mm<sup>2</sup> / DIN Al 16 – 300 mm<sup>2</sup>
- Connectors: standard Cu 6 – 300 mm<sup>2</sup> / DIN Cu 6 – 300 mm<sup>2</sup> / DIN Al 16 – 300 mm<sup>2</sup>




## Crimping headstock U-KDE240-6

Art. no. 216763  
for 216760-1

Pressing head with quick opening, indent v-shape pressing, no inserts required.

- Pressing force in kN: 60 kN
- Head can be opened
- Crimp ring terminals without insulation DIN 46234, 10 – 240 mm<sup>2</sup>
- Cable lugs: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>
- Connectors: standard Cu 10 – 300 mm<sup>2</sup> / DIN Al 50 – 240 mm<sup>2</sup>



## Crimping headstock U-KD300-6

Art. no. 216665-U  
for 216760-1

Pressing head 4-mandrel U-KD300-6 for exchange head system US-6M (216760-1), insert does not need to be changed, mandrel pressing.

- Pressing force in kN: 60 kN
- Cable lugs: standard Cu 16 – 300 mm<sup>2</sup>
- Connectors: standard Cu 16 – 120 mm<sup>2</sup>



## Crimping headstock U-HKD400-6

Pressing head 4-mandrel U-HKD400-6 for exchange head system US-6M (216760-1), insert does not need to be changed, mandrel pressing.

- Pressing force in kN: 60 kN
- Head can be opened
- Cable lugs: standard Cu 25 – 400 mm<sup>2</sup>
- Connectors: standard Cu 25 – 400 mm<sup>2</sup>




Art. no. 216666-U

for 216760-1



## Cutting headstock U-KS6-S50

- for copper and aluminium cable
- multi-wiring
- sector-shaped



Art. no. 216762

for 216760-1



## Punching headstock U-S-6



Metric  
- PG

Art. no. 216764

for 216760-1

without dies, 1 connecting rod 3/8-24 UNF (article no. 217660),  
1 connecting rod 3/4-16 UNF (article no. 217662), 1 adapter  
(article no. 217664), 1 spacer bushing (article no. 217666).

### Advantages:

- Head can be rotated by 360°
- Flexible aluminium head

### Stamping capacity:

- for steel plate up to max. thickness of 3.2 mm
- for stainless steel up to max. thickness of 1.6 mm
- from Ø 12 mm to max. 50 mm punching die



## Universal set 1

Sensor


Art. no. 216766

6 pieces

Hydraulics for interchangeable heads, crimping head can be rotated by 180°, with fast opening, manual return flow after perfect pressure.

Consists of Art. 216760-1, Art. 216763 and Art. 216762 in one SysCon system container, incl. insert.

- Heads can be changed easily
- Can be locked using 2 extractable pins
- With the new HAUPA battery item no. 215523 and charger item no. 215527
- Pressing load kN: 60
- Working pressure in bar: 700



# PRESSING AND CUTTING WITH PRECISION!

PRESSING FORCE +

60 kN

+ SAFETY FEATURE  
Lockable with two removable pins



Ø  
50

Cu  
AL



Sensor

300-06

6-300  
standard  
CU



6-300  
DIN CU

16-300  
DIN AL

6-300  
standard  
CU

6-300  
DIN CU

16-300  
DIN AL

60  
kN

700  
bar



LI-ION  
18V  
2Ah



SysCon

## Universal set 2

Art. no. 216767

6-piece set including cutting and pressing head, without press dies in SysCon with foam insert


## Smart Battery powered crimping tool SO-6

Hydraulic for interchangeable dies, crimping head 180° swivelling, Head can be opened, manual return flow after perfect pressure, without dies.

The device also has 1 white LED designed to illuminate the working area.

### Technical data:

- Pressing force in kN: 60
- Working pressure in bar: 700
- Head can be opened yes
- Opening/ Hub: 17 mm
- Pressing width: slim
- Pressing time, battery-operated in seconds: ca. 5
- Battery charging time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- Cable lugs:
  - standard Cu 6–300 mm<sup>2</sup>
  - DIN Cu 6–300 mm<sup>2</sup>
  - DIN Al 16–300 mm<sup>2</sup>
- Connectors:
  - Cu 6–300 mm<sup>2</sup>
  - DIN Cu 6–300 mm<sup>2</sup>
  - DIN Al 16–300 mm<sup>2</sup>
- Dimensions: 383 x 75 mm



**Art. no. 216801-1**

**Base Tool**  
incl. battery and charger in case

**Art. no. 216801-1-NO**

**Base Tool**  
without battery, without charger

**Art. no. 216801-1-N**

**Base Tool**  
Machine in transport packaging



Video 216801



HAUPA batteries are compatible with the MAKITA charging technology and can be used in all 18 V Li-ion systems.

## Crimping dies set Standard Cu




Art. no. 216805-SET

Set: 14-pieces, 6 - 300 mm<sup>2</sup>

13 standard crimping dies in practical transport case.

Art. no.	mm <sup>2</sup>	PW	PU
216806	6	5	Cu 1 pair
216808	10	5	Cu 1 pair
216810	16	5	Cu 1 pair
216812	25	5	Cu 1 pair
216814	35	5	Cu 1 pair
216816	50	5	Cu 1 pair
216818	70	5	Cu 1 pair
216820	95	5	Cu 1 pair
216822	120	5	Cu 1 pair
216824	150	5	Cu 1 pair
216826	185	5	Cu 1 pair
216828	240	5	Cu 1 pair
216830	300	5	Cu 1 pair



## Crimping dies set Standard Cu WM pressing




Art. no. 216806/V-SET

Set: 14-pieces, 6 - 300 mm<sup>2</sup>

13 standard crimping dies in practical transport case. Crimping dies set for standard tubular cable lugs with extra compression also for use on compacted or thinned conductors.

Art. no.	mm <sup>2</sup>	PW	PU
216806/V	6	5	Cu 1 pair
216808/V	10	5	Cu 1 pair
216810/V	16	5	Cu 1 pair
216812/V	25	5	Cu 1 pair
216814/V	35	5	Cu 1 pair
216816/V	50	5	Cu 1 pair
216818/V	70	5	Cu 1 pair
216820/V	95	5	Cu 1 pair
216822/V	120	5	Cu 1 pair
216824/V	150	5	Cu 1 pair
216826/V	185	5	Cu 1 pair
216828/V	240	5	Cu 1 pair
216830/V	300	5	Cu 1 pair



## Crimping dies set DIN Cu




Art. no. 216831-SET

Set: 13-pieces, 10 - 300 mm<sup>2</sup>

12 DIN-Crimping dies in practical transport case.

Art. no.	mm <sup>2</sup>	PW	Id.	PU
216834	10	5	6	Cu 1 pair
216836	16	5	8	Cu 1 pair
216838	25	5	10	Cu 1 pair
216840	35	5	12	Cu 1 pair
216842	50	5	14	Cu 1 pair
216844	70	5	16	Cu 1 pair
216846	95	5	18	Cu 1 pair
216848	120	5	20	Cu 1 pair
216850	150	5	22	Cu 1 pair
216852	185	5	25	Cu 1 pair
216854	240	5	28	Cu 1 pair
216856	300	5	32	Cu 1 pair



# SMART CABLE PULLERS

CABLE PULLING  
DEVICES AND  
DECOILER



## Cable pulling device FOX

Cable pulling device FOX with glass fibre rod Ø 4.5 mm and green PP coating RAL 6018, with zinced steel winder Ø 330 mm, standing version, complete with front/end sleeve M5 and pulling head M5 with loop

**Art. no. 143050**

TL: 40 m, Ø 4,5 mm

**Art. no. 143052**

TL: 60 m, Ø 4,5 mm

**Art. no. 143054**

TL: 80 m, Ø 4,5 mm



## Cable pulling device HAUPA PullTec4

with special plastic coating, M5 thread and probe, in durable plastic housing, colour: black

### Single Composite

 4,0 mm, green

- Breaking load: 300 kg



### The advantages of the HAUPA PullTec at a glance:

- Material: Coated with a special plastic
- Slides very well and is highly elastic
- Low friction
- Does not break or bend
- M5 thread
- With probe
- In durable plastic housing




## Cable pulling device HAUPA PullTec5

with special plastic coating, M5 thread and probe, in durable plastic housing, colour: black

### Single Composite

 5,2 mm, black

- Breaking load: 350 kg



Art. no. 143506  
TL: 30 m, Ø 5,2 mm



# ONTO THE REEL!

**PROFESSIONAL**  
Aluminium profiles  
with anti-slip ribs



**STABILITY**

Side panels made  
of galvanised powder-  
coated steel



**SAFETY**

Vibration-damping feet prevent  
unwanted movement and protect  
the floor

## TECHNICAL DATA:

Drum/width: 560 mm  
Drum-Ø: 1200 mm  
Drum/kg: 175

## Decoiler 1200

**Art. no. 143400**

Weight: 9 kg  
Length: 610 mm  
Width: 570 mm  
Height: 115 mm

## Decoiler 1200+

Art. no. 143402

Weight: 10,5 kg

The front and the rear sides are made of anodized aluminum with antiskid ribs. For the left and the right side, sink steel with powder coating has been used. Because of this construction, the decoilers are strong, flexible to use, and resistant against heavy circumstances. The roles have bearings and a sliding axis, which make it easy to change the position of the roles without any special tools. Four antiskid buffers ensure that vibrations are subdued and floors remain intact.

### Technical data:

Length: 705 mm

Width: 670 mm

Height: 115 mm

Drum/width: 660 mm

Drum-Ø: 1200 mm

Drum/kg: 300



# **ELECTRICITY NEEDS STRONG CONNECTIONS**

Safe, durable and standard-compliant connections are the foundation of every professional electrical installation.

HAUPA cable connection technology offers you a comprehensive range of end sleeves, crimp connectors, tubular cable lugs and heat-shrink connectors – designed to meet the highest demands in trade and industry.

Precisely manufactured components, tested materials and practical assortments in a robust case or box system ensure order, efficiency and safety.

Whether in the workshop, on the construction site or in service: our solutions guarantee reliable contacts and long-lasting cable connections.

**HAUPA cable connection technology – perfectly connected,  
reliably secure.**

# CABLE CONNECTION TECHNOLOGY

WIRE END SLEEVES,  
TUBULAR CABLE LUGS,  
BUTT CONNECTORS,  
CABLE TIES



# HAUPA Hydraulic cutting tools

Art.	Hydraulische Schneidwerkzeuge												
	2104121	2104129.1	2104202	2104203.1	2104205	2104206.1	2104207	2104208.1	2104209.1	2104210.1	2104211.1	2104212.1	2104213.1
Art.	4080121	4080129	4080202	4080203.1	4080205	4080206.1	4080207	4080208.1	4080209.1	4080210.1	4080211.1	4080212.1	4080213.1
Schneidkraft	6	6	7	6	6	7	6	7	6	7	6	7	6
Spann	20	17	50	65	22	40	52	65	52	65	52	65	50
Kupfer-hohlzügel	•	•	•	•	•	•	•	•	•	•	•	•	•
Kupfer-mehrzügel	•	•	•	•	•	•	•	•	•	•	•	•	•
Kupfer-mehrzügel mit Schraubzügen	•	•	•	•	•	•	•	•	•	•	•	•	•
Kupfer-Leder einziehfähig masse	16	—	—	•	•	22	23	—	•	•	—	•	—
Aluminium-einklemmen	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminium-mehrzügel	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminium-mehrzügel blechmantel	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminium-Leder einziehfähig masse	20	—	—	•	•	22	22	—	•	•	—	•	—
Edelstahl	•	•	•	•	•	—	•	•	•	•	—	•	—
Universalklemmenzügel / Drahtzügel	•	•	•	•	—	•	•	•	•	•	—	•	—
Spannschraube	—	—	—	—	—	—	—	—	—	—	15	—	—
umwinder Blasbuchschräkt zweiteilig	20	•	•	•	•	•	•	•	•	•	—	•	—
stahlvermehrte Leder	•	—	•	•	•	—	—	—	•	•	—	•	—
SKK-Drahtzügel verriegelt	—	—	—	—	—	—	—	—	—	—	—	—	—
PSK / Adey Self- / Push-Press	20	—	—	•	—	•	—	—	—	—	—	—	—
Bohren	12	—	—	—	—	—	—	—	—	—	—	—	—
Basalt	—	—	—	—	—	—	—	—	—	—	—	—	—
weicher Basalt	—	—	—	—	—	16	16	—	—	—	—	—	—
Stahlbandanhänger	—	—	—	—	—	—	—	—	•	—	—	—	—
Aluminium-Endringband	—	—	—	—	—	—	—	—	—	—	—	—	—
WORMS Kabel	—	—	—	—	4 x 150 mm	—	—	—	—	—	4 x 150 mm	—	4 x 150 mm



PDF

# HAUPA PRESS CONNECTION SYSTEMS – SAFE, STANDARD-COMPLIANT AND EFFICIENT CRIMPING

**HAUPA PRESSVERBINDUNGEN MIT SYSTEM**

KONTAKT		KONTAKT		KONTAKT									
1	2	3	4	5	6	7	8	9	10	11	12	13	14
•	•	•	•	•	•	•	•	•	•	•	•	•	•

**haupa**

haupa.com

**SICHER, NORMGERECHT UND EFFIZIENT VERPRESSEN**

KONTAKT		KONTAKT		KONTAKT									
1	2	3	4	5	6	7	8	9	10	11	12	13	14
•	•	•	•	•	•	•	•	•	•	•	•	•	•

**haupa**

mit Sicherheit besser



PDF

## End sleeve assortment

Art. no. 270881

Serie DIN

**Content:** 5.200 insulated end sleeves,  
1 crimping pliers (art. no. 212806), crimp 0,5 - 16 mm<sup>2</sup>, in plastic bulk  
storage chest 415 x 335 x 90 mm

Qty.	Description	Length mm	CS mm <sup>2</sup>
100	Twin end sleeves	8	0,5
100	Twin end sleeves	8	0,75
100	Twin end sleeves	8	1
100	Twin end sleeves	8	1,5
100	Twin end sleeves	10	2,5
100	Twin end sleeves	12	4,0
100	Twin end sleeves	14	6,0
500	insulated end sleeves	8	0,5
500	insulated end sleeves	8	0,75
1.000	insulated end sleeves	8	1
1.000	insulated end sleeves	8	1,5
500	insulated end sleeves	8	2,5
500	insulated end sleeves	10	4
200	insulated end sleeves	12	6
200	insulated end sleeves	12	10

NEW



## Assortment for Combi-Crimp





Art. no. 270895

Serie DIN

**Content:** 2.700 insulated end sleeves, 1.100 insulated terminals, 1 crimping pliers (210784) for insulated terminals 0,5 - 2,5 mm<sup>2</sup> and end sleeves 0,5 - 6 mm<sup>2</sup>, in plastic bulk storage chest 415 x 335 x 90 mm

Qty.	Description	Length mm	CS mm <sup>2</sup>	M
500	insulated end sleeves	8	0,5	
500	insulated end sleeves	8	0,75	
500	insulated end sleeves	8	1	
500	insulated end sleeves	8	1,5	
500	insulated end sleeves	8	2,5	
100	insulated end sleeves	10	4	
100	insulated end sleeves	12	6	
200	insulated butt connectors		0,5-1,0	
200	insulated butt connectors		1,5-2,5	
100	insulated socket sleeves		0,5-1,5/6,3x0,8	
100	insulated socket sleeves		1,5-2,5/6,3x0,8	
100	insulated ring terminals		0,5-1,0	M4
100	insulated ring terminals		0,5-1,0	M5
100	insulated ring terminals		1,5-2,5	M4
100	insulated ring terminals		1,5-2,5	M5
100	insulated ring terminals		1,5-2,5	M6



## Assortment of tubular cable lugs, standard

Art. no. 290380

6 – 50 mm<sup>2</sup>, standard

**Content:** 380 cable lugs,  
1 crimping pliers (art. no. 210805), crimp standard 6 - 50 mm<sup>2</sup>,  
hexagon crimping, in plastic bulk storage chest 415 x 335 x 90 mm

Qty.	Description	CS mm <sup>2</sup>	M	Art. no.
50	cable lugs, standard, tinned	6	M6	290934
50	cable lugs, standard, tinned	6	M8	290936
50	cable lugs, standard, tinned	10	M6	290940
50	cable lugs, standard, tinned	10	M8	290942
30	cable lugs, standard, tinned	16	M8	290952
40	cable lugs, standard, tinned	16	M10	290954
25	cable lugs, standard, tinned	25	M8	290960
25	cable lugs, standard, tinned	25	M10	290962
20	cable lugs, standard, tinned	35	M8	290968
20	cable lugs, standard, tinned	35	M10	290970
20	cable lugs, standard, tinned	50	M8	290978

Video 210805



## Dispenser box with insulated end sleeves (DIN)

Art. no. 270854

400 pcs

**Contents:** Colour range III, DIN

50 pcs	white,	0,5 mm <sup>2</sup> ,	art. 270800
100 pcs	grey,	0,75 mm <sup>2</sup> ,	art. 270802
100 pcs	red,	1,0 mm <sup>2</sup> ,	art. 270804
100 pcs	black,	1,5 mm <sup>2</sup> ,	art. 270807
50 pcs	blue,	2,5 mm <sup>2</sup> ,	art. 270810



## Dispenser box with Twin end sleeves (DIN)

Art. no. 270795

200 pcs

**Contents:** Twin end sleeves, Colour range III, DIN

50 pcs	grey,	0,75 mm <sup>2</sup> ,	art. 270780
50 pcs	red,	1,0 mm <sup>2</sup> ,	art. 270784
50 pcs	black,	1,5 mm <sup>2</sup> ,	art. 270788
50 pcs	blue,	2,5 mm <sup>2</sup> ,	art. 270792



## Slide Box with DIN end sleeves

Art. no. 270864

400 pcs

The transparent sliding lids enable easy access and prevent the

contents from becoming mixed up. 5 separate compartments.

Dimensions: 165 x 58 x 38 mm (L x W x H)

**Contents:** Colour range III, DIN

50 pcs	white,	0,5 mm <sup>2</sup> ,	art. 270800
100 pcs	grey,	0,75 mm <sup>2</sup> ,	art. 270802
100 pcs	red,	1,0 mm <sup>2</sup> ,	art. 270804
100 pcs	black,	1,5 mm <sup>2</sup> ,	art. 270807
50 pcs	blue,	2,5 mm <sup>2</sup> ,	art. 270810



## Slide box with heat-shrink butt connectors

Art. no. 363501

60 pcs

The transparent sliding lids enable easy access and prevent the

contents from becoming mixed up. 5 separate compartments.

Dimensions: 165 x 58 x 38 mm (L x W x H)

**Contents:** 60 waterproof heat-shrink butt connectors with internal adhesive

20 pieces red, 0.5 - 1.0 mm<sup>2</sup>, item no. 363500

30 pieces blue, 1.5 - 2.5 mm<sup>2</sup>, item no. 363502

10 pieces yellow, 4.0 - 6.0 mm<sup>2</sup>, item no. 363504

Only crimp with crimping pliers item no. 211695!

NEW



# COMPACT CONNECTOR SET

## PROFESSIONAL

Unlockable  
forced lock



## INDIVIDUAL

Crimp pressure  
can be readjusted

## PRACTICAL

Easy access to connectors  
thanks to transparent  
sliders

## CONNECTORS

for watertight  
connections

**Heat-shrink butt connectors with crimping pliers**

**NEW**

Art. no.  
363501/SET  
61 pieces

## Set 1: Assortment of cable ties, natural colour

**NEW**

in a sturdy construction bucket (Art. no. 300102)  
with tool holder (Art. no. 220313)

**The assortment includes:**

- 300 x cable ties 203 x 2.5 mm, natural (Art. no. 262506)
- 300 x cable ties 142 x 3.2 mm, natural (Art. no. 262508)
- 300 x cable ties 292 x 3.6 mm, natural (Art. no. 262510)
- 200 x cable ties 199 x 4.8 mm, natural (Art. no. 262516)
- 100 x cable ties 302 x 4.8 mm, natural (Art. no. 262520)
- 200 x cable ties 371 x 4.8 mm, natural (Art. no. 262522)



Art. no. 300918/Z1

Set 1



## Set 2: Assortment of black cable ties, UV-resistant

**NEW**

in a sturdy construction bucket (Art. no. 300102)  
with tool holder (Art. no. 220313)

**The assortment includes:**

- 300 x cable ties 203 x 2.5 mm, black (Art. no. 262606)
- 300 x cable ties 142 x 3.2 mm, black (Art. no. 262608)
- 200 x cable ties 292 x 3.6 mm, black (Art. no. 262610)
- 300 x cable ties 203 x 4.6 mm, black (Art. no. 262616)
- 100 x cable ties 302 x 4.8 mm, black (Art. no. 262620)
- 100 x cable ties 371 x 4.8 mm, black (Art. no. 262622)



Art. no. 300919/Z1

Set 2



# WORKING UNDER TENSION

BUT SAFELY!





## **TESTED IN ACCORDANCE WITH STANDARDS AND INDIVIDUALLY INSPECTED**

When working on electrical systems, the quality of the tool is crucial. That is why tools used under voltage are subject to strict safety standards such as DIN EN IEC 60900. These special tools must be specifically designed and tested for such applications.

HAUPA safety tools with the special symbol 1000 V  are approved for work up to 1000 V AC. To ensure that the insulation can reliably withstand high voltages, each tool undergoes a breakdown test with 10,000 V AC. HAUPA safety tools thus offer a guaranteed safety buffer for applications up to 1000 V AC.

**HAUPA – safety you can rely on.**

# SAFETY FIRST!

## SAFETY TOOLS



## Cable knife VDE with sliding block

with a hook blade for slicing open and removing the sleeve from all cables, handles made from tough elastic, impact proof plastic, with transparent blade guard.

**Application:** for all cables, no damage to conductor insulation thanks to sliding block



▲ 1000 V IEC 60900



Art. no. 200007

BL: 50 mm

## Cable cutter VDE HUPtriCut

- for cutting copper/aluminium cables, fine wire, multiple-core and solid copper
- Chrome vanadium steel, dip-insulated handles
- insulating function in upper head area
- Cable measuring function thanks to the 180 degree crossover of the legs
- Data, telephone and control cable, maximum Ø 12 mm
- Cu single wire, maximum 16 mm<sup>2</sup>
- Cu fine wire, maximum 50 mm<sup>2</sup>
- Cu multi-wire, maximum 25 mm<sup>2</sup>
- Al single wire, maximum 16 mm<sup>2</sup>
- Al multi-wire, maximum 25 mm<sup>2</sup>



▲ 1000 V IEC 60900



Ø  
12

Cu  
Al



Art. no. 211223

50 mm<sup>2</sup> | Ø 12 mm | 200 mm



# THE TRIPLE HERO IN THE TOOLBOX!

## STRONG PERFORMANCE

Thanks to chrome vanadium.



## 3-IN-1 ALL-ROUNDER

Cutting, stripping and opening cable sheathing – all with just one tool!



**TURN IT AROUND!**  
A 180-degree leg swing  
transforms the cutter  
into a cable knife.



## CUTTING PERFORMANCE

Designed for fine and multi-strand copper/aluminium cables.

## ERGONOMIC AND COMFORTABLE

Two component grip covers  
for optimum grip.



## VDE-TESTED

Safe operation up to 1000 V.



## Cable cutter VDE HUPtriCut

Art. no. 211225

16 mm<sup>2</sup> | Ø 8 mm | 160 mm



▲ 1000 V IEC 60900

## Wrench pliers VDE

- Stepless gripping of all wrench widths thanks to the parallel jaws
- Easy tightening and releasing of screw connections
- Weight-reduced for very light working that is gentle on the joints
- Secure setting of the gripping jaws prevents the joint slipping through
- Gentle on surfaces thanks to the smooth, polished gripping surfaces
- 10-fold manual force amplification for very high clamping force
- With comfortable single-hand adjustment pushbutton
- With finger clamp protection for safe working
- Chrome-vanadium tool steel ensures high durability and a long product life
- Individually tested acc. to DIN EN IEC 60900 for working safely on live parts

Replaces entire open wrench set!


Art. no. 211224

Length: 280 mm | WS: 50 mm

360° | 211224



Replaces entire open wrench set!  
Thanks to the parallel jaws, screw  
surface will not be damaged and  
sensitive surfaces are protected!



## Screwdrivers set Plus 1000 V



Art. no. 101980

Set: Mix | 15-pieces

with 2 component handle made from PP/TPE material, blade made from molybdenum vanadium steel, hardened, blasted, type tested, insulated, 15-pieces.

### Content:

- Electricians' screwdrivers 1000 V 2,5 x 0,4 x 75 mm, 3 x 0,5 x 100 mm, 4 x 0,8 x 100 mm, 5,5 x 1,0 x 125 mm
- Cross slotted screwdrivers 1000 V Phillips, size 1 and 2
- Cross slotted screwdrivers 1000 V Pozidriv, size 1 and 2
- Screwdriver 1000 V with PZ slot profile, size 1 and 2
- Screwdrivers 1000 V Tx, size 10, 15, 20, 25
- Voltage testers 120 - 250 V



▲ 1000 V IEC 60900



## Screwdrivers set HUPslimPlus 1000 V



Art. no. 102980

Set: Mix | 12-pieces

with 2 component handle made from PP/TPE material, blade made from molybdenum vanadium steel, hardened, blasted, type tested, insulated, 12-pieces.

### HUPslim

Screwdriver with reduced blade diameter and integrated protective insulation. Deep screwing can be achieved to a better standard thanks to the reduced blade diameter.

### Content:

- Electricians' screwdrivers HUPslim 3,5 x 0,6 x 100 mm, 4 x 0,8 x 100 mm, 4 x 1,0 x 100 mm, 5,5 x 1,0 x 125 mm, 6,5 x 1,2 x 150 mm
- Cross slotted screwdrivers HUPslim Phillips, size 1 and 2
- Cross slotted screwdrivers HUPslim Pozidriv, size 1 and 2
- Screwdriver HUPslim with PZ slot profile, size 1 and 2
- Voltage testers 120 - 250 V



▲ 1000 V IEC 60900



## VarioPro 1000 V replaceable blade system

VarioPro<sup>®</sup>

Art. no. 102052

30-pieces

The VarioPro replaceable blade system with insulated replaceable blades, switching cabinet key is integrated into the system, VDE pliers set and voltage tester.

**Content:** 30 pcs.

- Slot: 0.4 x 2.5 x 100, 0.5 x 3.0 x 100, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 100, 1.2 x 6.5 x 100
- Phillips: 0 x 100, 1 x 100, 2 x 100
- Pozidriv: 0 x 100, 1 x 100, 2 x 100
- PZ/FL 1, PZ/FL 2
- Tx: 8 x 100, 9 x 100, 10 x 100, 15 x 100, 20 x 100, 25 x 100, 30 x 100
- Square: 8 x 47
- Double-bit: 5,3 x 47
- Screw cap, additional screw cap when using as precision tool (electronics)
- 2-component exchangeable handle: 120 mm
- Voltage testers VDE/GS: 100700, 125-250 V
- Combination pliers DIN ISO 5746 VDE\*, 180 mm
- Side cutters DIN ISO 5749 VDE\*, 160 mm
- Long chain nose pliers DIN ISO 5745 VDE, straight\*, 200 mm
- Wire stripping pliers VDE, 160 mm, Ø: 0,2 – 6 mm




\* High leverage | perfected cutting force performance (high leverage pliers offer power saving of up to 50%)

▲ 1000 V IEC 60900



Placeholders for  
torque handle



## VarioPro 1000 V replaceable blade system + Torque handle

VarioPro TQ

Art. no. 102052/TQ

31-pieces

The VarioPro replaceable blade system with insulated replaceable blades, switching cabinet key is integrated into the system, plus VDE pliers set. **Including a Torque handle (Art. no. 102790, 1 – 6 Nm) and Square socket key.**

**Content:** 31 pcs.

- Slot: 0.4 x 2.5 x 100, 0.5 x 3.0 x 100, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 100, 1.2 x 6.5 x 100
- Phillips: 0 x 100, 1 x 100, 2 x 100
- Pozidriv: 0 x 100, 1 x 100, 2 x 100
- PZ/FL 1, PZ/FL 2
- Tx: 8 x 100, 9 x 100, 10 x 100, 15 x 100, 20 x 100, 25 x 100, 30 x 100
- Square: 8 x 47
- Double-bit: 5,3 x 47
- Screw cap, additional screw cap when using as precision tool (electronics)
- 2-component exchangeable handle: 120 mm
- 2-component exchangeable torque handle: 120 mm
- Square socket key
- Combination pliers DIN ISO 5746 VDE\*, 180 mm
- Side cutters DIN ISO 5749 VDE\*, 160 mm
- Long chain nose pliers DIN ISO 5745 VDE, straight\*, 200 mm
- Wire stripping pliers VDE, 160 mm, Ø: 0,2 – 6 mm



\* High leverage | perfected cutting force performance (high leverage pliers offer power saving of up to 50%)

▲ 1000 V IEC 60900



Including torque handle !



## Vario 1000 V replaceable blade system

**Vario**

in robust nylon bag, **Content:** 2-component exchangeable handle, screw cap, replaceable blade - slotted blade 0.4 x 2.5 / 0.5 x 3.0 / 0.8 x 4.0 / **PH1 / PH2 or PZ1 / PZ2**, PZ/FL 2, switch cabinet key - square 1, double-bit

**Art. no. 102000-1**


Phillips, 10-pieces

**Further characteristic feature include:**

- High level of safety
- Exchangeable cap for use as an electronics screwdriver
- Switching cabinet key is integrated into the system
- Space-saving
- Weight-saving
- Cost-effective price/performance ratio
- Meets all relevant standards

**Art. no. 102000/PZ-1**

Pozidriv, 10-pieces

**▲ 1000 V IEC 60900****PH****PZ**

## VarioTQ 1000 V torque screwdriver with replaceable blades

VarioTQ


insulated replaceable blade made from molybdenum vanadium steel, hardened, blasted, with hexagonal shaft, in robust nylon bag.

- torque can be set using a separate key
- scale value can easily be read off
- clearly perceptible and audible signal when the set torque is achieved
- torque accuracy according to EN ISO 6789:2003

**Content:** 12-pieces

- 2-component exchangeable torque handle: (1000 V) **1 – 6 Nm** or **0,5 – 3,5 Nm**
- slotted 0.4 x 2.5 / 0.5 x 3.0 / 0.8 x 4.0 / 1.0 x 5.5 / 1.2 x 6.5
- PH0 / PH1 / PH2 or PZ0 / PZ1 / PZ2
- PZ/FL 1
- PZ/FL 2
- Square socket key

▲ 1000 V IEC 60900



**Art. no. 102700-1**

Phillips, **1 – 6 Nm**



**Art. no. 102700/PZ-1**

Pozidriv, **1 – 6 Nm**



**Art. no. 102701-1**

Phillips, **0,5 – 3,5 Nm**



**Art. no. 102701/PZ-1**

Pozidriv, **0,5 – 3,5 Nm**



**Tool case 1000 V, 1/4"**

1/4"

**Art. no. 220576**

18-pieces

made of plastic, complete with 1/4" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

**Content:**

- Reversible ratchet 150 mm, 1/4"
- T-slip-on-keys 125 mm, 1/4"
- Extension 100 and 150 mm, 1/4"
- Sockets 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- Dies for hexagon screws 1/4", 3, 4, 5, 6 mm

**Tool case 1000 V, 3/8"**

3/8"

**Art. no. 220402**

16-pieces

made of plastic, complete with 3/8" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

**Content:**

- Reversible ratchet 200 mm, 3/8"
- T-slip-on-keys 200 mm, 3/8"
- Extension 150 and 250 mm, 3/8"
- Sockets 3/8", 8, 10, 12, 13, 14, 17, 19, 22 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm



# OPEN THE TOOLBOX – PROBLEM SOLVED.



## EVERYTHING INCLUDED:

reversible ratchet,  
extensions,  
high-quality sockets.



## MOBILE:

Wherever you go.



## 1/2" POWER FOR PROFESSIONALS

Ideal for electricians,  
fitters and others.

## VDE INSULATION:

Safe working  
up to 1000 V.



## PRECISELY FITTING FOAM INSERT:

No rattling, no searching!



1000 V IEC 60900

1/2"



## Tool case 1000 V, 1/2"

**Art. no. 220404**

Set: 20 pieces

Dimensions: 380 x 316 x 61 mm

**Torque wrench 1000 V**

3/8"

Art. no. 220415

10 - 50 Nm

10 - 50 Nm, full insulated, from shock-resistant plastic. The achievement of the set torque is made noticeable by a clearly audible or tactile mechanism.



360° | 220415



10-50	Nm	TQ
-------	----	----

1000 V	3/8"
--------	------



▲ 1000 V IEC 60900

**Tool case 1000 V**

1/2"

Art. no. 220205/EN

16-pieces

made of plastic, complete with double-insulated 1/2" tools.  
Dimension: 450 x 340 x 100 mm.

**Content:**

- Reversible ratchet 1/2"
- Extension 125 mm, 1/2"
- Extension 250 mm, 1/2"
- Slip-on-keys 1/2"
- Hexagon sockets 1/2", 10, 12, 13, 14, 17, 19, 22, 24 mm
- Dies for hexagon screws 1/2", 5, 6, 8 mm
- 2C-VDE screwdriver 3,5 x 100 mm

**with locking system**

▲ 1000 V IEC 60900



## Tool case Biber 1000 V

1/2"

Art. no. 220146

26-pieces

made of plastic, complete with double-insulated 26 safety tools.  
Dimension: 450 x 340 x 100 mm.

### Content:

- 2C-VDE electrician's screwdrivers 4 x 100, 5,5 x 125, 6,5 x 150, 8 x 175 mm
- VDE combination pliers 200 mm
- VDE side cutters 180 mm
- VDE telephone pliers, straight, 200 mm
- Reversible ratchet 1/2"
- Extension 250 mm, 1/2"
- Hexagon sockets 1/2", 10, 11, 12, 13, 14, 17, 19 mm
- Open end spanners 10, 11, 12, 13, 14, 17, 19 mm
- 2-pole voltage tester
- Cable knife
- Cable stripping knife

with locking system



▲ 1000 V IEC 60900



## **SAFETY TO GO**

HAUPA case systems combine tested VDE tools, robust transport solutions and intelligent equipment in one system.

Each case is individually equipped with screwdrivers, pliers, voltage testers, protective clothing and special tools for professional use.

Well-thought-out organisation ensures clarity and quick access, whether on the construction site, in service or in the workshop. Compact, safe and durable – the ideal solution for professionals who value quality and mobility.

**Compact. Safe. Well thought-out. HAUPA.**

# MOBILE AND RELIABLE.

## TOOL CASES, BAGS, SysCon



# FULL POWER FOR PROFESSIONALS.

## CLEVERLY ORGANISED

with document pocket and dividers.

## FULLY EQUIPPED

including tester, pliers, safety glasses and more.

## ERGONOMIC 2 COMPONENT HANDLES

for precise working.



## ABS-CASE

durable and shockproof.



**Tool case  
Power Pack 1000 V**

**Art. no. 220303**

Set: 22 pieces

Dimensions:

460 x 180 x 310 mm

Weight: 8,68 kg

**ABS+**



▲ 1000 V IEC 60900

## Tool case trolley Secure Mobil 1000 V

Art. no. 220272


29 pcs., 470 x 220 x 360 mm

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

### Content:

- VDE electricians' screwdrivers  
2,5 x 75, 4 x 100, 5,5 x 125, 6,5 x 150 mm
- VDE cross slotted screwdrivers PH, size 1 + 2
- Voltage tester Profi plus 12-1,000 V
- Single ended spanner 1000 V 10, 12, 13, 19, 22, 24
- Finger gloves 1000 V, size 9
- Safety fuse grips
- Flat nose pliers 1000 V
- Slip on bushes 1000 V no. 1,2, 3 (each 5x)
- VDE cable knife, 50 mm
- VDE combination pliers 180 mm\*
- VDE diagonal cutter 160 mm\*
- VDE long chain nose pliers 200 mm\*
- Tool case 1000 V, drive 3/8"
- Electrical insulating tape, red (6x)

ABS \*\*



## Tool case Delux Plus 1000 V

Art. no. 220239


43 pcs., 460 x 180 x 310 mm

ABS-case, signal-red, with high-grade fittings, case 220076.

### Content:

- VDE electrician's screwdriver 2.5 x 75, 4 x 100, 5.5 x 125, 6.5 x 150 mm
- VDE cross slotted screwdriver PH, size 1 + 2
- VDE telephone pliers, coating insul., straight, 200 mm
- VDE telephone pliers, coating insul., bent, 200 mm
- VDE combination pliers, coating insul., 180 mm
- VDE side cutters, coating insul., 160 mm
- VDE wire stripping pliers, coating insul., 160 mm
- Socket wrenches 5.5, 7, 8, 10 mm
- Voltage tester Profi Plus
- Reversible ratchet, coating insul., 1/2"
- T-sliding handle, coating insul., 1/2"
- Hexagon sockets, coating insul., 10, 11, 12, 13, 14, 15, 16
- Open end spanners, coating insul., 10, 12, 13, 19, 22, 24
- VDE Cable knife
- Cable scissors 200 mm, coating insul.
- Slip-on bushes 5-pieces No. 1, 10 mm
- Slip-on bushes 5-pieces No. 2, 10 mm
- Slip-on bushes 5-pieces No. 3, 10 mm
- Plastic pliers, 180 mm
- Plastic clamp
- Covering tape, grey
- Covering tape, red
- Safety grip
- Gloves size 9

**ABS+ \*\***



**11,78 kg**

## Service-Trolley E-Mobility

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

### Content:

- VDE electrician's screwdrivers  
2,5 x 75, 3 x 100, 3,5 x 100, 4 x 100 mm
- VDE cross slotted screwdrivers PH 1, 2, 3
- VDE cross slotted screwdrivers S-Tx 20, 25, 30
- Hexagon sockets VDE 3/8"  
WS 8, 9, 10, 12, 13, 14, 17, 19, 22
- Extension 3/8" VDE, 250 mm
- Reversible ratchet VDE 3/8"
- Water pump pliers VDE 240 mm
- Cable cutters VDE 230 mm
- Side heavy duty side cutters VDE 200 mm\*
- Side cutters VDE 160 mm\*
- Short flat nose pliers VDE 160 mm
- Long chain nose pliers, angled nose 200 mm\*
- Combination pliers VDE 200 mm\*
- Cable stripping knife 1000V, straight blade, 50 mm
- Safety-sets with bag, insulating mat
- Slip on bushes 1000V, 12 mm
- Slip on bushes 1000V, 10 mm
- VDE-sockets 3/8", M8, M10, M12
- Shutting band red/white 500 m
- Sign DANGEROUS VOLTAGE
- Sign DO NOT SWITCH
- Sign CAUTION BATTERIES



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance



Art. no. 220171

40 pcs., 470 x 220 x 360 mm

ABS \*\*

VIDEO 220171



19.8 kg

## SysCon HUPeMobility

Art. no. 220610

36-pcs.

### Content:

- ABS-Box SysCon S
- ABS-Box SysCon M
- ABS-Box SysCon XL with divider
- Tool board SysCon 11 compartments
- Rolling board universal for SysCon
- Digital multimeter Multi Check III
- Voltage tester Profi LED Plus II 6 - 1000 V
- VDE-electrician's screwdriver **HUPslim\***  
3.5x0.6x100 mm | 4.0x0.8x100 mm  
5.5x1.0x125 mm | 6.5x1.2x150 mm
- VDE-screwdriver **HUPslim PH 1 + 2\***
- VDE-universal pliers 180 mm\*
- VDE-wire cutter 160 mm\*
- VDE-pliers wrench 280 mm
- VDE-pantograph pliers straight\*
- VDE-installation pliers
- VDE-finger gloves 1000 V Gr. 10
- Electrician's shield EN 166
- Self-clamping sleeves 10, 20, 30 mm
- Reversible ratchet 200 mm, 3/8"
- T-spanner wrench 200 mm, 3/8"
- Extensions 150 and 250 mm, 3/8"
- Socket wrench inserts 3/8" 8, 10, 12, 13, 14, 17, 19, 22 mm
- Inserts for socket screws 3/8" 4, 5, 6, 8 mm
- VDE-insert 3/8" eco, long WS 8, 10, 12, 13, 14, 17, 19 mm
- VDE-insert 3/8" XZN M8, M10, M12 eco
- Sign DANGEROUS VOLTAGE
- Sign DO NOT SWITCH
- Sign CAUTION BATTERIES



▲ 1000 V IEC 60900

**SysCon**



VIDEO 220610



\* perfected  
cutting force  
performance



## HAUPA ToolBag 1000 V

Art. no. 220510

14 pcs., 320 x 190 x 280 mm

Tool bag with inner and outer tool compartments, rubber-reinforced base. Waterproof and dirt resistant, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments outside (various sizes), 10 compartments inside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black/green. ToolBag 220061.

### Content:

- VDE electrician's screwdrivers, 2,5 x 75 | 4 x 100 | 5,5 x 125 | 6,5 x 150 mm
- VDE cross slotted screwdrivers PH, size 1 + 2
- VDE combinations pliers, 180 mm\*
- VDE side cutters, 160 mm\*
- VDE telephone pliers, straight, 200 mm\*
- VDE wire stripping pliers, 160 mm
- Spanners for switch-cabinets
- Cable knife
- Voltage tester Basic



1000 V IEC 60900



\* perfected  
cutting force  
performance



3,92 kg

## SysCon XL SafetySet

Art. no. 220652

5-pcs.

**Content:**

- 220650 ABS plastic box SysCon XL
- 120010 VDE electricians protection visor 1000 V
- 120007 VDE gloves 1000 V size 10
- 120008 Electricians' protection helmet
- 120012 VDE NH fuse grip


**SysCon**



**6,62 kg**

# LOCKOUT/ TAGOUT

## ACCESS CONTROL SYSTEMS



## Security lock | Shackle Ø 4.7 mm

### Zenex padlock

- Locking system with differently locking locks
- Content: 1 key (1 operator = 1 padlock = 1 key)
- Spark-free padlock suitable for use in explosive atmospheres
- Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with Danger / Property of in EN, FR, and SP

Art. no. 120155

Ø 4,76 | 35 x 86 mm



## Security lock | Shackle Ø 6 mm

### Zenex padlock

- Locking system with differently locking locks
- Content: 1 key (1 operator = 1 padlock = 1 key)
- Key retention ensures that the lock doesn't unintentionally remain unlocked
- Spark-free padlock suitable for use in explosive atmospheres
- Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with Danger / Property of in EN, FR, and SP

Art. no. 120156

Ø 6 | 38 x 82 mm



## Aluminium lockout hasp

**Safety lockout hasp, aluminium, clip with diameter 2.71 cm, red handle, for 6 padlocks with max. 6 mm shackle diameter**

- Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed

**Art. no. 120157**

Ø 6 | for 6 locks




## Plastic lockout hasp

**Non-conductive nylon lockout hasp, dielectric protection, spark-free - for 6 padlocks with a maximum shackle diameter of 6 mm**

- Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed
- Suitable for use in potentially explosive atmospheres

**Art. no. 120158**

Ø 6 | for 6 locks



## Safety lockout for standard circuit breakers

**Designed for standard circuit breakers**

- Effective lockout of circuit breakers
- Durable construction with powder-coated, reinforced polymer for use in extreme environmental conditions
- Suitable for use in potentially explosive atmospheres

**Art. no. 120170**

Ø 6 | for 1 lock



# FOCUS ON SAFETY

## QUICK ASSEMBLY

No tools required – simply clip into place.

## APPROVED

for safe use in potentially explosive atmospheres.

## FLEXIBLE USE

suitable for all applications – horizontal or vertical.

## SAFETY LOCKOUT

Space for up to 2 padlocks.  
(Ø 6 mm)



## UNIVERSALLY COMPATIBLE

with standard miniature circuit breakers.

## Safety lockout for circuit breaker

Art. no. 120159  
Ø 6 | for 2 locks

## Lockout device for 120 – 240 V plug

**Cover for electrical plug connection, small - 120 to 240 V  
plug connections**

- Unique rotating design for easy handling
- Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals



**Art. no. 120171**

120 – 240 V



## Lockout device for 16 – 32 A CEE plug

**Cover for electrical plug connection, large - 240 and 550 V**

- Unique rotating design for easy handling
- Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals



**Art. no. 120172**

240 and 550 V




## Adjustable multi-lock cable

Art. no. 120173

Ø 6 | 1,8 m x Ø 4 mm

### Adjustable cable lockout (1.8 m) for various security lockout applications

- Adjustable cable length (braided steel cable 1.8 m x Ø 4 mm with plastic coating)
- Thermoplastic Zenex body is chemical resistant
- Flexible and easy insertion into various lockout points
- Integrated safety hasp for up to 4 padlocks with a max. shackle diameter of 6 mm
- Ideal for multiple lockout situations
- Comes with reusable, writeable safety labels (EN, FR, SP)
- Suitable for use in potentially explosive atmospheres



## Security lockout set

Art. no. 120174

7 pieces

### Set of lockout devices for electrical systems – Blister-pack – English

#### Content:

- 1 keyed-alike Zenex padlocks
- 1 mini circuit breaker lockouts
- 1 circuit breaker lockout for large circuit breakers
- 2 Warning tags/signs
- 1 plastic lockout hasp for four padlocks
- 1 compact red belt pouch



## DO NOT OPERATE sign | English

**Lockout tags in English** (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: Danger - Do not operate

### Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120175

146 x 80 mm



## DO NOT OPERATE sign | German

**Lockout tags in German** (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: Danger - Do not operate

### Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120176

146 x 80 mm



## DO NOT OPERATE sign | Spanish

**Lockout tags in Spanish** (each bag contains 12 tags), laminated signs, polyester coating: water, grease, and temperature resistant, Text: PELIGRO - NO HACER FUNCIONAR

### Oil and dirt-repellent polyester-coated tags

Tags with the notice DO NOT OPERATE, customizable with employee name, department, and planned task. Brass sealing ferrule with a diameter of 11 mm suitable for all types of lockout padlocks and withstands pulling force.

Art. no. 120177

146 x 80 mm



# BASIC TOOLS

ESSENTIAL ITEMS FOR  
ALL SITUATIONS.





# THE FOUNDATION OF PROFESSIONAL PERFORMANCE

Our basic tools form a solid foundation for precise, safe and efficient work in trade, industry and service.

Whether pliers, screwdrivers, socket wrenches or measuring tools – every product impresses with its well-thought-out function, high ergonomics and durable materials.

From individual tools to complete case systems and mobile solutions, the basic range offers everything professionals need for everyday use.

Innovative details, robust workmanship and proven quality ensure that every project is a reliable success – from the first step to the final check.

**HAUPA basic tools – reliable, versatile, indispensable.**

# UNPACK. GET STARTED.

READY FOR ANY  
PROJECT.



## Pliers wrench

- Stepless gripping of all wrench widths thanks to the parallel jaws
- Easy tightening and releasing of screw connections
- Weight-reduced for very light working that is gentle on the joints
- Secure setting of the gripping jaws prevents the joint slipping through
- Gentle on surfaces thanks to the smooth, polished gripping surfaces
- 10-fold manual force amplification for very high clamping force
- With comfortable single-hand adjustment pushbutton
- With finger clamp protection for safe working
- Chrome-vanadium tool steel ensures high durability and a long product life
- Handles in black/green soft dip insulated

Art. no. 210615

Length: 180 mm | WS: 36 mm

Art. no. 210619

Length: 260 mm | WS: 50 mm

360° | 210615



360° | 210619



## Set with 7 tools



Art. no. 212683/Z1

7-pieces

### Screwdrivers set 1000 V, Phillips, 6 pieces

Content: Electricians' screwdriver 1000 V, 2.5 x 75 mm / 4 x 100 mm / 5.5 x 125 mm / 6.5 x 150 mm, Cross slotted screwdrivers 1000 V, Phillips size 1 and 2

### Automatic wire stripper

- for solid and flexible cables
- automatic setting to the cross-section
- Working range of 0.5 to 6 mm<sup>2</sup> (212695)
- integrated side cutter up to 2.5 mm<sup>2</sup>



## Hexagon L-Key Set with ball head

Made from chrome vanadium steel, blades hardened throughout, nickel plated, **extra long**, metric or AF, with ball head, in folding holder.

### Content metric:

WS: Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

### Content AF:


WS: Hex 1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"

360° | 100965



## Hole saw with edge countersink and board ejector

- For setting wall-flush sockets, Ø 68 mm
- Cutting depth 35 mm
- High concentricity
- Specially for plasterboard, softwood, plywood, Fermacell etc.
- 9,5 mm hexagonal holder
- In plastic box



Art. no. 100965

9-pieces, size 1,5 - 10 mm

Art. no. 100967

9-pieces, size 1/16" - 3/8"

Art. no. 231929

Ø 68 mm



## Ratchet screwdriver set FlexBag

FlexBag

Art. no. 104020-1

51-pieces, Bit: 50 mm

with 50 mm S2 bits and reduced shank, in robust nylon bag.

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatiguefree working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws.

### Contents:

1/4" 50 mm Power bits Tx:

T5, T6, T7, T8, T9, T10, T15, T20, T25, T30, T40

1/4" 50 mm Power bits Hex: H2, H2.5, H3, H4, H5, H6

1/4" 50 mm Power bits PH: 0, 1, 2, 3

1/4" 50 mm Power bits PZ: 0, 1, 2, 3

1/4" 50 mm Power bits slot: 3, 4, 5, 6, 7, 8

1/4" 50 mm Power bits SQ: 0, 1, 2, 3

1/4" 50 mm Power bits Tri-Wing: 1, 2, 3

1/4" 50 mm Power bits PZ/FL 1 & 2


Above bits are in reduced shank except T40, H6,

flat: 6, 7, 8 in full hex shank

2 pcs. Adapters: 1/4" 50 mm, 1/4" 80 mm

8 pcs. sockets: 5, 5.5, 6, 7, 8, 10, 12, 13

1 pc of FlexPlus ratcheting driver



## Ratchet screwdriver set FlexBagPro

FlexBag

Art. no. 104022-1

51-pieces, Bit: 50 mm

### 37 safety bits, 8 spanner sockets, 5 drill bits, in robust nylon bag.

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatiguefree working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws.

#### Contents:

- 1/4" 50 mm torsion bits S-TX (hole), color coded: T10, T10, T15, T15, T20, T25, T27, T30, T40
- 1/4" 50 mm torsion bits Hex, color coded: H3, H4, H5, H6
- 1/4" 50 mm torsion bits PH, color coded: 1, 2, 2, 3
- 1/4" 50 mm torsion bits PZ, color coded: 1, 2, 2, 2
- 1/4" 50 mm torsion bits slot, color coded: 3, 4, 4, 5, 6
- 1/4" 50 mm torsion bits SQ, color coded: 1, 2, 3
- 1/4" 50 mm standard bits PZ/FL: 1, 1, 2, 2
- 1/4" 50 mm standard bits PH/FL: 1, 1, 2, 2
- 8 pcs. sockets: 5, 5.5, 6, 7, 8, 10, 12, 13
- 5 pcs. drills: 2, 3, 4, 5, 6
- 1 pc of FlexPlus ratcheting driver



with colour coding



incl. Drill Bits

## Socket set

1/4"

Art. no. 110674

33-pieces, 1/4"

Chrome vanadium steel, industrial quality, black plastic case with metal catch.

### Contents:

- 12 Sockets: 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12- 13 mm,
- 1 ratchet handle,
- 2 gears with quick release function,
- 1 flexible extension bar,
- 2 extension bars 50 & 100 mm,
- 1 universal joint,
- 1 sliding adapter 3/8" x 1/4" for extension bar work as T handle,
- 1 spinner handle for screwdriver
- 14 insert bit socket PH: 1 - 2 - 3,
- HX: 3 - 4 - 5 - 6 - 8,
- TX: 10 - 15 - 20 - 25 - 27 - 30



## SocketFlex socket wrench box

1/4" 1/2"

Art. no. 110672

59-pieces, 1/4" + 1/2"

Chrome vanadium steel, industrial quality, black plastic case with metal catch.

### Contents:

- 12 1/4" socket wrench inserts 4 - 4,5 - 5 - 5,5 - 6 -  
7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 2 1/4" 50 and 150 mm extensions
- 1 3/8" x 1/4" adapter for extending for use as a T-handle
- 1 1/4" universal joint
- 1 bit adapter 4-edge to 1/4" hexagonal
- 1 1/4" reversible wratchet
- 13 1/2" socket wrench inserts 10 - 11 - 12 - 13 - 14 -  
15 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm
- 2 1/2" 75 and 250 mm extensions
- 1 3/8" x 1/2" adapter for extending for use as a T-handle
- 1 1/2" universal joint
- 1 1/2" reversible ratchet
- 1 Flex ratchet screwdriver
- 1 adapter 1/4" x 1/4" x 50 mm
- 1 adapter 1/4" x 1/4" x 80 mm
- 4 bits 1/4", 50 mm, PH 0 - 1 - 2 - 3
- 4 bits 1/4", 50 mm, PZ 0 - 1 - 2 - 3
- 2 bits 1/4", 50 mm, PZ/FL 1 - 2
- 4 bits 1/4", 50 mm, slot 3 - 4 - 5 - 6 mm
- 6 bits 1/4", 50 mm, hexagon socket  
2 - 2,5 - 3 - 4 - 5 - 6

360° | 110672



## Torque wrench

1/4"

TQ

Art. no. 110607

5 – 25 Nm, 1/4"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 5 – 25 Nm
- Drive 1/4"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box



## Torque wrench

1/2"

TQ

Art. no. 110610

20 – 120 Nm, 1/2"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 20 – 120 Nm
- Drive 1/2"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box



## Torque wrench

1/2"

TQ

Art. no. 110609

42 – 210 Nm, 1/2"

- With built-in changeover ratchet, accuracy +/- 3%
- Material: Chrome-Vanadium steel DIN-3122; ISO 6789
- Measuring range from 42 – 210 Nm
- Drive 1/2"
- With viewing window display and locking mechanism
- Easy to read scale
- In impact-proof storage box



# HIGH PERFORMANCE FOR EVERY CUT

Extremely  
**SHARP & PRECISE**

**MAXIMUM SHARPNESS**  
thanks to double grinding

**SAFE AND COMFORTABLE**  
thanks to automatic locking  
mechanism

Elegant  
**BLACK APPEARANCE**

**PARTICULARLY DURABLE**  
due to fire hardening



**Utility knife professional HUPblackSeries18**


**Art. no. 200222**  
Length: 167 mm

## Utility knife professional HUPblackSeries9

Art. no. 200220

145 mm

- Extremely sharp cutting edge for precise cuts
- Blade length: 80 mm
- Blade width: 9 mm
- Blade thickness: 0.38 mm
- 13 segments
- Double grinding for maximum sharpness
- Ideally suited for a wide range of materials
- Maximum durability due to fire hardening
- Black blade coating




## Blade dispenser HUPblades9

Art. no. 200221

80 x 9 x 0.38 mm

suitable for Art. No. 200220

- 10 blade strips
- **extremely sharp cutting edge** for precise cuts
- blade length: 80 mm
- blade width: 9 mm
- blade thickness: 0.38 mm
- 13 segments
- double grinding for maximum sharpness
- ideally suited for a wide range of materials
- maximum durability due to fire hardening
- blade black coated



## Blade dispenser HUPblades18

Art. no. 200223

80 x 9 x 0.38 mm

suitable for Art. No. 200222

- 10 blade strips
- **extremely sharp cutting edge** for precise cuts
- blade length: 100 mm
- blade width: 18 mm
- blade thickness: 0.6 mm
- 8 segments
- double grinding for maximum sharpness
- ideally suited for various materials
- maximum durability due to fire hardening
- blade black coated



# EVERYTHING INSIDE. EVERYTHING SECURE.

## TOOL CASES & BAGS



## Tool trolley HUPtransporter Pro

Art. no. 220821


57 pcs., 539 x 225 x 359 mm

### Roomy and organised – the HAUPA tool trolley HUPtransporter Pro provides a lot of space for tools

Extremely sturdy case: polypropylene (PP) housing, with **gas pressure springs**, fit for flight: automatic air pressure release valve, stackable, dust-proof, protected against water splashes, temperature stable from -30°C to +80°C, ergonomic two-component handle, eyelets for padlock, aluminium divider system, foam insert optional, colour: black, with owner label, tool trolley HUPtransporter 220820

#### Content:

- Safety goggles • Wire stripper 0.2 - 6 mm<sup>2</sup>
- Uni wire stripper 0.2 - 4 mm<sup>2</sup> • Crimping pliers 0.75 - 16 mm
- Crimping pliers wire end ferrules 0.5 - 16 mm
- Crimping pliers insulated cable lugs 0.5 - 6 mm<sup>2</sup>
- VDE all-round soft grip scissors 160 mm, 70 mm<sup>2</sup>
- VDE crimping pliers, curved 200 mm
- VDE cable cutters 160 mm • VDE diagonal cutters 160 mm\*
- VDE combination pliers 180 mm\*
- VDE water pump pliers 240 mm • VDE diagonal cutters 200 mm\*
- VDE pliers spanner 280 mm
- VDE cable cutter Hook blade 50 mm
- Switch cabinet spanner
- Cutter blades HUPblackSeries18
- Cutter blades HUPblades18
- Wire cutter with hook blade 8 - 28 mm<sup>2</sup>
- One-hand cable cutter max. Ø 34 mm
- Deep-hole marker, 2 in 1, black, with sharpener
- Electronic ESD side cutter without blade 115 mm
- Hexagon head offset screwdriver set with ball head, 9 pcs, 1.5 - 10 mm, extra long
- VDE screwdriver **HUPslim\***  
PZ/FL 1 + 2 | PZ 1 + 2 | PH 1 + 2
- VDE electrician's screwdriver **HUPslim\***  
3.5 x 0.6 x 100, 4 x 0.8 x 100 mm,  
4 x 1 x 100 mm, 5.5 x 1 x 125 mm, 6.5 x 1.2 x 150 mm
- Electrician's chisel 10 x 250 mm
- Flat oval stone chisel 32 x 300 mm
- Ratchet ring spanner 4 in 1, 8 x 10 + 12 x 13 mm
- Ratchet ring spanner 4 in 1, 10 x 13 + 17 x 19 mm
- Enclosure spirit level 200 mm
- Light metal spirit level 400 mm
- Measuring tape 5 m • Scale 1 m
- LED torch Pen Torch
- Locksmith's hammer 500 g
- Puk saw with fixed handle
- Voltage tester Profi LED Plus 12 - 1,000 V
- FlexBagPro ratchet screwdriver set
- PU cut protection glove level 3, grey, size 10



PPsafe \*\*\*\*



Exclusively in the tool trolley  
HUPtransporter Pro



\* perfected  
cutting force  
performance



10,94 kg

## Tool trolley HUPtransporter StandardPlus

Art. no. 220822

52 pcs., 539 x 225 x 359 mm

**Roomy and organised – the HAUPA tool trolley HUPtransporter StandardPlus provides a lot of space for tools**

Extremely sturdy case: polypropylene (PP) housing, with **gas pressure springs**, fit for flight: automatic air pressure release valve, stackable, dust-proof, protected against water splashes, temperature stable from -30°C to +80°C, ergonomic two-component handle, eyelets for padlock, aluminium divider system, foam insert optional, colour: black, with owner label, tool trolley HUPtransporter 220820

### Contents:

- Basic wire stripper 0.5 - 6 mm<sup>2</sup> • Uni wire stripper 0.2 - 4 mm<sup>2</sup>
- Crimping pliers 0.75 - 16 mm
- Crimping pliers wire end ferrules 0.5 - 16 mm
- Crimping pliers insulated cable lugs 0.5 - 6 mm<sup>2</sup>
- VDE all-round soft grip scissors 160 mm, 70 mm<sup>2</sup>
- VDE crimping pliers, curved 200 mm\*
- VDE cable cutters 160 mm • VDE diagonal cutters 160 mm\*
- VDE power side cutters 200 mm\* • VDE pliers spanner 280 mm
- VDE cable cutter straight blade
- Switch cabinet spanner
- Cutter blades HUPblackSeries18
- Cutter blades HUPblades18
- Stripper with hook blade 8 - 28 mm<sup>2</sup>
- Basic stripper 4 - 13 mm
- Deep-hole marker, 2 in 1, black, with sharpener
- Electronic ESD diagonal cutters without blade 115 mm
- Hexagonal offset screwdriver set with ball end, 9-piece | 1.5 - 10 mm, extra long
- VDE screwdriver **HUPslim\***  
PZ/FL 1 + 2 | PZ 1 + 2 | PH 1 + 2
- VDE electrician's screwdriver **HUPslim\***  
3.5 x 0.6 x 100, 4 x 0.8 x 100 mm,  
4 x 1 x 100 mm, 5.5 x 1 x 125 mm,  
6.5 x 1.2 x 150 mm
- Electrician's chisel 10 x 250 mm
- Flat oval stone chisel 32 x 300 mm
- Switch cabinet spirit level 200 mm
- Light metal spirit level 400 mm
- Measuring tape 5 m - Scale 1 m
- LED torch Pen Torch
- Locksmith's hammer 500 g
- Puk saw with fixed handle
- Voltage tester Profi LED Plus 12 - 1,000 V
- FlexBag ratchet screwdriver set
- PU cut protection glove level 3, grey, size 10



**PPsafe \*\*\*\***



**10,90 kg**



\* perfected cutting force performance

## Tool case trolley Start-up Mobil 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

Art. no. 220252

20 pcs., 470 x 220 x 360 mm

ABS \*\*



### Content:

- 2C-VDE electricians' screwdrivers  
2,5 x 75, 4 x 100, 5,5 x 125, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C-VDE combination pliers, 180 mm\*
- 2C-VDE side cutters, 160 mm\*
- 2C-VDE telephone pliers, 200 mm\*
- 2C-VDE wire stripping pliers, 160 mm
- Wire stripper, hooked blade, 8 - 28 mm Ø
- Cable knife, 1 blade
- Engineers' hammer, 300 g
- PUK pocket saw, fixed handle
- Electricians' chisel, 10 x 250 mm
- Paint scraper, 40 mm
- Voltage tester 120 - 250 V, loose
- Measuring tape, 3 m
- Water brushes



▲ 1000 V IEC 60900



## Tool case Start-up VDE 1000 V

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, case 220031.

### Content:

- 2C-VDE electrician's screwdrivers  
2.5 x 75, 4 x 100, 5.5 x 125 und 6.5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C combination pliers, 185 mm\*
- 2C side cutters, 165 mm\*
- 2C telephone pliers, 200 mm\*
- 2C wire stripping pliers, 160 mm
- Wire stripper, hooked blade, 8 - 28 mm Ø
- Cable knife, 1 blade
- Engineers' hammer, 300 g
- PUK pocket saw, fixed handle
- Electricians' chisel, 10 x 250 mm
- Paint scraper, 40 mm
- Voltage testers
- Measuring tape, 3 m
- Water brush

Art. no. 220235

20 pcs., 470 x 200 x 360 mm

ABS \*\*

220235 | 360°



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance



8,64 kg

## Tool case Jobstarter Plus

ABS-case, black. Interior equipment: 2 tool boards, bottom plate with variable dividers, case 220028.

Art. no. 220027

25 pcs., 460 x 180 x 310 mm

### Content:

- 2C-VDE telephone pliers, 200 mm\*
- 2C-VDE combination pliers, 180 mm\*
- 2C-VDE side cutters, 160 mm\*
- Stripping pliers 0,5 - 4,0 mm<sup>2</sup>
- Cable cutter VDE, straight
- Wire stripper, hooked blade, 8 - 28 mm Ø
- PUK pocket saw
- 2C-VDE electrician's screwdrivers, 2,5 x 75, 3,5 x 100, 5,5 x 125, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH 1 + 2
- 2C-VDE cross slotted screwdrivers PZ 1 + 2
- Voltage testers
- Electricians' chisel, 10 x 250 mm
- Stone chisels, flat oval shank
- Engineers' hammer
- Sledge hammer
- Industrial ring brush, size 4
- Paint scraper
- Plaster cup
- Carpenters' pencil, 150 mm

ABS \*\*



9,27 kg

# TOOLS CLEVERLY ORGANISED

## HARD-SHELL CASE

Sturdy & lockable



## COMPLETE VDE TOOL KIT

Screwdrivers, pliers,  
stripping/sheathing tool



## REMOVABLE TOOL BOARDS

flexible & clearly arranged



## BOTTOM TRAY WITH ADJUSTABLE DIVIDERS

customisable organisation



## REINFORCED METAL CORNERS

for additional protection



## FREE CRIMPING PLIERS

only with this set

**ABS** \*



1000 V IEC 60900

## Toolbox HUPactive

### Art. no. 220255

Contents: 24 pieces

Dimensions: 460 x 180 x 310 mm

Weight: 9,62 kg

## Tool case Elektro Plus

Art. no. 220257

25 pcs., 460 x 180 x 310 mm

ABS-case, black, lockable, incl. 2 keys, 2 tool boards and document pocket completely removable, base tray with variable aluminium dividers, reinforced metal corners as additional protection against damage, case 220036.

### Contents:

- VDE electrician's screwdriver 1000 V  
3 x 0.5 x 100 mm | 4 x 0.8 x 100 mm | 5.5 x 1.0 x 125 mm
- VDE screwdriver **HUPslim** PH, size 1 + 2\*
- VDE screwdriver **HUPslim** PZ, size 1 + 2\*
- VDE screwdriver **HUPslim** PZ/FL, size 2\*
- VDE Snipe nose pliers DIN ISO 5745\*
- VDE diagonal cutters 160 mm\*
- VDE cable cutters 160 mm
- Basic wire stripper 0.5 - 6 mm<sup>2</sup>
- Basic wire cutter 8 - 28 mm
- Basic voltage tester 6 - 400 V
- XL stripper
- Plaster mould
- Puk saw with fixed handle
- VDE cable knife, straight blade
- Plasterer's hammer 300 g
- Painter's spatula 40 mm
- Industrial ring brush size 4
- Scale 2 m
- Carpenter's pencils
- Torpedo spirit level 225 mm

ABS \*\*



\* perfected cutting force performance



6,50 kg

## Tool case Start-up Max

Art. no. 220268

44 pcs., 460 x 310 x 180 mm

ABS-case, black, 2 tool sections, bottom half of case equipped with variable partitions, case 220028 Start-up S.

### Content:

- 2C-VDE electricians' screwdrivers 2,5 x 75 mm, 4 x 100 mm, 5,5 x 125 mm, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- 2C-VDE combination pliers, 180 mm\*
- 2C-VDE long chain nose pliers, 45° angled nose, 200 mm\*
- 2C-VDE side cutters, 160 mm\*
- 2C-VDE cable cutters, 160 mm
- Cable knife VDE with a straight blade
- Automatic wire stripper Super Plus 0,2 - 6 mm<sup>2</sup>
- Cable stripping knife 8 - 28 mm<sup>2</sup>
- Voltage tester Profi LEDplus II 3 - 1.000 V
- Crimping pliers for end sleeves 0,25 - 2,5 mm<sup>2</sup>
- Dispenser box with insulated end sleeves, colour range III, DIN
- Combination spanners similar to DIN 3113, 8-pcs.
- Set ball point allen keys 9-pcs., 1,5 - 10 mm, extra long
- Spanners for switch-cabinets HUPkey
- LED Pen Torch
- PUK pocket saw, fixed handle
- Engineers' hammer, 300 g
- Carpenters' pencils
- Measuring tape, 3 m

ABS \*\*



Δ 1000 V IEC 60900



\* perfected cutting force performance

9,22 kg

## Tool case trolley EXTRA 1000 V

Art. no. 220307

34 pcs., 470 x 220 x 360 mm

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

### Content:

- 2C-VDE screwdriver set PZ, 101999/PZ
- 2C-VDE cross slotted screwdrivers PH, size 1 + 2
- Automatic wire stripper Super Plus 0,2-6 mm<sup>2</sup>
- Voltageter Basic black
- Combination pliers VDE 185 mm\*
- Heavy duty diagonal cutters VDE 205 mm\*
- Long chain nose pliers VDE angled 200 mm\*
- Carpenters' pencils • Engineers' hammers 300 g
- Cable stripping knives without hook blade 8-28 mm<sup>2</sup>
- Electricians' chisels 10x250 mm
- Hand saws PUK mit fixed handle
- Torpedo-level 225 mm • Folding rules 2 m
- Paint scrapers 40 mm • Water brushes • Plaster cups
- Cable knives 1000 V, 50 mm
- Sledge hammers 1000 g
- Stone chisels, flat oval shank 28x250 mm
- Industrial cleaning wipes
- Crimping pliers crimping pliers for insulated terminals and end sleeves 0,5 - 6 mm
- Stripper 8-13 mm<sup>2</sup>
- Cable cutters VDE 170 mm
- Electrical insulating tape VDE 15 mm x 10 m, Rainbow pack, 263820, 10 coulors
- Voltage tester Profi plus
- HAUPA Multi Check digital high-capacity multimeter

ABS \*\*



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance



14,90 kg

## Tool case trolley Master Mobil HUPslim 1000 V

Art. no. 220329

37 pcs, 470 x 220 x 360 mm

ABS-case, black, combination lock, 1 document compartment, 2 lockable locks, 2 tool boards, base tray with variable dividers, allround bumper strip, high-quality fittings. Case 220023.

### Content:

- 2C VDE screwdriver set **HUPslim PH\***
- 2C VDE screwdriver set **HUPslim PZ/FL 1 + 2\***
- VDE cable cutter 230 mm\*
- VDE combination pliers 180 mm\*
- VDE diagonal cutters 160 mm\*
- VDE Snipe nose pliers 45°, 200 mm\*
- Wire strippers 0.2, 6 mm<sup>2</sup>
- VDE cable knife, straight blade
- Industrial all-purpose cleaning cloths
- Measuring tape 3 m
- Puk saw with fixed handle
- Earplugs green SNR 30 dB
- Retractable perlon tape 15 m, 3 mm
- LED torch 18 x 91 mm, 80 lm
- Uni wire stripper 0.2, 4 mm<sup>2</sup>
- Hook blade stripper 8, 28 mm<sup>2</sup>
- Crimping pliers for insulated cable lugs and wire end ferrules
- Cable cutter 160 mm, dip-insulated
- Crimping pliers 0.75, 16 mm<sup>2</sup>
- Profi Plus voltage tester
- Safety goggles
- Switch cabinet spanner
- Bit box with safety bits, 58 pieces
- Electronics ESD side cutter without blade, 115 mm
- Rolling spanner 24 mm
- 2K soft grip scissors 140 mm
- Cable ties black UV-resistant 250 x 4.8 mm
- Cable gland IP68 M20 light grey
- Wire end ferrules in a tin colour series III DIN
- Nail clips 7-10, white

ABS \*\*



▲ 1000 V IEC 60900



**Slim  
Top**



\* perfected  
cutting force  
performance



**14,70 kg**

## Tool case trolley Master Mobil 1000 V

Art. no. 220254

37 pcs., 470 x 220 x 360 mm

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case art. 220023.

### Content:

- 2C VDE screwdriver set PH
- VDE cable knife straight blade
- Industrial all-purpose cleaning cloths
- Measuring tape 3 m
- Puk saw with fixed handle
- VDE cable cutter 230 mm
- VDE combination pliers 185 mm\*
- VDE diagonal cutters 165 mm\*
- VDE snipe nose pliers 45°, 200 mm\*
- Wire stripper 0.2 - 6 mm<sup>2</sup>
- Earplugs green SNR 30 dB
- 2C VDE screwdriver PZ/FL 1
- 2C VDE screwdriver PZ/FL 2
- Retractable nylon tape 15 mm, 3
- LED torch 18 x 91 mm, 80 lm
- Uni wire stripper 0.2 - 4 mm<sup>2</sup>
- Hook blade stripper 8 - 28 mm<sup>2</sup>
- Crimping pliers for insulated cable lugs and wire end ferrules
- Cable cutter 160 mm, dip-insulated
- Crimping pliers 0.75 - 16 mm<sup>2</sup>
- Bit box with safety bits, 58 pieces
- Safety goggles
- Switch cabinet spanner
- Profi Plus voltage tester
- Electronics ESD side cutter without blade, 115 mm
- Rolling spanner 24 mm
- 2K soft grip scissors 140 mm
- Cable gland IP68 M20 light grey
- Wire end ferrules in a tin can Colour series III DIN
- Cable ties black UV-resistant 250 x 4.8 mm
- Nail clips 7-10, white

ABS \*\*



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance

14,70 kg

## Tool case trolley Profi Mobil

Art. no. 220273

39 pcs., 470 x 220 x 360 mm

ABS-case, black, 2 tool sections, document pocket, combination lock, bottom half of case equipped with variable partitions, with high-grade fittings, 2 locks, case 220023.

### Content:

- 2-component socket wrenches set
- 2-component screwdrivers 2,5 x 75, 3 x 100, 4x100, 4 x 125, 5 x 150 mm
- Cross slotted screwdrivers PH, size 1 + 2, insulated
- Voltage tester Basic 6-400 V
- Electronic screwing bit set, 34-pcs
- HAUPA ratchet screwdriver Flex, 58-pcs.
- Combination spanners sets, 12-pcs
- Adjustable single-head wrench 24 mm
- Spanners for switch-cabinets
- Engineers' hammer, 300 g
- Cable stripping knives with hook blade, 8-28 mm<sup>2</sup>
- Utility knives EXTRA with spare blades 19 mm
- Cable cutter with a snap, max. 16,9 mm
- Cable cutter 160 mm, dipped
- 2C combination pliers 185 mm\*
- 2C diagonal cutter 165 mm\*
- 2C long chain nose pliers 200 mm\*
- Automatic wire stripper Super Plus 0,2-6 mm<sup>2</sup>
- ESD Electronic side cutter 115 mm
- Measuring tape 5 m • Cabinet levels 250
- VDE electrical insulating tape 19 mm x 20 m, black (8x)

ABS \*\*



\* perfected cutting force performance



14,68 kg

# EVERYTHING YOU NEED FOR SMARTHOME

**SMART ORGANISATION**  
Lots of compartments & loops

**LAPTOP COMPARTMENT**  
**UP TO 15"**

Padded & secure



**COMPREHENSIVE TOOL SET**  
for smarthome and electrical work

**IDEAL FOR TRAINEES AND PROFESSIONALS**  
in building system integration

**FULLY EQUIPPED**  
Pliers, screwdrivers & crimping tools

## Service bag HUPsmartHome

**Art. no. 220805**

Contents: 31 pieces

Material: Nylon

Dimensions:

510 x 220 x 335 mm

Weight: 7,55 kg



## Service bag Supply Max 1000 V

Art. no. 220293

31 pcs.

Document compartment, compartments for tools and instruments, small pocket, big compartments, rubber loops, separate well protected main compartment for laptop and documents, additionally divided with removable centre wall. Notebook compartment up to 15". Colour: green, black.

### Nylon

#### Content:

- 2C-VDE electrician screwdriver 2.5x75, 3.5x100, 4x100, 5.5x120, 6.5x150
- 2C-VDE screwdriver PH 1 + 2
- 2C-VDE screwdriver PZ/FL 1 + 2
- 2C-VDE diagonal cutters 165 mm\*
- 2C-VDE combination pliers 185 mm\*
- 2C-VDE telephone pliers straight, 200 mm\*
- Cable cutter 160 mm, dipped
- ESD diagonal cutter 115 mm
- Automatic stripper 0.08-6.0 mm<sup>2</sup>
- LED Head lamp 75 lm
- Utility knives EXTRA with spare blades
- Voltage tester Profi LCD Plus 6-1.000 V
- VDE cable stripping knife changeable blade, 50 mm
- Electricians Scissor stainless steel, 150 mm
- Control cabinet key
- Measuring tape 3 m
- Adjustable single-head wrench
- Electronic screwdriver assortment, 34 pcs.
- Industrial cleaning wipes, 40 pcs.
- Cable ties black UV-resistant 203x4.6 mm
- Cable ties natural 203x4.6 mm
- Electrical insulating tape VDE 15 mm x 10 m, Rainbow pack
- HAUPA Flex Bag
- Set X-Crimp



1000 V IEC 60900



\* perfected cutting force performance



## Service bag Supply

Document compartment, compartments for tools and instruments, small pocket, big compartments, rubber loops, separate well protected main compartment for laptop and documents, additionally divided with removable centre wall. Notebook compartment up to 15". Colour: green, black.

Art. no. 220292

empty

## Nylon



3,30 kg

## HAUPA ToolBag XL Go

Art. no. 220804

15 pcs., 420 x 220 x 310 mm

Tool bag XL with inner and outer tool compartments, rubber-reinforced base. Features: Waterproof and dirt resistant, rubber-reinforced base, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments inside/outside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: green, black. ToolBag 220366.

### Content:

- VDE combinations pliers, 185 mm\*
- VDE heavy duty side cutters, 170 mm\*
- VDE telephone pliers, straight, 200 mm\*
- 2C-VDE electrician's screwdriver PZ/FL 1 + 2
- 2C-VDE electrician's screwdriver 2,5 x 75, 3,5 x 100, 4 x 100, 6,5 x 150 mm
- 2C-VDE cross slotted screwdrivers PH 1 + 2
- Automatic wire stripper 0,2-6 mm<sup>2</sup>
- Switching cabinet key
- Cable stripper hooked blade, 8 - 28 mm Ø



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance



3,67 kg



## HAUPA SquareBag Basic 1000 V

Art. no. 220706

12 pcs., 260 x 260 x 230 mm

Tool bag made of 600D Polyester, with inner and outer tool compartments, with padded carrying strap, rubber-reinforced base, double cross-seam for heavy loads. ToolBag 220703.

### Content:

- Automatic wire stripper Super Plus 0,2 – 6 mm<sup>2</sup>
- 2C-VDE electricians' screwdrivers **HUPslim\***  
4 x 100 mm, blade thickness 0,8 and 1,0 mm
- 2C-VDE electricians' screwdrivers **HUPslim PH**, size 1 + 2\*
- 2C-VDE electricians' screwdrivers **HUPslim PZ/FL**, size 2\*
- VDE telephone pliers 45°, 200 mm\*
- VDE side cutters 160 mm\*
- VDE combination pliers 180 mm\*
- Measuring tape 3 m
- PU textile gloves, size 9



\* perfected  
cutting force  
performance



## Tool backpack HUPtoGo1


Art. no. 220830

32 pcs., 400 x 450 x 260 mm

Work on the go with the new HAUPA tool backpack HUPtoGo1

### Content:

- VDE cable cutter 160 mm
- VDE long chain nose pliers DIN ISO 5745\*
- VDE combination pliers 200 mm\*
- VDE side cutters 160 mm\*
- VDE cable stripping knife, straight blade 50 mm
- LED mini working light HUPlight4 | 4 Watt
- Voltage tester Profi LEDplus II 6 - 1,000 V
- Universal switch cabinet key HUPkey
- Wire stripper Super Plus 0.2 - 6 mm<sup>2</sup>
- VDE pliers wrench 280 mm
- VDE screwdriver set **HUPslimPlus\***  
VDE electrician's screwdriver **HUPslim\***  
3.5 x 0.6 x 100 mm, 4 x 0.8 x 100 mm,  
4 x 1.0 x 100 mm, 5.5 x 1.0 x 125 mm,  
6.5 x 1.2 x 150 mm  
VDE Phillips screwdriver **HUPslim**  
Phillips, size 1 + 2\*
- VDE Phillips screwdriver **HUPslim**  
Pozidriv, size 1 + 2\*
- VDE screwdriver **HUPslim** with PZ/F1  
profile, size 1 + 2\*
- Voltage tester 100 - 250 V loose
- Socket set 1/4", 33-parts
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- Stone chisel, flat oval 32 x 300 mm
- Flexi PUK saw
- Set X-CrimpPlus
- Switch cabinet level 200 mm
- Measuring tape 5 m
- Deep hole marker, 2-in-1, black,  
with sharpener
- **Tool backpack HUPtoGo 220249**



10,94 kg



\* perfected  
cutting force  
performance



## Tool backpack HUPtoGo2


Art. no. 220831

21 pcs., 400 x 450 x 260 mm

Work on the go with the new HAUPA tool backpack HUPtoGo2

### Content:

- VDE long chain nose pliers, curved, 200 mm\*
- VDE combination pliers 180 mm\*
- VDE side cutters 160 mm\*
- VDE screwdriver set **HUPslim PH**\*
- Utility knife HUPblackSeries18
- Blades HUPblades18
- LED torch Pen Torch
- Wire stripper Basic 0.5 - 6 mm<sup>2</sup>
- Basic cable stripper 8 - 28 mm with hook blade
- Test Pen Profi 12 - 1000 V
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- PUK saw with fixed handle
- Carpenter's pencil, black, Mine 7B, triangular, 240 mm
- Measuring tape 3 m
- **Tool backpack HUPtoGo220249**



▲ 1000 V IEC 60900



\* perfected  
cutting force  
performance

## Tool holder for construction buckets

Art. no. 220313

460 x 280 x 40 mm

Tool bag for hanging up/covering in a commercially available 10 l bucket, 30 exterior pockets/compartments, 14 inner pockets/compartments, 1 hammer loop, 1 loop with carabiner, stain-resistant, double cross-seam stitching for high load capacity, material: extra strong 1680D polyester, colour: black, green.



Supplied without buckets



## HAUPA SquareBag

Art. no. 220703

260 x 260 x 230 mm

Tool bag made of 600D Polyester

- compact design and low weight
- with inner and outer tool compartments
- rubber-reinforced base as protection against dirt and moisture
- double cross-seam for heavy loads
- carrier bar of metal, for high wearing comfort
- removable carrying strap, padded
- additional pockets of polyester with hook of metal and velcro fastening
- Material: extra strong 600D Polyester, water resistant and dirt-repellent
- colour: black with green stitching



## HAUPA ToolBag

Tool bag with inner and outer tool compartments, rubber-reinforced base. Waterproof and dirt resistant, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments outside (various sizes), 10 compartments inside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black/green.

Art. no. 220061

320 x 190 x 280 mm

220061 | 360°



1,51 kg

## HAUPA ToolBag XL

Art. no. 220366

310 x 420 x 220 mm

Tool bag XL with inner and outer tool compartments, rubber-reinforced base. Features: waterproof and dirt resistant, rubber-reinforced base, double cross-seam for heavy loads, removable shoulder strap, adjustable, 10 compartments inside/outside (various sizes), belt for spirit level (outside), material: extra strong 600D polyester, colour: black with green seams.



1,51 kg

## Tool backpack HUPtoGo

Art. no. 220249

400 x 450 x 260 mm

Work on the go with the HAUPA tool backpack HUPtoGo

- Velcro pad on front pocket can be embroidered for personalisation
- 41 compartments, including 6 outer pockets (3 neoprene)
- 4 inside pockets with zip
- Front neoprene pockets (e.g. level, long chisel)
- Practical detachable knee pad
- High, waterproof base for moisture protection
- Reflective strips on front
- 2 metal fixing lugs on sides
- Ergonomically padded, adjustable shoulder straps
- Padded back and carrying handle
- Highly tip resistant, even when open
- Material: extremely strong 1680D polyester
- Colour: black with grey seams



3,00 kg



## Tool case trolley Start-up Profi

Rigid case, made of ABS-plastic material, black, integrated rolls and pull-out handle in the bottom, locks of alu-press-casting, empty.

**Inside:** 1 separation for documents, 1 plate for tools, 1 cover-plate with pocket compartments and clip-compartment, 1 bottom-tray



Art. no. 220023

470 x 220 x 360 mm

ABS



8,40 kg

## Tool trolley HUPtransporter

**Roomy and organised – the HAUPA tool trolley HUPtransporter provides a lot of space for tools**

With an additional tool tray, the tool trolley HUPtransporter offers an enormous amount of space for tool storage. The boards are clearly arranged, allowing easy access to tools at all times. Stable pockets and loops ensure that each tool reliably stays in its assigned spot, unless it is needed.

### Content:

- Extremely sturdy case: polypropylene (PP) housing
- With gas pressure springs
- Fit for flight: automatic air-pressure release valve
- Stackable
- Dust-proof
- Protected against water splashes
- Temperature stable from -30°C to +80°C
- Ergonomic two-component handle
- Eyelets for padlock
- Aluminium divider system
- Foam insert optional
- Colour: black
- With owner label



Art. no. 220820


539 x 225 x 359 mm

PPsafe

7,55 kg

# BRILLIANCE YOU CAN BUY.

TORCHES & CONSTRUCTION  
SPOTLIGHTS



## LED flashlight, HUPflash1000

- Rechargeable
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cool white light that reaches up to 100 meters.

Waterproof (IPX7) and powered by a rechargeable lithium-ion battery via a supplied USB cable (USB-C). The battery is a standard commercial cell (18650) and can be easily replaced.

<b>1000 Lm</b>	<b>6500 K</b>	 <b>CRI 90</b>	 <b>zoom</b>	 <b>60°</b>
100 % 50 % 25 %	Lifetime <b>50000 h</b>	 3.7V 2200mAh 8.14Wh	 3 - 12h	 <b>USB-C</b> Charge cable included
 -10°C - 40°C	 <b>Class III</b>	 035 mm 152 mm	 <b>168 g</b>	 <b>IPX7</b>

**Art. no. 130384**

Ø 35 x 152 mm



## LED flashlight, HUPflash300

- Splashwater protected
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cold white light that reaches up to 100 meters.

The flashlight is splash-proof and powered by three AAA batteries (not included).

<b>300 Lm</b>	<b>6500 K</b>	 <b>CRI 90</b>	 <b>zoom</b>	 <b>120°</b>
100 % 50 % 25 %	Lifetime <b>50000 h</b>	 1 - 10h	 3X AAA not included	 -10°C - 60°C
 <b>Class III</b>	 034 mm 124 mm	 <b>102 g</b>	 <b>IPX4</b>	


**Art. no. 130390**

Ø 34 x 124 mm



## LED Pen Torch

- Illumination range: 50 m
- 50 Lm
- LED 1 Watt CREE
- With clip
- 2xAAA batteries



Art. no. 130328

TL: 14 x 143 mm




## LED flashlight, HUPflash120

- Compact pen form
- With magnetic holding clip
- Main and inspection light

Perfect for both industrial and trade applications. The rechargeable penlight has two light sources: at the head and on the side. The penlight comes with a USB-C charging cable.

Each penlight is equipped with a magnetic clip, allowing you to easily attach the lamp to any magnetic surface. The flexible use combined with the compact size makes this penlight very practical for professional use by mechanics, craftsmen, technicians, and others.



Art. no. 130388

159 x 18 x 16 mm



# FULL POWER – MINIMAL SPACE



## POWERFUL LIGHT

up to 800 lumens  
in boost mode

## ONE-BUTTON OPERATION

Quick and easy to use

## MOBILE & LONG-LASTING

Battery life up to 1.5 hours

## ROBUST ALUMINIUM HOUSING

compact and durable

## MAGNETIC BASE &

## CLIP MAGNET

for hands-free working

800 Lm	6500 K	CRI 90
100lm ~ 500lm	62 °	800lm boost
10h ~ 100h 3h charge time	3.7V 1200mAh 4.44Wh	100lm spot
100lm ~ 500lm	10h ~ 100h 3h charge time	USB-C Charge cable included
-0 °C ~ 40 °C	Class III	21 mm
97 x 30,5 x 21 mm	Magnetic	IP54

## LED flashlight HUPflash800

Art. no. 130382


Dimensions:  
97 x 30,5 x 21 mm

## LED headlamp HUPflash155

Art. no. 130319

TL: 60 x 45 x 38 mm

- 3 W COB LED
- Material: ABS, PC
- Luminosity 155 Lm
- Colour reproduction 90 CRI
- Battery-powered (3 x AAA included in the scope of delivery)
- Variable light intensity, 50% | 100%
- Operating time:
  - approx. 2.5 hours at 100% light intensity
  - approx. 4 hours at 50% light intensity
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special **sensor technology**
- Easy to operate e.g. when wearing protective gloves
- **Headband with silicone strips** for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm
- Weight: 49 g (without batteries)




## LED headlamp HUPflash155+

Art. no. 130321

TL: 60 x 45 x 38 mm

- 3.7 V 1200 mAh lithium polymer battery
- 3 W COB LED
- Material: ABS, PC
- Light intensity 155 Lm
- Colour reproduction 90 CRI
- Variable light intensity, 50% | 100%
- Operating time:
  - approx. 2.5 hours at 100% light intensity
  - approx. 4 hours at 50% light intensity
- Charging cable (micro USB) included in the scope of delivery
- Charging time approx. 4 hours
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special **sensor technology**
- Easy to operate e.g. when wearing protective gloves
- **Headband with silicone strips** for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm • Weight: 73 g



## LED inspection lamp HUPLight400

Art. no. 130378

Length: 160 mm

- White SMD main LED with 400 Lumens on the front side
- Secondary rear 200 Lumens white SMD-LED
- Additional upper spot - 120 Lumens white SMD-LED
- Extremely rugged design made of nylon and aluminium
- 200° vertically foldable head with super-strong magnetic base
- Loop and hanging system for easy use
- Two strong magnets on the back of the lamp
- IK07 super rugged, impact resistant design
- Large reflector SMD LED
- 5 V charging system for charging the battery
- Integrated USB-C charging port with protective cover
- 1 A direct USB-C charging – 2 hours charging time
- 1 m USB-C charging cable included


### Specifications:

- Lithium 3.7 V, 800 mAh, rechargeable
- LED: Front side main 3 W, SMD LED 400 Lm, CRI 90  
Back side 1.5 W, SMD LED 200 Lm, CRI 90  
Spot 1 W, SMD LED, 120 Lm, CRI 90
- Ambient temperature: -10°C – +45°C
- Operating time: 3 h to 6 h for main LED in front  
6 h for rear LED  
6 h for spot LED
- Dim switch for the front main LED: 100% – 50%
- Charging time: approx. 2.5 h
- Protection class: III
- USB-C input for charging: 5 V, 1000 mA
- Lamp dimensions: 160 x 37 x 21 mm
- Net weight: 90 g (not including packaging)



## Mini working light HUPLight4

- Rechargeable battery, lithium-ion 1800 mAh 3.7 V
- **4 watt LED**
- Approximately 200 Lumen lighting performance
- Approximately 3 hours lighting performance
- Lamp may be charged using the micro USB port
- Stand may be angled
- Dual magnetic bracket
- Hook for securing and hanging
- Can be used and carried everywhere




Art. no. 130336

4 watt LED



## LED working light HUPLight10+3

- Integrated Li-Ion 3.7V / 6.7Ah battery
- **10 watt + 3 watt LED**
- High-quality plastic housing
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 7000K colour temperature
- 220 Lm (3W LED) + 800 Lm (10W LED) luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time
  - 10W LED: - Approx. 3 hours with 100% light output
    - Approx. 6 hours with 50% light output
  - 3W LED: - Approx. 12 hours with 100% light output
    - Approx. 24 hours with 50% light output
- 3.5 hours charging time using power unit supplied
- Charger: 100 - 240 V AC plug-in power supply (5V/2A DC)
- 12V KFZ charging cable
- Adjustable magnetic stand
- With hook for hanging
- With belt clip



Art. no. 130348

10 watt + 3 watt LED



## LED charging station HUPLightWLcharger

Art. no. 130376

265 x 110 x 29 mm

- Charges two devices simultaneously
- Works with compatible mobile phones
- IK08 impact resistance
- Strong magnets on back side enable easy mounting on magnetic surfaces and integrated screw holes for permanent mounting

### Specifications:

- Material: ultra-hard nylon, aluminium, rubber, PC and TPE
- Power adapter: Input: 100 – 240 V~ 50/60 Hz, 0.8 A  
Output: 5 V DC, 3.0 A 20 W max.
- USB charging cable: USB-C to USB-C x 1 m
- When charging with the wireless pad:  
Charge time: approx. 3.0 – 8.0 hours depending on battery pack - the ambient temperature affects the charge and discharge time of the battery
- Operating temperature: -5°C to +30°C
- Charging station dimensions: 265 x 110 x 29 mm
- Net weight: 330 g (not including packaging)

### Contents:

- USB power adapter:  
Input: 100 – 240 V~, 50/60 Hz, 0.8 A  
Output: 20 W, 5 V DC 3.0 A
- USB charging cable: USB-C to USB-C x 1 m



## LED work lamp HUPLightWL1000

Art. no. 130374

72 x 40 x 92 mm

- Supports wireless charging (charging station HUPLightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1,000 lumens COB-LED
- Super bright spot LED with 300 lumens
- Stand with magnetic base rotates 160 degrees
- Battery status and charging indicators
- Protection class IP65
- IK08 impact resistance

### Specifications:

- Main LED: 10 W COB 1,000 LM;  
Spot LED: 3 W 300 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A  
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1 m
- Charging time: approx. 2 hours (charging station HUPLightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 72 x 40 x 92 mm
- Net weight: 210 g (not including packaging)

### Contents:

- USB charging cable: USB-C to USB-C x 1 m

<b>LED</b> <b>10+3</b> <b>W</b>	<b>1000 /</b> <b>350 Lm</b>	<b>6500</b> <b>K</b>	<b>CRI</b> <b>90</b>	
<b>Akku</b> <b>Li-Ion</b> <b>2500 mAh</b> <b>3.7 V</b>				
<b>IK08</b>	<b>IP65</b>			



## LED work lamp HUPLightWL900

Art. no. 130372

47 x 48 x 192 mm

- Supports wireless charging (charging station HUPLightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 900 lumens COB-LED
- Head rotates 180 degrees
- Focus function, beam angle 20° to 110°
- Luminous range: max. 200 m
- With strong magnetic base
- Battery status and charging indicators
- Protection class IP54
- IK08 impact resistance

### Specifications:

- LED: 10 W 900 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A  
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station HUPLightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 47 x 48 x 192 mm
- Net weight: 270 g (not including packaging)

### Contents:

- USB charging cable: USB-C to USB-C x 1 m



LED 10W	225/ 450/ 900 Lm	CRI 90	CRI Ra≥90	200m
	Akku Li-Ion 2500 mAh 3.7 V			USB-C
	IP54		IK08	270g

## LED inspection lamp HUPLightWL1500

Art. no. 130370

77 x 171 x 41 mm

- Supports wireless charging (charging station HUPLightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1500 lumens COB-LED lamp
- Super bright spot LED with 300 lumens
- Integrated hook – lamp/torch can be positioned in a wide range of angles
- Battery status and charging indicator
- Powerful magnet on the back for hands-free work
- Protection class IP65
- IK08 impact resistance

### Specifications:

- LED: 15 W COB SUPERWHITE + 3 W LED
- Lumens: main light 15 W, 1,500 Lm; spot LED 3 W, 300 Lm
- Material: Ultra-robust nylon, aluminium, PC, rubber and TPE
- Battery Li-Ion 3.7 V/4400 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A  
Output: PD 20 W, 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 3.5 hours (charging station HUPLightWLcharger approx. 6 hours)
- Operating time: 3.0 – 14.0 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 77 x 171 x 41 mm
- Net weight: 400 g (not including packaging)

### Contents:

- USB charging cable: USB-C to USB-C x 1 m

<b>LED 15+3 W</b>	<b>300/ 900/ 1500 Lm</b>	<b>CRI 90</b>	<b>CRI Ra≥90</b>	
<b>Akku Li-Ion 4400 mAh 3.7 V</b>				
<b>IP65</b>			<b>IK08</b>	



## LED set HUPlightWL1500+1000

Art. no. 130371

3 pieces

### Set comprising:

Charging station HUPlightWLcharger Art. 130376  
LED work lamp HUPlightWL1000 Art. 130374  
LED inspection lamp HUPlightWL1500 Art. 130370

For technical specifications, see respective item



## LED set HUPlightWL900+1000

Art. no. 130373

3 pieces

### Set comprising:

Charging station HUPlightWLcharger Art. 130376  
LED work lamp HUPlightWL1000 Art. 130374  
LED work lamp HUPlightWL900 Art. 130372

For technical specifications, see respective item



## Compact floodlight HUPLight10pro

- Integrated Li-Ion 3.7V / 4.4Ah battery
- **10 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 900 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
  - Approx. 3 hours with 100% light output
  - Approx. 6 hours with 50% light output
- Approx. 4.75 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (5 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand

<b>LED 10W</b>	<b>900 Lm</b>	<b>6500 K</b>			<b>Lifetime 30000 h</b>
<b>Akku Li-Ion</b> 4400 mAh 3.7V		<b>Inclusive 100–240V – 12–24V =</b>			<b>IP54</b>

Art. no. 130344

10 watt LED

360° | 130344



## Compact floodlight HUPLight20pro


- Integrated Li-Ion 7.4V / 4.4Ah battery
- **20 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 1800 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
  - Approx. 3 hours with 100% light output
  - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand

<b>LED 20W</b>	<b>1800 Lm</b>	<b>6500 K</b>			<b>Lifetime 30000 h</b>
<b>Akku Li-Ion</b> 4400 mAh 7.4V		<b>Inclusive 100–240V – 12–24V =</b>			<b>IP54</b>

Art. no. 130346

20 watt LED

360° | 130346




## Compact floodlight HUPLight30pro

Art. no. 130352

30 watt LED

- Integrated Li-Ion 7.4V / 5.2Ah battery
- **30 watt LED**
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 2500 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
  - Approx. 3 hours with 100% light output
  - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable
- Adjustable stand

<b>LED</b> <b>30W</b>	<b>2500</b> <b>Lm</b>	<b>6500</b> <b>K</b>	 50% 100%	 <b>Lifetime</b> <b>30000</b> <b>h</b>
Akku <b>Li-Ion</b> 5200 mAh 7,4 V	 3 h	Inclusive 100–240V – 12–24V =	 Output: 5V 1A Powerbank	IP54  185 x 135 x 43 mm



**HUPLightpro**  
Crash test



## Magnetic lamp holder

Art. no. 130343

8,5 x 8,5 x 4 cm

- Holder for affixing working lamps
- Suitable for Item Nos. 130344, 130346, 130352
- extra strong magnet for flexible mounting



## LED construction site lamp HUPLight5200hybrid

Art. no. 130386

389 x 342 x 140 mm

- Compatible with 18 V battery systems from Bosch, Makita, Milwaukee, DeWalt, and CAS (Metabo), corresponding adapters included
- 230 V AC or 18 V DC operation with emergency light function
- Designed and certified for use on construction sites, both indoors and for temporary outdoor use

This versatile hybrid (230 V & battery) work light is specially designed for professional craftsmen, mechanics, and construction workers who are often on the go. It comes equipped with a battery holder suitable for 18 V batteries from **HAUPA**, **Makita**, **Dewalt**, **Milwaukee**, **Bosch (AMP Share)**, **Metabo (CAS)**.

The corresponding adapters are included, eliminating the need to purchase an additional battery system.

The work light is dimmable in two stages (50%, 25%), has a cool white colour temperature (5,000 K), and a colour rendering index of RA >90. The operating time ranges from 2.5 to 9 hours (based on an 18 V/5 AH battery), depending on the selected light output mode. The opal diffuser reduces glare from the 5,200 lumen strong light source and ensures homogeneous illumination of the workplace.

The housing and front diffuser are made of impact-resistant polycarbonate (IK08). The light is dust and splashwater protected thanks to the sturdy battery cover (IP54).

This work light is equipped with technology that prevents overheating and deep discharge of the battery.

**The batteries must be charged with the manufacturers' charging stations and are not included.**

In addition to batteries, the work light can also be powered by the included 5 m long connection cable H07RN-F 3G 1.5 mm<sup>2</sup>. This work light is equipped with a socket (max. 3000 W), allowing the connection of another light, power tool, or other device, eliminating the need for additional extension cords.

**Safety: In the event of a power outage, this work light automatically switches to battery operation within**

**approximately 0.5 seconds**, ensuring you never sit in the dark and minimizing the risk of injuries and damage.

LED 40W DC mode 47W AC mode	<b>5200</b> Lm	<b>5000</b> K	3Step DIM 100%-50%-25%	
 120°	Lifetime <b>50000</b> h		DC mode 230 V ± 21 VDC AC mode 230VAC 50/60Hz 225mA	
	Output 5V 2A Powerbank	1 x Socket 3000W max	-20 °C - 45 °C	4 powered battery adapters included
	389 x 342 x 140 mm	<b>3550</b> g	<b>&gt;IK08</b>	<b>IP54</b>



# SEE MORE. WORK BETTER.

## 4000 LUMENS POWER

50 W LED, dimmable  
to 50/100%



## NATURALLY BRIGHT

6500 K & CRI 90  
for clear colours

## TOUGH

Robust & weatherproof



## CLEVER IN USE

with sockets,  
hooks and handles



## SUITABLE TRIPOD

Art. no. 130361

Height: up to 3 m

Weight: 3.5 kg

**LED  
50W**



**4000  
Lm**

Lifetime  
**30000  
h**

Akku  
**Li-Ion**  
6600 mAh  
7.4 V

220–240 V  
50/60 Hz

**360°**

**IP54**



**50 %**

**100 %**

**5 m**

**2x**

**CRI  
90**

**6500  
K**

## Domed luminaire **HUPLight50combi**

**Art. no. 130360**


Dimensions:

Ø 280 x 260 mm

Weight: 3.4 kg


## LED light strip HUlightStripe15

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 180 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 15 m + connecting cable 2,5 m
- Can be extended up to 100 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 19500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum: W 286 mm x D 210 mm x H 338 mm




Art. no. 130364

15 m




## LED light strip HUlightStripe25

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 300 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 25 m + connecting cable 2,5 m
- Can be extended up to 100 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 32500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum: W 317 mm x D 250 mm x H 385 mm



Art. no. 130366

25 m



## LED Renovation Light HUlightEasy

Art. no. 130380

5 pcs., Ø 60 x 100 mm

The Renovation Light HUlightEasy is the quick, affordable, and uncomplicated solution for illuminating construction sites, vacant apartments, storage rooms, etc.

- Impact-resistant polycarbonate housing
- Spring clips
- Lifespan 25,000 hours
- Renovation light including built-in LED bulb with opal diffuser
- Emits neutral white light
- Beam angle of 160 degrees
- 14 cm connection cable, hanger, and spring clip for easy and fast installation without tools
- Lamp body made of impact-resistant polycarbonate and withstands fall heights of up to 2.5 m
- Suitable for use at temperatures from -20 to 45°C.

**Note:** Renovation light is NOT intended for installation in luminaries.

**Contents:** 5 pieces

1200 Lm	860 100mm	LED 10W	CRI 90	4000 K
A60 OPAL	160°	Lifetime 25000 h	kg 80 g	-20°C - 45°C
14cm cable with connector	10W = 75W	ZIM	2,5m	



# THE ADDED BONUS

COMPLEMENTARY  
RANGE



Our PU cut-protection gloves are used to protect against mechanical risks, in accordance with EN 388 and EN 420. The „Hammer“ pictogram defines the performance level of the product.


**EN 388**



**4544**

**Example:**

Abrasion resistance	→	4
Cut resistance	→	5
Tear propagation strength	→	4
Penetration resistance	→	4



## PU textile glove

Ideal for fine mechanical tasks and low mechanical loads

- HPPE fibre
- Thin PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehouse and assembly work, fine mechanical tasks

**Art. no. 120300/6**

Size: 6

**Art. no. 120300/7**

Size: 7

**Art. no. 120300/8**

Size: 8

**Art. no. 120300/9**


Size: 9

**Art. no. 120300/10**

Size: 10

**Art. no. 120300/11**


Size: 11



## PU cut-protection glove, level 3

For high mechanical loads, good cut-protection due to cut-resistance level 3

- HPPE fibre
- PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehousing and assembly work, fine mechanical tasks with slightly sharp objects



Art. no. 120302/9

Size: 9

Art. no. 120302/10

Size: 10

Art. no. 120302/11


Size: 11



## PU cut-protection glove, level 5

High cut-protection thanks to cut-resistance level 5, for high mechanical loads

- HPPE fibre
- Thick PU coating on palm and fingertips: Flexible and elastic, high abrasion resistance, safe grip
- Excellent fit, pleasant wearing comfort
- Area of use: Warehousing and assembly work, fine mechanical tasks with sharp objects



Art. no. 120304/9

Size: 9

Art. no. 120304/10

Size: 10

Art. no. 120304/11

Size: 11



## Deep-hole marker 2-in-1 with a sharpener

**One pen – two functions**

**With a cap:** Retractable pencil for precise marking and writing

**Without a cap:** Deep-hole marker for drilling and installation tasks

- Very stable, with a practical clip
- Sharpener integrated into the push-button
- Graphite universal refill for marking on rough and smooth surfaces
- Preserves resources and is environmentally-friendly
- Ergonomic, triangular form
- Designed for various refills for almost all surfaces and materials
- Refill Leads Art. no. 150045



## Refills, graphite universal

- Suitable for deep-hole marker Art.No. 150044
- Refills in a dispenser, 6 units



## Assortment boxes with metal catch and pick boxes

- made of black plastic, including small part boxes
- transparent lid closes tightly
- contents do not become mixed up
- stackable
- ergonomic shape, hinged handle
- feet for upright storage
- catch fasteners with metal brackets
- oil and grease-repellent

### Content:

- 6 Boxes 49 x 49 x 72 mm
- 11 Boxes 49 x 98 x 72 mm
- 2 Boxes 98 x 98 x 72 mm
- 2 Boxes 98 x 148 x 72 mm



Art. no. 150044

155 mm

Art. no. 150045

125 mm

Art. no. 221131

415 x 335 x 90 mm

# MAXIMUM POWER, MINIMUM EFFORT

## HIGH LASHING FORCE

340 daN direct /  
680 daN in strapping

## QUICK AND EASY

No threading into  
the ratchet necessary

## COMPACT & ROBUST

25 mm webbing,  
light green,  
ideal for small loads



## VERSATILE

Double-sided pointed hooks,  
3.5 m length



## Automatic lashing strap

**Art. no. 393158**

Length: 3.5 m

Width: 25 mm

# CONTENTS

pp. 152 – 176

## **HAND TOOLS**

MUST-HAVES FOR PLUMBING!

Professional. Efficient. Reliable.




pp. 177 – 184

## **PIPE CUTTERS**

CUTTING MADE EASY!

Powerful. Convenient. Precise.



pp. 185 – 198

## **TOOL CASES**

PLENTY OF SPACE FOR TOOLS!


Everything in its place – always ready for use.

pp. 208 – 215

## INSPECTION CAMERA SYSTEMS

MAKING THE INVISIBLE VISIBLE!

Everything in view – even around corners.



pp. 199 – 207

## DRILLS & SETS

PRECISION AT ITS CORE!

Power in every turn.

pp. 216 – 225

## SUPPLEMENTARY RANGE

THAT EXTRA SOMETHING!

For special requirements.

FULL RANGE FOR THE  
**PLUMBING  
CRAFT**





## **PLUMBING TOOLS**

Plumbing hand tools are indispensable companions for professionals in the water, heating and air conditioning technology sectors.

They enable precise, safe and efficient work – from installation and maintenance to repairs.

Whether pipe cutters, press tongs or testing devices: every BRINKO tool is designed to meet the highest demands of the trade and impresses with its durability, ergonomics and functionality.

Our professional plumbing hand tools form the foundation for quality you can rely on every day – in new construction, renovation or service work.

**For everyone who values precision and reliability.**

# MUST-HAVES FOR PLUMBING!

## HAND TOOLS



## Water pump pliers

The BRINKO pipe wrench BRIpowerXL with slip joint for larger pipe diameters and large-edged screw connections fits in every tool case despite its large diameter.

The maximum lever arm greatly facilitates work thanks to the optimum force transmission. The setting is made using an INOX pushbutton directly on the workpiece, and is extremely easy compared to a pipe wrench. The BRIpowerXL has a hand-friendly handle setting with finger clamp protection.

- Chrome-Vanadium-Steel, hard chrome-plated (no rusting)
- Grip surfaces are hardened inductively
- INOX pushbutton and spring
- Self-clamping to tubes and nuts
- With finger clamp protection
- Anti-slip handles, soft dip-insulated, yellow
- With pushbutton single-and adjustment
- 27-level fine adjustment

**Art. no. 687/150**

Ø 1 1/4 Inch

**Art. no. 687/180**

Ø 1 1/2 Inch

**Art. no. 687/250**

Ø 2 Inch

**Art. no. 687/300**

Ø 2 3/4 Inch

## Water pump pliers BRIpowerXL

**Art. no. 687/400**

Ø 3 3/4 Inch



Art. no.	↔	∅ mm	∅ mm	∅ "
687/150	150	30	32	1 1/4
687/180	180	36	40	1 1/2
687/250	250	46	50	2
687/300	300	60	70	2 3/4
687/400	400	100	104	3 3/4



## Water pump pliers

- Chrome vanadium steel
- heavy-duty design
- high quality hardened and tempered
- Induction hardened gripping teeth
- with box joint
- Finger pinch protection
- jaws and joint bright ground
- yellow lacquered

Art. Nr. 685/175

Ø 1 1/4 Zoll

Art. Nr. 685/240

Ø 1 1/2 Zoll

Art. Nr. 685/300

Ø 2 Zoll



Art. Nr.	mm	mm	"
685/175	175	32	1 1/4
685/240	240	39	1 1/2
685/300	300	52	2

## Water pump pliers | automatic

Art. no. 682/250

Ø 1 3/4 Inch

- Chrome vanadium steel
- nose brightly polished
- soft dip insulated anti-slip handles, yellow
- automatic jaw width adjustment by simply slipping handles together, without snap adjustment
- with finger pinch protection
- patented technology



Art. no.	mm	mm	"
682/250	250	42	1 3/4

## Fittings pliers | Wrench pliers

Art. no. 689/180

Ø 1 1/4 Inch

Art. no. 689/240

Ø 2 Inch

- Chrome vanadium steel, hard chrome-plated (no rusting)
- with push-button one-hand adjustment
- with finger pinch protection, one parallel gripping and one movable jaw
- Smooth, polished gripping surfaces, induction hardened
- Non-slip handles, soft, double dip-insulated, yellow
- reduced weight
- 10-fold hand force
- replaces open-end spanner set



- 10 times hand force
- replaces open-end wrench set

Art. no.	mm	mm	"
689/180	180	36	1 1/4
689/240	240	50	2
689/300	300	68	2 1/2



## Corner pipe pliers

- Chrome vanadium steel, forged
- special hardened teeth
- S-opening, polished
- finger pinch protection

Art. no. 619/1

Ø 1 Inch

Art. no. 619/11/2

Ø 1 ½ Inch

Art. no.	mm	mm	"
619/1	320	0 - 49	1
619/11/2	440	0 - 68	1 1/2
619/2	560	0 - 85	2



## Pipe pliers set

Art. no. 9001

3 pieces

### Consisting of:

1 corner pipe pliers 1"  
Art. no. 619/1

1 corner pipe pliers 1 1/2"  
Art. no. 619/11/2

1 water pump pliers 240 mm  
Art. no. 685/240

- corner pipe pliers with S-opening and finger pinch protection
- special hardened teeth



## Ratchet wrenches 4 in 1

### 4 in 1

The ratchet wrench handles 4 different nut sizes

- Sizes: 10 x 13 mm and 17 x 19 mm
- finely toothed 72 teeth of the 2 ratchets - ratchets can be switched to clockwise/counterclockwise operation
- due to 12-slided toothing, the wrench easily grips 4, 6 and 12-sided screws as well as almost round nuts
- Chrome-vanadium steel, chrome-plated
- extremely robust

Art. no. 83

Length 200 mm

4 in 1



10 x 13 mm

17 x 19 mm



## Hanger bolt driver



Art. no. 102/8

Ø 8 mm

Art. no. 102/10

Ø 10 mm

Multidirectional hanger bolt driver

- Screw-in and screw-out tool hanger bolt driver Ø 8 mm and Ø 10 mm
- self-clamping when turned
- for fast and effortless screwing and unscrewing of stay bolts, express and hanger bolts without damaging the thread
- with hexagonal driver for power tools



**Step wrench set**

1/2"

**Art. no. 674**

Length 105 mm

- 1 reversible ratchet Art. no. 672/265
- 1 step wrench, 105 mm Art. no. 673/105 with 9 levels 3/8 - 1"
- supplied in pouch

**Combination angle valve key**

1/2"

**Art. no. 659-1**

1/2" Ratchet

**The right tool, especially in tight spaces.**

For damage-free installation of combination angle valves, which, in addition to connecting a mixer tap, also have an outlet for items like a dishwasher or washing machine.

1/2" ratchets Art. 129-3/250 are used for the drive.



## Sleeve extractor set

Art. no. 1088

5 pieces

**For the extraction of threaded pipe connections, sleeves and nipples**

- Left-hand extractor
- CrV-steel, hardened
- Surface burnished
- Polished cutting surface

The service life of the extractors varies depending on the hardness of the counter material.

Knock the extractor into the drill hole and loosen the screw.

**Content:**

- 1 sleeve extractor 3/8"
- 1 sleeve extractor 1/2" – 3/4"
- 1 hexagonal insert 1/2", size 26
- 1 hexagonal insert 1/2", size 19
- 1 reversible ratchet, inner and outer square drive bit, 1/2" drive



# SPECIAL TOOL WITH RIDGES!

## INDISPENSABLE AND COST-SAVING.

No more hassle when operating a stuck valve.



## PROTECTED BY DESIGN PATENT.

Special tool consisting of a base body with protruding ridges.

## CENTRALLY APPLIED FORCE FROM ABOVE

and distribution of pressure points over several surfaces results in non-destructive operation.



**1/2" RATCHET DRIVE**

**EASY LOOSENING**  
even of the most stubborn shut-off valves!



**Handwheel socket  
BRIwheelNut**

**Art. nr. 129-50**  
1/2" drive

## Socket wrench set BRImultiLock | 86 pieces

1/2" 1/4"


Art. no. 127-1  
86 pieces

### Troubleshooter!

#### BRINKO BRImultiLock for damaged hexagon head screws and many other profiles

- Reversible ratchet with inner and outer hexagon
- twelve-tooth profile, 1/2" and 1/4" drive

Material: Cr-V 50BV30 steel | Industrial quality | Standards: DIN 3124; ISO 2725 | Finishing: Silver mat finished | Profile: BRImultiLock - Best solution for variety bolts | Torsion: 30-50% (depends on size) higher than DIN | Life-Time: 200k circle times at 35% of DIN | square drive



### Content:

- Plumber Ratchets 1/4", 1/2"
- Universal joint 1/4", 1/2"
- Spinner Handle incl. adapter 1/4", 150 mm
- Sliding T Bar 1/4", 150 mm
- Extension Bar 1/4", 50 - 100 mm
- Extension Bar 1/2", 125 - 250 mm
- Plug Sockets 1/2", 16 - 21 mm
- Bit Adapter 1/2" - 5/16"
- BRImultiLock Socket 1/2" SW 10 - 12 - 13 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
- Deep Socket 1/2" SW 14 - 15 - 17 - 19 mm
- BRImultiLock Socket 1/4" SW 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Deep Socket 1/4" SW 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- Bits, slot 1/4" 4 - 5.5 - 6.5 mm
- Bits, cross slot 1/4" PH 1, 2 | PZ 1, 2
- Bits, allen key 1/4" 3 - 4 - 5 - 6 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 30
- Bits, cross slot 1/4" PH 1, 2 | PZ 1, 2
- Bits, allen key 1/4" 3 - 4 - 5 - 6 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 30
- Bit Adapter 1/4" - 5/16"
- Bits, slot 5/16" 8 - 10 - 12 mm
- Bits, cross slot 5/16" PH 3, 4 | PZ 3, 4
- Bits, allen key 5/16" 8 - 10 - 12 - 14 mm
- Bits, Tx 5/16" Tx 40 - 45 - 50 - 55

**Troubleshooter!**  
BRINKO BRImultiLock for damaged hexagon head screws and many other profiles



## Socket wrench set BRImultiLock | 57 pieces

1/4"

Art. no. 122

57 pieces

### Troubleshooter!

#### BRINKO BRImultiLock for damaged hexagon head screws and many other profiles

- Reversible ratchet with inner and outer hexagon
- twelve-tooth profile, 1/4" drive

Material: Cr-V 50BV30 steel | Industrial quality | Standards: DIN 3124; ISO 2725 | Finishing: Silver mat finished | Profile: BRImultiLock - Best solution for variety bolts | Torsion: 30-50% (depends on size) higher than DIN | Life-Time: 200k circle times at 35% of DIN | square drive

### Content:

- Plumber Ratchets 1/4"
- Universal joint 1/4"
- Sliding T Bar 1/4"
- Spinner Handle incl. adapter 1/4", 150 mm
- Hex keys 1.5 - 2.0 - 2.5
- Extension Bar 1/4", 50 - 100 mm
- BRImultiLock Socket 1/4" SW 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Deep Socket 1/4" SW 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- Socket Tx-E 1/4" E 4 - 5 - 6 - 7 - 8
- Bits, cross slot 1/4" PH 1, 2, 3 | PZ 1, 2, 3
- Bits, slot 1/4" 4 - 5.5 - 7 mm
- Bits, allen key 1/4" 3 - 4 - 5 - 6 - 7 mm
- Bits, Tx 1/4" Tx 8 - 10 - 15 - 20 - 25 - 27 - 30 - 40



**Troubleshooter!**  
BRINKO BRImultiLock for damaged hexagon head screws and many other profiles



## Screwdriver set



Art. no. 2122

Slot-head / Pozidriv

**Content:**

- 4 slot-head screwdrivers
- 80 x 3, 100 x 4, 125 x 5.5, 150 x 6.5 mm
- 2 Pozidriv screwdrivers PZ 1, PZ 2
- chrome vanadium steel
- matt chrome-plated blades
- 2-component handle with a hole



ROLL REPRESSIVE



## Hexagon spanner set Hex




Art. no. 114

9 pieces, size: 1,5 – 10 mm

**Content:**

- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Chrome vanadium steel, bright nickel-plated
- long design
- hex/ball-end combined
- the ball-end allows you to screw up to a 30° angle
- unfolding plastic holder allows free access
- with belt clip




## Claw-type gripper magnetic

### Everything is under control!

- flexible claw-type gripper, length 60 cm
- ideal for gripping screws, nuts etc. that are difficult to reach
- the claw, with 'spring-action-system', can be opened up to 23 mm
- the additional magnet lifts metal parts up to 400 g
- the integrated LED allows to find dropped small-parts even in dark corners

Art. no. 1830

Length: 600 mm



## Bit set | 32 pieces | colour-coded

1/4"

Art. no. 2145

32 pieces

- Supplied in a plastic box with a belt clip
- S2 steel, chrome-plated with colour-coding

### Content:

- 1 bit holder with quick release
- 1 adaptor for 1/4"
- 30 bits



Content	Colour	Sizes	Pieces
cross slot Philips	+	PH Gr. 1, 2, 2, 3	4
cross slot Philips	+	PZ Gr. 1, 2, 2, 3	4
slot	●	3, 4, 5, 6 mm	4
allen key	○	3, 4, 5, 6 mm	4
Tx	×	Tx 10, 15, 20, 25, 27, 30, 40	7
Security Tx	◎	Stx 10, 15, 20, 25, 27, 30, 40	7



## Assembly Connection Gauge

- the installation connection gauge is a measuring tool for the optimal alignment of standardized fittings, such as bathtub and shower batteries, corner and recessed valves, pipe connectors, and vents
- supplied in an impact-resistant plastic case:
- dimensional and spatial alignment of all common installation inside dimensions 1/2" in bare brickwork
- easily readable circular bubble and with depth adjustment
- fixed adjustment increments: 75, 100, 120, 153, 200, 240 mm
- also fits for assembly rails 150 mm
- for bathtubs and shower mixers, corner and flush-mounted valves, pipe ventilators



## Valve extension cutter with chip collection

- for trimming 1/2" valve extensions made of red brass
- with SDS chuck adaptor
- rubber cap collects the milled chips



## Combination washbasin tap wrench

- Suitable for all fittings up to 13 mm threaded rod and SW 32 mm
- 4 inserts 9, 10, 11, 12 and shank 13 mm
- reversible claw with spring
- Knurled handle
- Size 8 and 14 mm on request Art. No. 655-1/8 and 655-1/14



Art. no. 2845

1/2" thread

Art. no. 705/1/2

1/2" thread

Art. no. 655

6 pieces

# PRECISION TOOLS FOR PROFESSIONALS!

## TOOL SET WITH FOAM INSERT

Professional organisation  
and protection of tools

## DRIVE 1/2" REVERSIBLE RATCHET

With internal and external  
square, indispensable for  
plumbing installations



## PRECISE, SAFE AND EFFICIENT WORKING


well equipped for every challenge  
in plumbing, heating and air  
conditioning technology

**Bathroom installation  
set PREMIUM |  
12 pieces**

**Item no. 677-2**  
1/2" drive

## Valve holder

- to lock eccentric and standard valves in place
- with a flexible T-handle
- length 120 mm



Art. no. 725

Length 120 mm



## Duo valve holder

1/2"

Art. no. 726

Length 134 mm

Chrome-plated drain fittings installed in sinks tend to get scratched during installation, leading to customer frustration.

To prevent this, there's the Automatic Duo Valve Holder. The Duo valve holder is inserted from the top into the drain valve and locks into place. Now, holding it during installation is no longer a problem, and there's no risk of slipping that could damage the chrome plating.

- For drain fittings in sizes 1" and 1 1/4"
- For use with a 1/2" drive."



## Toilet seat & sanitary installation wrench BRImultiKey 19 in 1

Art. no. 662

17 mm | 1/2 Inch

The BRINKO Toilet seat & sanitary installation wrench BRImultiKey 19 in 1 is a multi-talent for the different screw connections on toilet seats, and adapters on water taps and fittings (Perlators/aerators).

You practically do not need any other tools because this universal wrench combines almost everything in one tool.

- Up to 19 adapter options
- Application with larger torques on very tight or rusted nuts, wing nuts, perlators or aerators
- Attractive form, comfortable and pleasant handles
- Reversible inserts (red) as a 'click system' for various sanitary attachments
- Adapter options for 17 mm open-end wrench
- Inner adapter for wrench handle for a 1/2 inch ratchet wrench extension
- Universal wrench made of very durable and tough plastic PA6 (polyamide) and 30 % glass-fibres

### WITHOUT an adapter:

Up to 11 different wing nuts of the toilet seat can be opened or screwed on.

### WITH adapter:

Open and/or screw on 10 mm nuts (M6 threaded rods) or 13 mm nuts (M8 threaded rods).



## Hydraulic pipe bending set | Combined

Art. no. 637-10

15 pieces

### Content in a strong plastic case:

1 hydraulic hand pipe bending tool  
9 bending segments, aluminium pressure die-casting, 10, 12, 15,  
16, 18, 20, 22, 26, 32 mm  
5 dollys

- for medium-hard copper pipes, sheathed copper and soft steel pipes Ø 10 – 22 mm
- for stainless steel pipes Ø 10 – 15 mm
- for composite pipes Ø 12 – 32 mm
- bends up to 90°
- bending radius 4 x diameter
- to refill the oil, please use Shell Morlina S2 BL 10  
(formerly Shell Tellus C 10)



## Hydraulic pipe bending set imperial – HRB-Z

Art. no. 637-30

11 pieces

The hydraulic pipe bending set imperial enables easy and smooth bending of soft, semi-hard, and coated copper and mild steel pipes with imperial outer dimensions. This avoids soldering-press connections and potential leaks. A standard bending radius is maintained with this hydraulic tube bending set.

- For soft, semi-hard, and coated copper and mild steel pipes Ø 1/4" – 7/8"
- For stainless steel pipes Ø 1/4" – 1/2"
- For composite pipes Ø 1/4" – 7/8"
- Bends up to 90°; bending radius 4x diameter

### Content:

- Hydraulic manual pipe bending device
- Bending segments, aluminium die-casting, 1/4" 5/16" 3/8" 1/2" 5/8" 3/4" 7/8", 3 counter-holder



## Hydraulic pipe bending set metric – HRB-M

Art. no. 637-40

9 pieces

The hydraulic pipe bending set metric enables easy and smooth bending of soft, semi-hard, and coated copper and mild steel pipes with metric outer dimensions. This avoids soldering-press connections and potential leaks. A standard bending radius is maintained with this hydraulic tube bending set.

- For soft, semi-hard, and coated copper and mild steel pipes Ø 10 - 22 mm
- For stainless steel pipes Ø 10 - 15 mm
- For composite pipes Ø 12 - 22 mm
- Bends up to 90°; bending radius 4x diameter

### Content:

- Hydraulic manual pipe bending device
- Bending segments, aluminium die-casting, 10, 12, 15, 18, 22 mm, 3 counter-holder



## Double-hole punch

Art. no. 914

Ø 32 + 35 mm

To securely fasten mixer taps and spigot taps in kitchen sinks and other sheet materials, precise and accurately sized mounting holes are required.

**With the double-hole punch, mounting holes in the most commonly requested sizes Ø 32 mm and Ø 35 mm can be created cleanly and without contamination.**

**The double-hole punch is suitable for the following thicknesses:**

- Iron, steel, copper, and aluminium sheets up to 2 mm
- Stainless steel sinks and other stainless steel sheets up to 1.5 mm



**Ø 32 mm**  
Hole diameter

**Ø 35 mm**  
Hole diameter

## Universal knife

### Das Original BRINKO cutter knife

- ergonomic 2-component handle with soft plastic
- super-sharp, double-ground blade width 18 mm, thickness 0.5 mm
- blade feed with automatic lock
- 2 replacement blade strips in the handle
- colour: yellow, black

Art. no. 2980

160 x 45 x 25 mm



## Blade dispenser Black Blades

Art. no. 2982

100 x 18 x 0,5 mm

### Original BRINKO Black Blades

Cutter blades, 10-part, suitable for Art. no. 2980

- **super sharp blade** for precise cuts
- reinforced design
- fits all conventional cutter knives
- dual edge for maximum sharpness
- maximum lifespan thanks to flame hardening process
- ideal for various materials
- blade is coated black
- delivered in a dispenser
- 8 segments
- 100 x 18 x 0,5 mm

10 x



# CUTTING MADE EASY!

## PIPE CUTTER



## Carbon steel, stainless steel pipe cutter

Art. no. 633-71/35

Pipe Ø 3 – 35 mm

**Special pipe cutter for INOX, C-steel and Cu pipes**  
For pipes with Ø 3 35 mm or 1", up to 3 mm wall thickness

### Body

- magnesium die casting
- especially light 1/3 lighter than aluminum | almost 1/2 lighter than zinc diecast | as zinc die-cast
- best strength/weight ratio of any metal
- easily 100 % recyclable
- modern material, increasingly also used in automotive engineering
- powdercoated (not smoothly painted), thus better feel/grip for dirty (oily, greasy)/sweaty hands

### Guide rollers

- **Needle bearing** | 2 needle bearings per roller
- Stainless steel rollers are non-magnetic, thus preventing the transport of rust particles
- no more recess for cutting close to the flange, thus optimal guiding of the Inox tube

### Fast running spindle

- extra strong
- high dimensional accuracy
- high surface quality (low roughness)
- easy to machine: high accuracy

### Integrated rotary deburrer

- Noga deburrer (one of the best blade manufacturers in the world)
- removable, easier deburring without moving the whole RAS

### Spare cutting wheel

- Art. No. 633-75A
- size: 19 x 5 mm
- **Additional spare wheel in the handle!**
- change without additional tool

### Handle

- zinc die casting

### Cutting wheel

- needle bearing
- less resistance when turning
- clean cut



# PROBLEM SOLVER FOR ASSEMBLED PIPES!

## **EASY CUTTING**

## Fine ratchet function - even in confined spaces



## VERSATILE USE

For cutting stainless steel, carbon steel and copper pipes with a diameter of Ø 8 - 28 mm

## QUICK, EASY SPINDLE ADJUSTMENT

comfortable working and precise adjustment to different pipe diameters

**Ratchet cut |  
stainless steel,  
carbon steel, copper**

**Art. no. 622/28**  
Pipe Ø 8 - 28 mm

## Cutting wheel | Stainless steel, carbon steel, copper

- replacement cutting wheel suitable for stainless steel and carbon steel
- suitable for: Art. no. 622/28
- Outer Ø 19 mm
- Inner Ø 6 mm
- Thickness 3 mm

Art. no. 622-1

Pipe Ø 8 – 28 mm



## Pipe cutter with deburrer for stainless steel, copper and brass pipes, plastic and composite pipes

### With extra strong fast running spindle

- 4-roller guide with groove for beading
- integrated rotation deburrer
- 1 cutting wheel for stainless steel, copper and brass pipes, Art. no. 632-1
- 1 cutting wheel for plastic and composite pipes, Art. no. 633-1 (only integrated in the handle of Art. no. 633/35)

Art. no. 633/35

Pipe Ø 3 – 32 mm

Art. no. 633/45

Pipe Ø 9 – 45 mm



# PRECISION IN ONE STROKE!



## CUTTING AND DEBURRING

two functions in one  
tool with two different  
cutting wheels

## CONVENIENT AND TIME-SAVING

Quick adjustment to  
different pipe diameters  
thanks to spindle ratchet  
quick adjustment

## HIGH LOAD CAPACITY

Perfect cut with  
every turn

**ERGONOMIC DESIGN**  
Tool lies securely and  
comfortably in the hand

**Combination pipe  
cutter with deburrer**

**Art. no. 627**

Pipe Ø 6 – 76 mm, 1/4 – 3"

## INOX pipe cutter Plus with deburring unit

Art. no. 627-70

Pipe Ø 6 – 76 mm

### Special pipe cutter for INOX pipes Ø 6 – 76 mm, 1/4 – 3"

- fast feeder system

### Integrated rotation deburring unit

- Noga deburring unit (one of the world's best manufacturers of blades)
- detachable, easy deburring without having to move the entire RAS

### Guide rolls

- 4 guide rolls made of INOX steel for optimum hold of the pipe
- guide rolls with needle bearings | 2 needle bearings per roller
- Stainless steel rollers are non-magnetic, thus preventing the transport of rust particles
- no more prior puncturing for cuts close to the seam, this allows optimum guidance of the Inox pipe

### Cutting wheel

- fast exchange of cutting wheels without tools
- cutting wheel with needle bearings for INOX, Art. No. 627-71
- size: 19 x 6,2 mm
- extra spare wheel in the handle !!!



## Cutting wheel | Stainless steel

Art. no. 627-71

Pipe Ø 6 – 76 mm

- replacement cutting wheel suitable for stainless steel
- suitable for: Art. no. 627-70
- Outer Ø 19 mm
- Inner Ø 5 mm
- Thickness 5 mm



## Plastic pipe scissors

For one-hand operation with automatic blade retraction

- for Ø 6 – 35 mm
- for separating hard and soft plastic pipes, cable ducts, fibre-reinforced plastic and rubber hoses, pipes made of composite material and polypropylene
- little strength required due to ratchet technology
- straight and distortion-free, right angles cuts
- no problem blade change

Art. no. 634/35

Ø 6 – 35 mm



## Pipe deburrer

- for internal and external deburring of stainless steel, brass, aluminium and plastic pipes
- robust quality tool: stiff aluminium housing and very fine deburrer blade

Art. no. 648/35

Pipe Ø 8 – 35 mm

Art. no. 648/54

Pipe Ø 10 – 54 mm



## Automatic plastic tube shears

- with lever transmission
- for tubes in PVC, PE, PD, PEX, PVDF with a wall thickness of up to 2 mm and composite tubes
- single-hand operation and recoil-free ratchet mechanism, high safety standard
- durable blade made of tempered steel with a precise angle for easy cutting of plastic tubes, with V-cut
- little power required thanks to special teeth design
- precise pinpoint cut without deformation of the tubes, wide tube base
- rubber-coated handle and powder-coating for a secure hold without slipping
- transport lock and latch
- easy blade exchange

Art. no. 635/35

Pipe Ø 35 mm

Art. no. 635/42

Pipe Ø 42 mm




VIDEO | 635



# PLENTY OF SPACE FOR TOOLS!

## BACKPACKS AND TOOL CASES



## BRItogo1 tool backpack

**NEW**

The BRItogo1 tool backpack is the perfect answer to the needs of craftsmen and technicians. It combines well thought-out design and robust quality in terms of size, layout and equipment - precisely tailored to the requirements of daily use. The equipment is based on the experience of plumbers who know exactly which tools and aids they need. BRINKO combines the highest quality with a practical, robust transport system in this professional set. This set leaves nothing to be desired and contains only useful, well-designed products that provide optimum support for everyday work. Backpack 7521.

### Content:

- Screwdriver set HUPslim 1000 V 6 pcs. slotted/PH, hardened\*
- Safety voltage tester, • Pin spanner set 1.5 - 10 mm
- TORX angle spanner set T10 - T50, • Steel wire brush, 4-row
- Locksmith's hammer with 3-component handle 300 g
- Electrician's chisel 250 x 12 mm
- Universal hacksaw/mini hacksaw with fixed wooden handle in red incl. saw blade
- Universal knife for snap-off blades 18 mm
- Bit holder, length 350 mm
- Bit set, 32-piece colour-coded
- Automatic wire stripper Super 4 Pro, 165 mm
- Diagonal cutters DIN ISO 5749 VDE, 160 mm\*
- Stork beak pliers DIN ISO 5745 VDE straight, 200 mm\*
- Stork's beak pliers DIN ISO 5745 VDE 45° angled, 200 mm\*
- Water pump pliers with push-button adjustment, 250 mm chrome-plated
- Fitting pliers/spanner pliers 180 mm chrome-plated
- Corner pipe wrench S-jaw, 1'
- 7-piece combination spanner set 6, 8, 9, 10, 13, 17, 19 mm
- Pipe cutter with deburrer 3 - 35 mm
- Combination tap spanner for fittings up to 14 mm threaded rod and SW 32 mm nuts
- WC seat & sanitary installation spanner BRImultiKey 19 in 1
- LED claw gripper magnetic Length: 600 mm Claw with spring pressure system can be opened up to 23 mm
- Deep hole marker, 2 in 1
- Magnetic spirit level, mini
- Caliper, 160 mm
- Ruler, 2 m
- Neutral PTFE thread sealant, 175 m DVGW test up to 100 bar in accordance with DIN EN 751-3 FRp
- Quick degreaser HUPdegreaser
- LED inspection light HUPlight400 160 x 37 x 21 mm
- Breathable protective gloves size 10
- Ear defenders Ear plugs Noise protection hearing protection
- Safety goggles/safety glasses with length and height-adjustable temples

Art. no. 7522

62 pieces includes rucksack



ATE 1000 V IEC 60900



\* perfected cutting force performance



11,07 kg



## BRItogo2 tool backpack

**NEW**

The BRItogo2 tool backpack offers an innovative solution for craftsmen and technicians. With its optimum size, well thought-out layout and robust equipment, it meets all the requirements for professional use. The equipment is based on the experience of service technicians in the field of maintenance and repair. BRINKO combines high-quality special tools and practical aids in this professional set, perfectly combined with a robust transport system. Additional space for a laptop, measuring instruments and individual tools, as well as a name patch, round off the set and make it the ideal equipment for every job. Tool backpack empty 7521.

### Content:

- Screwdriver set HUPslim 1000 V\*, 6 pcs. slotted/PH, hardened
- Voltage tester 120 - 250 V, 100 x 3.5 mm
- Diagonal cutters DIN ISO 5749 VDE, 160 mm\*
- Automatic wire stripper Super 4 Pro, 165 mm, 0.1 - 6 mm<sup>2</sup>
- Stork beak pliers DIN ISO 5745 VDE, 45° angled, 200 mm\*
- Neutral PTFE thread sealant, 175 m
- Storkbill pliers DIN ISO 5745 VDE straight, 200 mm\*
- Open-end spanner 24/30 mm, 275 mm
- Control mirror
- Socket spanner set BRImultiLock, 55 pcs.
- Bit holder, length 350 mm
- Bit set, 32-piece
- Water pump pliers with push-button adjustment, 250 mm
- Fitting pliers/spanner pliers, 180 mm
- LED claw gripper, magnetic, length: 600 mm
- Screwdriver Tx 8 x 185 mm, 9 x 185 mm, 10 x 195 mm, 15 x 195 mm, 20 x 195 mm, 25 x 220 mm
- Torch brush
- LED inspection light HUPLight400, 160 x 37 x 21 mm
- Torque spanner, 1/4", 2 - 20 Nm

Art. no. 7523

30 pieces includes rucksack




ATE 1000 V IEC 60900



\* perfected cutting force performance



11,40 kg



## Tool case plumbing

### Hard-top case ABS plastic, black

- dimensions 480 x 370 x 225 mm
- alu frame
- non-slip carrying handle
- 2 locks
- with shoulder strap
- reinforced metal corners as additional protection against damage

#### Inside:

- 2 tool kits completely removable
- document pocket
- bottom half of case equipped with variable partitions

Art. no. 7410

empty, 480 x 370 x 225 mm

ABS \*\*



6,50 kg

## Skater tool trolley


Art. no. 7413

empty, 470 x 360 x 220 mm

### Hardshell case made of PP plastic, black

- inside dimensions 470 x 360 x 220 mm
- extremely robust design, shell highly impact resistant and almost indestructible
- rigid frame made of hardened aluminium
- 3 sturdy back hinges, sturdy lid holders riveted 4 times
- case corners additionally reinforced with aluminium attachments
- ergonomic telescopic handle
- integrated trolley system with ball bearing skate wheels
- lockable locks and additional combination lock
- removable compartment dividers in the case bottom with cover
- 3 tool plates and document compartment

**HDPE \*\*\***



INSENSITIPU



CORROSION  
FIRMLY



SHOCKRESISTANT



BIKES



**9,30 kg**

# FOR THE NEXT GENERATION OF TECHNICIANS!

## ROBUST HARD-SHELL CASE

offers protection, organisation  
and durability



## READY FOR THE FUTURE

equipped with high-  
quality standard and  
special tools



11,00 kg

Tool case for young  
plumbing/heating  
technicians



ABS

Art. no. 7421

23 pieces

480 x 370 x 225 mm

## Tool case Plumbing EXCLUSIVE

Art. no. 7438

46 pieces, 480 x 370 x 225 mm

### Hard-top case, black, fitted with 45 special tools

- dimensions 480 x 370 x 225 mm
- black alu frame, non-slip carrying handle, 2 locks, with shoulder strap
- reinforced metal corners as additional protection against damage
- Inside:**
- 2 tool kits completely removable, document pocket, bottom half of case
- equipped with variable partitions

### Content:

- 22-1/300 Instrument key 300 mm
- 56 Open-end wrench 10 x 13 mm / 17 x 19 mm
- 92 Socket wrench 10 x 11, 12 x 13, 17 x 19, 19 x 22
- 105/10 Plumbing installation wrench
- 106-2 Plumbing four-way socket wrench
- 114 Hex key set, • 129-3/250 Reversible ratchet
- 129-7/125 Extension
- 129-12 BRImultiLock insert 10, 13, 17 mm
- 619/1 Corner pipe pliers 320 mm, 49 mm, 1"
- 631-5 Miniature pipe cutter
- 633/35 Pipe cutter with deburrer up to Ø 35 mm / 1 3/8", up to Ø 32 mm / 1 1/4"
- 655 Combination washbasin tap wrench
- 673/86 Step wrench 86 mm
- 687/250 Water pump pliers 250 mm
- 1333/200-10 Electrician's chisel 10 mm
- 1470/500 Cross peen hammer 500 g
- 1654-1/250 Engineer's file | half round
- 1710 Burner brush
- 1726/146 Universal bow saws
- 2070/125 Slot-head screwdriver 5.5 x 125
- 2070/150 Slot-head screwdriver 6.5 x 150
- 2080/1 Screwdriver | PZ1 x 80 / 2 - 3 mm
- 2080/2 Screwdriver | PZ2 x 100 / 3 - 5.2 mm
- 2088/145 Voltage tester
- 2524/235 All-purpose pencil 235 mm
- 2705/2 Cutting Folding ruler 2 m
- 2980 Universal knife
- 2999-1/25 Solder water brush 25 mm, 1"
- 3820 Hemp dispenser
- 2836/400 Lightweight metal spirit level 400 mm

ABS \*\*



## Professional tool box

**NEW**

The **BRINKO Profi tool box** is equipped with various storage pockets for tools and aids of all kinds. Thanks to the arrangement of the pockets on the inside walls and lid, the contents can be seen at a glance and the tools can be removed and put back with just one hand (no lifting of tool plates with the second hand, as in conventional tool cases). With this extensive equipment, the interior is used for a roll-up pocket with combination wrenches and other accessories. This box can be easily connected to all BRINKO BRLboxes for transportation in the vehicle. All BRINKO boxes are compatible with the metaBOX system.

**In the professional set offered here, the tool box is equipped with tools and aids that have been put together by experienced professionals from the plumbing/heating industry.** The high-quality tools and useful aids leave nothing to be desired and make this tool box an indispensable companion.

### Content:

- BRI box 340 S (compatible with the metaBOX system) with internal divider for tools, external dimensions: 396 x 296 x 340 mm
- Locksmith's hammer with 3-component handle 300 g
- Long electrician's chisel 200 x 10 mm
- Soft-face mallet with 3-component handle, 300 mm, Ø 32 mm
- Mini hacksaw with fixed wooden handle in red incl. saw blade
- PUK metal saw blade for small handsaw 12 pcs
- BRINKO cutter knife for snap-off blades 18 mm
- BRINKO Blade Dispenser Black Blades with snap-off blades, 10 pcs. 18 mm
- INOX pipe cutter Plus 6 - 76 mm, with deburrer, quick-feed system, needle-bearing cutting wheel and needle-bearing guide rollers
- Compact pipe cutter 3 - 30 mm
- Aluminum pipe deburrer Ø 8 - 35 mm
- Steel wire brush 4 rows
- BRINKO water pump pliers 250 mm and 300 mm
- BRINKO fitting pliers/wrench pliers 240 mm and 300 mm
- BRINKO corner pipe wrench S-jaw 320 mm, 1"
- Combination spanner set, DIN 3110, 6 - 27 mm
- Ratchet wrench 4 in 1, 10 x 13 mm and 17 x 19 mm with lever adjustment
- long Tx angle wrench set T10 - T50 mm
- Short screwdriver, slotted 6 x 30 mm
- Screwdriver short, Phillips PH2 x 30 mm
- Screwdriver set HUPslim 1000 V, tapered tip, 6-piece
- FlexBagPro ratchet screwdriver set, 37 safety bits, 8 sockets, 5 drill bits
- Long bit holder, matt chrome-plated blade, length 350 mm, suitable for all bit inserts 1/4"
- Magnetic spirit level, mini made from ABS
- 2C socket wrench, width across flats 7 mm for hose fittings
- long hexagon socket wrench set, SW 1.5 - 10 mm with ball head
- Caliper/caliper gauge 150 mm with quick adjustment
- DRY Profi LED deep hole marker with integrated LED light for targeted markings
- LED inspection light HUPlight400 with many functions, USB

**Art. no. 4626**

68 pieces, 396 x 296 x 340 mm



**5,62 kg**

## Tool box WZB

**NEW**

The **BRINKO tool box WZB** is equipped with various storage pockets for tools and aids of all kinds. Thanks to the arrangement of the pockets on the inside walls and lid, the tools can be seen at a glance and removed and put back with just one hand (no lifting of tool plates with the second hand, as in conventional tool cases). Furthermore, the interior offers enough space to store additional products such as sealing boxes, hemp and kit, or tool sets in roll-up pockets, as is the case with this equipment. This box can be easily connected to all BRINKO BRIboxes for transportation in the vehicle. **All BRINKO boxes are compatible with the metaBOX system.**

**The WZB tool box is equipped with tools and aids that are specifically needed for work on heat pumps and air conditioning systems.** Basic tools can be brought in from your own stocks or are of course available from BRINKO.

### Content:

- BRI-Box 340 S (compatible with the metaBOX system) with internal divider for tools, external dimensions: 396 x 296 x 340 mm
- Pipe cutter with deburrer for INOX, copper, brass, plastic and composite pipes up to Ø 35 mm
- Mini pipe cutter 3 - 16 mm
- Universal switch cabinet wrench
- Interchangeable blade set Vario cross (PH), slotted, +/- with reduced blade diameter and integrated protective insulation
- Combination wrench SW 9 - 19, SW 9 - 24, SW 10 - 29, adjustable open-end wrench
- Multi Clamp II miniature current clamp AC/DC 600 V
- Control mirror with double ball joint
- Deep hole marker, integrated LED light for targeted markings in poorly illuminated areas
- Duo marker plumbing for marking different measuring points, hot and cold water pipes, or for corrections

**Art. no. 4625**

12 pieces, 396 x 296 x 340 mm



▲ 1000 V IEC 60900



## Toolbox EWB Electric

**NEW**

The BRINKO EWB tool box is equipped with 2 tool boards that hold various pockets for power tools. Under the 2nd tool panel, there is a large compartment with a foam insert for holding crimping boxes with ferrules and useful accessories for electrical engineering. This box offers safe transportation of special equipment and can be easily connected to all BRINKO boxes for transportation in the vehicle and to the job site. This makes it possible to divide up special tools that are not always required and the necessary aids in a practical way.

All BRINKO boxes are compatible with the metaBOX system.

With this well thought-out equipment, work on electrical components can be carried out safely, cleanly and in accordance with standards. The necessary safety is supported by clear signage and the option of securing automatic circuit breakers against unintentional activation. DIN-compliant wire end ferrules and crimping pliers with standard-compliant square crimping round off this well thought-out set.

### Content:

- BRI-Box 145 S (compatible with the metaBOX system), external dimensions: 396 x 296 x 145 mm
- 2x tool boards with pockets, 1x special showcase insert
- Diagonal cutters DIN ISO 5749 VDE, 160 mm
- Stork's beak pliers DIN ISO 5745 VDE, 200 mm
- Stork's beak pliers DIN ISO 5745 VDE, 45° angled, 200 mm
- Automatic wire stripper, 0.2 to 6 mm<sup>2</sup> + wire cutter up to 2.5 mm<sup>2</sup>
- Allround soft grip scissors with wire stripper, stainless steel
- Super stripper for round cables Ø 8 - 13 mm
- Universal switch cabinet wrench with fan wrench and screw bit
- Interchangeable blade set Vario cross (PH), slotted, + / - with reduced blade diameter and integrated protective insulation
- Warning plastic sign round 200 mm "Do not switch" for attaching to switch boxes
- Electrical lockout kit, specially developed for locking fuses in the electrical sector
- HUPsquare10 crimping pliers, 2-10 mm<sup>2</sup> with quadruple crimps
- Crimping tin DIN wire end ferrules for 1 strand
- Crimping box DIN wire end ferrules for 2 strands

Art. no. 4812

15 pieces, 396 x 296 x 145 mm



ATE 1000 V IEC 60900



\* perfected cutting force performance

4,82 kg



## KWZ refrigeration tool box

**NEW**

The specially designed foam insert in the BRINKO KWZ refrigeration tool box clearly arranges special tools and aids for working with inch piping and keeps them safe during transportation. This enables the practical storage of rarely used special tools and the necessary aids. All BRINKO boxes are compatible with the metaBOX system.

Special tools are essential for the installation, maintenance and repair of heat pumps and air conditioning systems in order to carry out the necessary work professionally. Working on inch copper pipes (e.g. standard-compliant flaring), tightening the screw connections to the prescribed torque and also cleaning and straightening heat exchangers are tasks that cannot be carried out with conventional tools. BRINKO offers a well thought-out addition to existing tools.

### Content:

- BRI box 145 M (compatible with the metaBOX system), incl. refrigeration tool foam insert 145 M and lid foam, external dimensions: 446 x 345 x 145 mm
- Lamelle comb with various pitches for cleaning and straightening heat exchangers
- Torque open-end wrench set, 17, 22, 24, 26, 27, 29 mm, 10 - 70 Nm
- Refrigeration/air conditioning ratchet, reversible, 157 mm, 4 in 1
- Pipe bender 3 in 1, 1/4" - 5/16" - 3/8" - 180°
- Ratchet wobble flaring tool with die, 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
- Softgrip deburring tool for copper and composite pipes, with spare blade
- Valve insert wrench For screwing in and unscrewing Schrader and Sclaverand/Presta valve inserts

**Art. no. 4670**

7 pieces, 446 x 345 x 145 mm



## Refrigeration tool box, metric KWM

**NEW**

The specially designed foam insert in the BRINKO KWM refrigeration tool box clearly arranges special tools and aids for working with metric pipework and keeps them safe during transportation. This enables the practical storage of rarely used special tools and the necessary aids. All BRINKO boxes are compatible with the metaBOX system.

Special tools are essential for the installation, maintenance and repair of heat pumps and air conditioning systems in order to carry out the necessary work professionally. Working on inch copper pipes (e.g. standard-compliant flaring), tightening screw connections to the prescribed torque and also cleaning and straightening heat exchangers are tasks that cannot be carried out with conventional tools. BRINKO offers a sophisticated addition to existing tools for these tasks.

**Content:**

- BRI box 145 M (compatible with the metaBOX system), incl. refrigeration tool foam insert 145 M and lid foam, external dimensions: 446 x 345 x 145 mm
- Lamelle comb with various pitches for cleaning and straightening heat exchangers
- Torque open-end wrench set, 17, 22, 24, 26, 27, 29 mm, 10 - 70 Nm
- Refrigeration/air conditioning ratchet, reversible, 157 mm, 4 in 1
- Pipe bender 3 in 1 metric 6, 8, 10 mm - 180°
- Ratchet wobble flaring tool with die, 6, 8, 10, 12, 14, 16, 19 mm
- Softgrip deburring tool for copper and composite pipes, with spare blade
- Valve insert wrench for screwing in and unscrewing Schrader and Sclaverand/Presta valve inserts

**Art. no. 4675**

7 pieces, 446 x 345 x 145 mm

**6,04 kg**

## Personal protective equipment box PPE

**NEW**

The BRINKO Personal Protective Equipment Box PPE is designed for the refrigeration/air conditioning sector. Equipped with foam padding on the lid and base, the box contains the prescribed personal protective equipment, including special cold protection gloves that protect against cold burns caused by escaping refrigerant. This box can be easily connected to all BRINKO BRI boxes for transport in a vehicle.

**Art. no. 4635**

14 pieces, 446 x 345 x 145 mm

**Content:**

- BRI box 145 M (compatible with the metaBOX system), incl. base and lid foam
- Nitrile chemical/cold protection gloves Chem, turquoise, size 10
- Safety goggles/safety glasses with length and height-adjustable temples
- Fine dust mask protection type FFP2 EN149:2001, 10 pcs
- Ear defenders

**1,66 kg**

## EMB electrical meter box

**NEW**

In the specially manufactured foam insert of the BRINKO EMB electrical measuring device box, the electrical measuring devices are clearly arranged and safely stored for transportation. This enables the practical storage of rarely used special tools and the necessary auxiliary equipment. All BRINKO boxes are compatible with the metaBOX system.

Modern heating systems increasingly contain electrical and electronic components whose proper operation requires precise current measurements. The measuring devices required for this are sensitive and often expensive. To protect them from damage and ensure safe transportation, a special transport box is recommended. This prevents the sensitive devices from being damaged between robust tools such as pipe wrenches and fists.

**4-piece set, consisting of:**

- BRI-Box 145 M (compatible with the metaBOX system), incl. foam insert for electrical measuring devices and foam lid
- Profi LCDplus II two-pole voltage tester
- Multi Check II digital high-performance multimeter for testing capacitors and continuity
- Multi Clamp II miniature current clamp AC/DC 600V for power testing
- Test leads and test probes

**Art. no. 4822**

4 pieces, 446 x 345 x 145 mm

**3,20 kg**

# PRECISION IN EVERY DETAIL!

## DRILL BITS & SETS



## Glass tile drill

### Single Drill

- optimally designed for cordless power tools
- 1/4" hexagonal shaft
- pointed chisel edge enables precision drilling, can be re-sharpened

**Please note: Only use in rotation (low rotation speed) and in sufficiently cool.**

Areas: ceramics, tiles, hard-fired tiles, glass, acrylic glass, mirror glass



**Art. no. 1368-1/5**

Ø 5 x 75 mm

**Art. no. 1368-1/6**

Ø 6 x 75 mm

**Art. no. 1368-1/8**

Ø 8 x 85 mm

**Art. no. 1368-1/10**

Ø 10 x 90 mm

**Art. no. 1368-1/13**

Ø 13 x 100 mm

**Art. no. 1368-1/14**

Ø 14 x 100 mm

## Glass tile drill set

- 5 piece
- Sizes: 2 x 6, 2 x 8.1 x 10 mm
- optimally designed for cordless power tools
- 1/4" hexagonal shaft
- pointed chisel edge enables precision drilling, can be re-sharpened

**Please note: Only use in rotation (low rotation speed) and in sufficiently cool.**

Areas: ceramics, tiles, hard-fired tiles, glass, acrylic glass, mirror glass

**Art. no. 1368**

5 pieces



## DIAMOND core drills BRIdiamondDrill

### Drilling without a centring aid

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 - 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381-1/6

Ø 6 mm

Art. no. 1381-1/8

Ø 8 mm

Art. no. 1381-1/10

Ø 10 mm

Art. no. 1381-1/12

Ø 12 mm

Art. no. 1381-1/14

Ø 14 mm

## DIAMOND core drills set BRIdiamondDrill

### Drilling without a centring aid

7-pieces: Ø 2 x 6, 2 x 8, 10, 12, 14 mm

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 - 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381

7 pieces

# DRILLING WITH PRECISION!

**CLEAN, PRECISE DRILLING**  
in tiles and porcelain stoneware  
slabs – faster and more economical

**CORDLESS HIGH-SPEED DRILL**  
with 8,000 rpm 12 V, 2 Ah  
and 4 Ah battery  
M14a adapter



**IDEAL FOR PROFESSIONALS**  
Quality, speed and  
reliability

VIDEO 13810



**DIAMOND tile drilling  
set BRIspeedDrill**

**Art. no. 13810**  
15 pieces

## DIAMOND core drills set BRIdiamondDrill

### Drilling without a centring aid

7 pieces: Ø 3 x 6, 3 x 8, 10 mm

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381-7

7 pieces



## DIAMOND core drills set BRIdiamondDrill

### Drilling without a centring aid

7 pieces: Ø 2 x 6, 8, 10, 12, 14 mm

1 Centering Guide stainless 5 – 40 mm

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



Art. no. 1381-6

7 pieces



**DIAMOND core drills set BRIdiamondDrill****Art. no. 1381-4**

4 pieces

**Drilling without a centring aid****4 pieces: Ø 2 x 6, 8, 10 mm**

- connector M14 to be used with the angle grinder and BRIspeedDrill
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- extremely long service life thanks to high speeds (recommended: 8,000 – 14,000 rpm)
- special wax filling ensures cooling, no extra cooling required
- single hole drilling - only required if multiple holes are drilled



## DIAMOND core drills BRIdiamondDrill

### Advantages of the DIAMOND drills:

- precise positioning, minimum risk of slipping off
- Safety, Fast, Efficiency & Sophisticated design
- special wax filling ensure cooling, no cooling water required
- hex shank Ø 8,2 mm
- wax filled core helps cooling and lubricates, need not watering
- a strong bond is made through the brazing process extending service life
- Diamond coated design reduces cutting heat for 5x longer working life

### Reliable cutting, drilling & grinding in the following materials:

- floor and wall tiles, hard porcelain
- granite and marble
- glass and fiberglass

Art. no. 1379-3/5

Pipe Ø 5 mm

Art. no. 1379-3/6

Pipe Ø 6 mm

Art. no. 1379-3/8

Pipe Ø 8 mm

Art. no. 1379-3/10

Pipe Ø 10 mm

Art. no. 1379-3/12

Pipe Ø 12 mm



## DIAMOND core drills set BRIdiamondDrill

**Drilling without a centring aid**

**4 pieces: Ø 2 x 6, 8, 10 mm**

- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- long service life
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



## DIAMOND core drills set BRIdiamondDrill

**Drilling without a centring aid**

**7 pieces: Ø 2 x 6, 8, 10, 12, 14 mm**

**1 Centering Guide stainless 5 - 40 mm**

- hex shank Ø 8 mm
- hi-grade diamond grains for fast working, provide clean results
- perfectly suited for drilling clean holes in granite and stone slabs, porcelain, ceramics and tiles
- long service life
- special wax filling ensures cooling, no extra cooling required single hole drilling - only required if multiple holes are drilled



**Art. no. 1379-4**

4 pieces

**Art. no. 1379-6**

7 pieces



## HSS-bi-metal hole saw set | Plumbing standard

Art. no. 1384

7 pieces

- supplied in unbreakable plastic case, 6 pieces:  
5 HSS-bi-metal hole saws Ø 44, 57, 68, 75, 114 mm, 4 – 6 tpi  
1 SDS chuck adaptor with HSS drill
- cutting depth 40 mm
- for steel, Nirosta, non-ferrous metals, HAT pipe, wood and aerated concrete
- also ideal for switches and sockets
- all hole saws are also available individually Art. no. 1380



## **PRECISE CONTROL AND CLEAR VISIBILITY**

BRINKO inspection and camera systems allow precise monitoring of hard-to-reach areas such as pipelines, cavities, or machinery - without time - consuming disassembly. Thanks to advanced camera technology, they deliver crystal-clear images and videos for rapid fault diagnosis and targeted maintenance. Robust construction, flexible guidance, and powerful lighting ensure reliable results - even under demanding conditions. This way, you always maintain full control and work efficiently, safely, and professionally.

**Precision that makes the difference.**

# MAKING THE INVISIBLE VISIBLE!

# INSPECTION CAMERA SYSTEMS



## HD-Hand Inspection Camara BRICamS

Art. no. 3780

5-Inch-LCD-HD

- 5 inch LCD HD high resolution screen for real time display
- High-quality CMOS sensor (camera) with a resolution of 1280 x 720 pixels (camera head Ø 8 mm)
- HD resolution screen with 1920 x 1080 and 1280 x 720 options
- Photo and video recording to Micro SD-card
- Triple LED brightness adjustment of camera light and screen illumination
- 1 meter swan-neck camera with IP67 waterproofing
- 4000 mAh, 3.7 volt lithium-ion battery provides up to 5 hours of standby time
- Supports seven languages: English, French, German, Spanish, Italian, Japanese, Chinese



### Content:

- Screen Unit
- 1 Meter Swan-Neck Camera with Ø 8 mm Camera Head
- User Guide
- Threading-Attachable Hook
- Threading-Attachable Magnet
- Threading-Attachable 90° Mirror
- Charging cable USB-C to USB-A USB-A charger

### Optional:

Camera head with 5 m camera cable



## Pipe inspection camera system BRICamL

Art. no. 3741

DN70 - DN160

Video inspection system for visual inspection of pipes, hollow bodies and spaces as well as finding blockages or damage!

**Pipe inspection camera system BRICamL with a swivelling camera head, only 28 mm diameter and 40 m fiberglass cable, intelligent compact design combined with simple operation and easy transportation, thanks to the aluminium frame.**

This waterproof system is complete with transmitter module can be used between and can be detected, tracked and located by locating devices, operating at 512 Hz. The camera head of the BRICamL can be rotated 360° and swiveled by 210° and enables an exact Driving through connections and checking pipe branches.

The display unit is surrounded by a robust, waterproof and airtight plastic case and can be used in cramped working conditions or for better transport of the operated push cable unit.




On the 10" TFT monitor with a Resolution of 1280 x 800 pixels the smallest Defects will be recognized and the number of meters inserted are shown. The BRICamL is equipped with a multifunctional Control panel with QWERTY keyboard for entering text, as also an integrated microphone for voice recording during video recording on SD card or USB stick. This intelligent system even has a device for cleaning the fibre cable after use by pushing it back, which removes adhering water and impurities. These are collected in the waterproof body, which can then be emptied outdoors.

By unscrewing the transmitter unit and inserting an optional adapter, bends from DN50 upwards are possible. This system can also be operated with a 10 or 20 meter long hand reel with a Ø 12 mm camera head.



### Content:

- 360°/210° rotating/swivelling camera head Ø 28 mm
- Camera cable: Ø 7 mm/40 metres long
- Steel coil, Meter counter
- 6-pin camera connection
- Cleaning brush
- 512 Hz sender
- IP68 Multifunctional control device in the IP66 case, 10" TFT monitor with USB/SD recording
- Text and voice input using the QWERTZ keyboard
- Joystick for swivelling camera head
- Operated with 6600 mAh Li-Ion battery or current
- Mains adapter, Guide ball and star for camera head
- Video cable 1 metres 6-pin, Remote operation



# PRECISE INSPECTION AND LOCATION!




## VISUAL AND ACOUSTIC

Location of the camera head and precise depth determination

## ROBUST

Display unit in water- and airtight plastic case



## MULTIFUNCTIONAL

Control panel with QWERTY keyboard, microphone for voice and video recordings on SD card or USB stick



**Pipe inspection camera system  
BRIcamL + BRIcam0  
location system**

**NEW**

**Art. no. 3775**

**Bundle**

## Stand for locating device, receiver 512 Hz

**NEW**

The stand serves as a passive adapter and can be mounted at the lower end of the antenna rod.

It increases the overall height of the receiver by 8.57 cm.

This additional height is automatically compensated for via a menu function so that depth and current measurements continue to be recorded and saved correctly.

- Enables the locating receiver to stand upright independently
- Ideal for one-person operation for on-site measurements

**Art. no. 3772**

for items 3775



## Carrying case for locator 512 Hz

**NEW**

The carrying case allows for safe and convenient transport of the locator device – including the operating instructions, charger and stand.

A robust, two-way zip fastener ensures quick and easy access to the contents.

- Robust material
- Space for additional accessories
- perfect fit for tracking device
- double-sided zipper

**Art. no. 3773**

for items 3775



## Accessories for BRICamL/BRICamM, camera head set Ø 12 mm, length 10 m

Art. no. 3750/10

Ø 12 mm | 10 m

Small camera head Ø 12 mm for pipe and house connections, as well as cavities

- As an extension to pipe inspection camera system BRICamL

- Camera head Ø 12 mm
- Camera cable Ø 4.8 mm | Length 10 m
- incl. steel reel
- 4-pin connection cable
- Application range DN20 - DN110



## Accessories for BRICamL/BRICamM, camera head set Ø 12 mm, length 20 m

Art. no. 3750/20

Ø 12 mm | 20 m

Small camera head Ø 12 mm for pipe and house connections, as well as cavities

- As an extension to pipe inspection camera system BRICamL

- Camera head Ø 12 mm
- Camera cable Ø 4.8 mm | Length 20 m
- incl. steel reel
- 4-pin connection cable
- Application range DN20 - DN110




## BRICamXL pipe inspection camera system

Art. no. 3760

DN70 - DN450

### Contents:

- 360°/210° rotating/pivoting camera head Ø 55 mm, IP68
- Push cable Ø 9 mm | length 60 m
- Steel reel, meter counter, 8-pin camera connection
- 512 Hz transmitter
- Multifunctional control unit in IP68 case
- 10" IPS HD display with USB/SD recording (photo, video, voice)
- Joystick for swiveling camera head
- 9 Ah Li-Ion battery (for approx. 4 hours of operation), charger/mains adapter
- Guide ball and star for camera head
- Video cable 1.5 meter 8-pin
- Remote control



## **PRACTICAL HELPERS FOR EVERY TASK**

Our featured range offers handy tools and accessories that make everyday work significantly easier. From versatile everyday helpers to specialized professional tools, you will find products designed for precise, clean, and safe work. All tools stand out for their innovative solutions, ergonomic design, and high-quality materials.

Whether on the construction site, in the workshop, or during service calls, our helpers deliver efficiency, comfort, and reliability for every job.

**Well thought-out, robust and always ready for use.**

# THAT EXTRA SOMETHING!

## COMPLEMENTARY RANGE



## Pressure testing pump

- for safe tightness testing on water pipes
- brass piston, 1/2" hose connection
- test pressure up to 60 bar
- storage tank 12 l, painted red
- tank dimensions 500 x 180 x 140 mm
- replacement manometer Art. no. 7640-1
- replacement pressure hose Art. no. 7640-2

Art. no. 7640

60 bar




## Pressure testing pump stainless steel

- for safe tightness testing on pipes
- in particular with chemically contaminated, aggressive liquids
- also suitable for solar panel systems and underfloor heating systems
- 1/2" hose connection
- test pressure up to 60 bar
- storage tank 12 l made of STAINLESS STEEL
- per stroke 0.027 litres
- tank dimensions 500 x 190 x 140 mm
- replacement manometer Art. no. 7641-1
- replacement pressure hose Art. no. 7640-2

Art. no. 7641

60 bar



# COMPLETELY CHEMICAL-FREE!

## TWO PRACTICAL ATTACHMENTS

A short one for wash-basins and sinks and a long one for toilets



## 100% CHEMICAL-FREE

Powerful and sustainable

## EFFECTIVE AGAINST PIPE BLOCKAGES

Environmentally conscious solution – suction and pressure cleaners from BRINKO



## CLEAN RESULTS

For professionals and DIY enthusiasts


**Pipe cleaning pump**

**Art. no. 3722**

Length 55 cm

## Sealing balloon

- easily seal pipes
- pneumatic sealing system for various pipe diameters
- insert, inflate, work
- suitable for compressed air hose Art. No. 3800-2 and to the air pump with manometer Art. No. 3800-3

**Art. no. 3800-1/1**

Pipe Ø 30 – 50 mm

**Art. no. 3800-1/2**

Pipe Ø 50 – 80 mm

**Art. no. 3800-1/3**

Pipe Ø 70 – 100 mm

**Art. no. 3800-1/4**

Pipe Ø 90 – 150 mm

## Compressed air hose

- extension hose for sealing bubbles
- can be extended as required
- length 3 m

**Art. no. 3800-2**

Length 3 m




## Plug for inner pipe

Mechanical pipe sealing system for inner pipe

- ideal for sealing drain pipes and for long-term applications
- easy to insert and secure due to extra large wing nut
- resistant to use and waste water
- suitable for all types of pipes
- maximum counterpressure: 1.2 bar or 12 m
- Housing made of glass-fibre reinforced ABS plastic
- sealing ring based on natural rubber
- Galvanised threaded screw and wing nut - corrosion-resistant

Original Gripper - tested and proven, the most preferred mechanical shut-off discs on the market

Maximum Counter Pressure 1,2 bar corresponds to a 12 m water column



Art. no. 3806/1

Pipe Ø 96 – 103 mm

Art. no. 3806/2

Pipe Ø 147 – 154 mm

Art. no. 3806/3

Pipe Ø 196 – 204 mm




## Plug for end pipe

Mechanical pipe sealing system for end pipe

- ideal for sealing drain pipes and for long-term applications
- easy to insert and secure due to extra large wing nut
- resistant to use and waste water
- suitable for all types of pipes
- maximum counterpressure: 1.2 bar or 12 m
- Housing made of glass-fibre reinforced ABS plastic
- sealing ring based on natural rubber
- Galvanised threaded screw and wing nut - corrosion-resistant

Original Gripper - tested and proven, the most preferred mechanical shut-off discs on the market

Maximum Counter Pressure 1,2 bar corresponds to a 12 m water column



Art. no. 3805/1

Pipe Ø 39 – 42 mm

Art. no. 3805/2

Pipe Ø 49 – 55 mm

Art. no. 3805/3

Pipe Ø 71 – 79 mm

Art. no. 3805/4

Pipe Ø 96 – 103 mm

Art. no. 3805/5

Pipe Ø 147 – 154 mm



## Deep-hole marker 2-in-1 with a sharpener

Art. no. 2528

black | yellow

### One pen – two functions

**With a cap:** Retractable pencil for precise marking and writing

**Without a cap:** Deep-hole marker for drilling and installation tasks

- very stable, with a practical clip
- sharpener integrated into the push-button
- graphite universal refill for marking on rough and smooth surfaces
- ergonomic, triangular form
- preserves resources and is environmentally-friendly
- designed for various refills for almost all surfaces and materials



## DRY Profi

Art. no. 2513

Length 150 mm

### Effective pressing mechanism for automatic lead propulsion in robust stainless steel tube

- easy one-handed operation thanks to improved clip
- integrated sharpener with guide – for fast sharpening at any time
- leads can be replenished from the front or back
- for all surfaces (wood, metal, glass, ceramics ...)
- special graphite lead included can be wiped off smooth surfaces with a damp cloth
- separately available coloured leads, water soluble or waterproof
- available in colour sets or individual colours for versatile use on light and dark backgrounds



## Suction Cup

Art. no. 1180

0,39 kN

Guaranteed the right Suction Cup for your application with the highest degree of security

- plastic body, 2x suction disc Ø 120 mm
- load-bearing capacity: 40 kg
- guideline value – use under the specified value recommended
- handle is covered with non-slip rubber

Can be used on all materials with smooth, sealed surfaces (e.g. panes of glass, tiles, stone, sheet steel, panels made of coated wood)

### Safety information:

- the surface of the object and the suction discs must not be greasy
- before lifting a weight, carry out a test
- never walk under the load and never lift above yourself or others



## Breathable protective gloves

- Nitrile coating, pimpled
- extremely grippy due to high abrasion resistance
- very comfortable to wear, hands remain cool and dry

Art. no. 3454/9

Size 9

Art. no. 3454/10

Size 10

Art. no. 3454/11

Size 11



## Work gloves BRIGecko

- Premium quality
- 100 % polyamide, finely knitted
- latex-coated glove palm
- repels liquid
- excellent fit

Art. no. 3458/9

Size 9

Art. no. 3458/10

Size 10



## BRImobileWork folding workbench

Art. no. 5641/800

785 x 585 mm

**Back-friendly work with maximum work safety!**  
**Easy to transport with one hand - effortless to move thanks to wheels and pull rod, simple folding mechanism - quick to assemble.**  
**Safe stand!**

The compact folding workbench BRImobileWork offers the perfect balance of weight, mobility, stability, size and functionality. Ideal for use on construction sites, as well as space-saving and mobile.

- Weight under 20 kg
- Work surface 785 x 585 mm and a 30 mm thick screen-printed plate
- Working height 800 - 825 mm thanks to four adjustable feet to compensate for uneven surfaces
- Load capacity up to 200 kg (surface load)
- Dimensions when folded 785 x 250 x 585 mm
- Two large plastic wheels and fold-out pull rod for easy transport when folded up
- Can be moved over the two wheels when assembled by tilting the workbench
- Table legs made of galvanized square tube are locked by a crossbar with a spring mechanism for a firm stand
- Screen-printed plate with anti-slip surface and framed in T-profile steel frame
- Vice and other holding systems can be mounted



**BRINKO®**  
powered by **haupa®**

# TOP DEALS 2026



**SPECIAL  
OFFER**  
International  
**EN**



[brinko.de](http://brinko.de)